HERNANDO COUNTY ZONING AMENDMENT PETITION



Application to Change a Zoning Classification

Application request (check one):

Rezoning □ Standard ☑ PDP Master Plan □ New □ Revised

PSFOD □ Communication Tower □ Other

PRINT OR TYPE ALL INFORMATION

Data: 06/15/2022

Rezoning Application Form 11-08-16.Docx

File No. H 2261 Official Date Stamp:

Received

JUL 1 2 2022

Planning Department Hernando County, Florida

Date: 06/15/2022		
APPLICANT NAME: Cabot Citrus OPCO LLC		
Address: 150 Bloor Street West, Suite 310	S. Canada	Z: MECOVO
City: Toronto, Ontario	State: Canada	
Phone: Email: mmotes@cabotcitrusfarms	s.com	
Property owner's name: (if not the applicant)		
REPRESENTATIVE/CONTACT NAME: Don Lacey		
Company Name: Coastal Engineering Associates, Inc.		
Address: 966 Candlelight Blvd		
City: Brooksville	State: FL	Zip: 34601
Phone: (352)848-3425 Email: tcsorba@coastal-engineer	ring.com, dlacey@coastal-eng	ineering.com
HOME OWNERS ASSOCIATION: ☐ Yes ☑ No (if applicable provide name,		
Contact Name: City	· State	:Zip:
Address:City	5440	
PROPERTY INFORMATION:		
1. PARCEL(S) KEY NUMBER(S): 327337, 327300, 1227719, 327	569, 327685, 327934, 327952	2, 328096, 1353911
2. SECTION 11,02,12,13,14, , TOWNSHIP 21	, range <u>18</u>	
5. Current Zoming Chaosin		
4. Desired zoning classification: CPDP		
J. Dize of alca covered by application.		
6. Highway and street boundaries: South- US 98	1-0 DV DV-	
7. Has a public hearing been held on this property within the past twelve		1
8 Will expert witness(es) be utilized during the public hearings?		identify on an attached list.)
9. Will additional time be required during the public hearing(s) and how	much? ☐ Yes ✔ No (Time n	eeded:)
PROPERTY OWNER AFFIDIVAT		
TROTERT TO WITHER THE PARTY OF		
I. Benjamin Cowan-Dewar	, have thoroughly examined the i	nstructions for filing this
application and state and affirm that all information submitted within this pe	tition are true and correct to the b	est of my knowledge and
belief and are a matter of public record, and that (check one):		
☐ I am the owner of the property and am making this application OR		
✓ I am the owner of the property and am authorizing (applicant): Cabot (Citrus OPCO LLC	
and (representative, if applicable): Coastal Engineering Associates, Inc.	``	
to submit an application for the described property.	70 6	
to such the approximation are accounted by the property	AM)	
Province of ontwin In	Signature of Property Owner	
STATE OF FLORIDA		
STATE OF FLORIDA COUNTY OF HERNANDO C:+-, of Toronto Ju The foregoing instrument was acknowledged before me this 28 day	Tura	20 2 2 1
	of June	, 20_22, by
Benjanin Cowan - Dewar who is personally kno	wn to me or produced	Acas Cas Identification.
The second secon		
Jennifer Christine Wiens	,	
Barrister, Solicitor & Notary Public in and for the Province of Ontario.	3	
My commission is of unlimited duration	~	
Signature of Notary Public No legal advice given.	* 5	
RED 5	BEAL NOTARY	
2 51001 30	reet East, Unit C-11 FO, ON M4W 3G7	

(888) 922-7325

www.redsealnotary.com



(fka World Woods)

JURISDICTION: HERNANDO COUNTY

SUBMITTED TO:



Hernando County Development Services Department 1653 Blaise Drive, Brooksville, FL 34601

SUBMITTED BY:



APPLICANT'S AGENT:



966 Candlelight Boulevard Brooksville, FL 34601

CEA # 21047 July 06, 2022

CABOT CITRUS FARMS

Hernando County Rezoning Narrative

PARCEL KEY NO'S.

00327337	01227719	00327685
00327300	00327569	01353911
00327934	00327952	00328096

GENERAL DESCRIPTION

The Cabot Citrus Farms property consists of the western 1,185 acres of the World Woods Planned Development District located in northwestern Hernando County (Sections 1, 2, 3, 10,11, 12, 13 & 14, Township 21 South, Range 18 East and Section 7, Township 21 South, Range 19 East). The subject property is bounded on the north by Citrus County, on the east by a portion of the Withlacoochee State Forest, on the south by US Highway 98 and on the west by State Forest lands purchased in part for extension of the Suncoast Parkway.





BACKGROUND

The original developer of the World Woods Resort amassed approximately 2,100 acres in the early 1990s to achieve his dream of creating two magnificent golf courses and subsequently developing a resort that would have world-wide attraction to golfers everywhere. With the property lying on the confluence of two geological features, the Candler Sand Ridge and the Annutteliga Hammock, the distinguished golf course architect, Tom Fazio, was able to create two internationally renowned golf courses lying side by side. Pine Barrens, built on the rolling sand hills of the Candler Ridge, quickly became one of the highest-ranking public golf courses in the country. Rolling Oaks, built in the adjacent Annutteliga Hammock, is dominated by live oak, magnolias, bays, and hickory. This location also includes several karst features and a lake. The initial resort complex included a small clubhouse, a par 3 course, and three practice holes. Other than the sale of the eastern 930 - acres for conservation, the resort has not changed significantly since the 1990's. While discussions on completing the resort, residential, and other elements of the master plan have been held, subsequent development has not taken place to date.

COMPREHENSIVE PLAN

The Cabot Citrus Farms property is part of the 2,100-acre World Woods Planned Development District (World Woods PDD), a special district established in the northwest portion of Hernando County with the objective of maximizing the recreation and tourist potential of the World Woods Golf Resort through the master planning of land uses. The easternmost 930 - acres of the World Woods PDD was purchased in 1999 as part of the State of Florida's Conservation and Recreation Lands (CARL) program. Consisting primarily of hardwood hammock and wetlands, this property has been placed under the management of the Florida Division of Forestry as part of the Withlacoochee State Forest, which meets many of the environmental conservation objectives established within the PDD. The western portion of the PDD, now owned by the applicant, was retained by the creators of the World Woods Resort for the master planning of a mixture of uses, including golf courses, a clubhouse, resort residential dwellings, condominiums, residential dwellings, resort hotel, and ancillary facilities. At present, only the world-renowned golf courses and small clubhouse have been developed.




Figure 2 - Future Land Use Map

ZONING

The property was originally approved as a Combined Planned Development Project, a zoning category that allows for a mixture of land uses, incorporates a master plan layout, and establishes set of approval parameters and conditions that are mutually agreed upon by the applicant and the County (H-90-57). The original Planned Development Project zoning for World Woods was subsequently amended in H- 91-30, H-91-13, H-91-12, & H-92-17. At present, the Cabot Citrus Farms property is subject to mapping criteria and land use conditions established in the latest rezoning approval, H-98-49. These conditions have been appended to this application.




Figure 3 - Current Zoning Map

ZONING CONDITIONS

The applicant proposes to retain the Combined Planned Development zoning classification, seek approval of a revised master plan and modify the following entitlements and zoning conditions:

- 1. The petitioner must obtain permits from Hernando County and meet all applicable land development regulations, except for variances or waivers as provided herein, for either construction or use of the property. The petitioner may request variances or waivers, which would be subject to Hernando County's appropriate review processes.
- 2. Residential density shall be a maximum of one (1) unit per 1.25 gross acres of land within the planned development district, with residential land use of no greater than 25% of the land area. Public access shall be from U.S. 98 and Citrus Way only. The approved residential density shall include resort residential dwellings, condominiums, multifamily, residential dwellings, and resort hotel.
- 3. The petitioner shall be limited to three access points on US 98 as approved by the county engineer and FDOT. The petitioner may continue to use Hebron Church Road as an additional access point for construction access and access to its maintenance facilities.
- 4. The petitioner shall be limited to one access point on CR 491; this access may also be used for direct access to the maintenance facilities and as a construction haul road. Roadway access improvements to CR 491 shall be as approved by the County Engineer.

5. At full buildout, the petition may include a mixture of the following land uses: Golf Courses, Clubhouse, Resort Residential Dwellings, townhomes, multifamily, Condominiums, Residential Dwellings, Resort Hotel and Ancillary Facilities (including but not limited to Restaurant, Pro Shop, Racquet Club, Parking, Interim Sewage Treatment Plant, etc.) The Golf Courses are approved and designated as C/PDP(REC) for a Golf Course. The project shall be developed in several phases, with the following setbacks:

Golf Courses

The setbacks from the maintained areas of the golf course shall be 50 feet from all external privately owned property lines. In order to accommodate existing conditions which have been in place since the courses originally opened, specific areas of this setback can be waived via an agreement with any of the adjacent landowners.

Clubhouse

Front: 0', provided an adjacent sidewalk of not less than 5' is part of roadway in front of

building.

0', provide there is a common wall maintenance easement agreement or a Side:

maintenance easement on entire side of not less than 10'

Rear: 0', provided there is a maintenance easement on entire rear of not less than 10'.

Resort Residential Dwellings*

Front: 10', provided any front-loaded garage is set back 25 ft

5'/0' in the event there's a common wall and provided there is a common wall

maintenance easement agreement or a maintenance easement on entire side of not

less than 10'

20' Rear:

Condominiums/Multifamily

Front: 10', provided any front-loaded garage is set back 25 ft

5'/0' in the event there's a common wall and provided there is a common wall

maintenance easement agreement or a maintenance easement on entire side of not

less than 10'

20' Rear:

Residential Dwellings

Front: 10', provided any front-loaded garage is set back 25 ft

Side:

Rear: 20' for main house*

Resort Hotel and Ancillary Facilities

Front: 0', provided an adjacent sidewalk of not less than 5' is part of roadway in front of building.

Side:

0', provide there is a common wall maintenance easement agreement or a maintenance easement on entire side of not less than 10'

Rear: 0', provided there is a maintenance easement on entire rear of not less than 10'.

- 6. The frontage road requirement for the project is waived.
- 7. Active recreational uses, other than golf, jogging paths, and water sports, shall be shown on phased conditional plats as approved by the county planning and zoning commission.
- 8. The submitted plan shall indicate the 100' building setback from privately-owned parcels, along US 98 and along CR 491.

^{*} Such villas shall be allowed golf cart only access provided cart paths are installed to each

^{*} Such villas shall be allowed golf cart only access provided cart paths are installed to each

^{*} Pool and any accessory dwelling unit may encroach into such setback to 10'

- 9. The land use designations and locations, as shown on the submitted master zoning site plan will be generally followed with minor modifications approved through the conditional plat approval process with Hernando county.
- 10. The petitioner shall provide access to the parcels within Cabot Citrus Farms which are not owned by the petitioner as approved by the county engineer.
- 11. The petitioner shall maintain a 100' natural vegetative buffer around the perimeter of the development adjacent to privately-owned parcels, as shown on the Master Plan.
- 12. The minimum single family Residential lot size for the development shall be 4,950 sq. ft. (45'x110') The minimum Resort Residential lot size for the development shall be 2,400 sq. ft. (30'x80').
- 13. The prior sale to CARL has satisfied any required preservation of uplands in connection with Horse Lake.
- 14. Any open space requirements will be calculated across the entire PDD, and no individual lot will be subject to individual open space requirements. The CARL sale of 930 acres can be included when calculating the PDD's open space requirements.
- 15. Any Resort Residential, Condominium or Residential units managed by the hotel shall not be considered part of the 120 hotel rooms allowed.
- 16. The petitioner has submitted a geological assessment, which has been approved by the County. The area of the property restricted from development due to existing subsurface geologic conditions and/or caves shall be limited to such area as shown on the Master Plan.
- 17. Any building constructed on the property shall not exceed 3 occupied stories, excluding any basement, provided such basement is surrounded by earth on at least 50% of its perimeter.
- 18. The petitioner shall enter into a water and sewer agreement with the County approved by the Hernando County Utilities department (HCUD) prior to any additional certificates of occupancy being issued on the property, except in connection with the golf course or renovations to existing structures
- 19. The petitioner shall provide a shared parking analysis to the County with the phase one conditional approval by the Planning and Zoning commission and prior to the construction of any hotel or retail use on the property.
- 20. Required maintenance or development obligations of the petitioner may be assigned to a Community Development District or homeowners association created for such purpose.
- 21. Prior to development approval, a geologic assessment of the proposed development areas must be secured by the developer and provided to the County. The assessment must be prepared by a qualified professional approved by the County.
- 22. In areas of the property that may affect the cave feature known to exist, development approvals will not be issued until scientific information is provided by the developer to the County to assure that the cave will not be negatively impacted. Once sufficient scientific information is provided to determine an area above the cave where development should be limited or prohibited, a "preservation tract" will be established for that area. If development approvals are greater than one (1) unit per 3.18 gross acres of land within the PDD, an appropriate environmental entity will be chosen to manage the preservation tract, with concurrence by the County.

- 23. Floral and faunal surveys shall be conducted by appropriate state agencies and qualified scientist within subsurface geologic features. Protection shall be afforded new species.
- 24. Development of the property within the District shall adhere to green industries Best Management Practices (BMP's), including Integrated Pest Management (IPM) (FDEP & FDCA, 2002. Protecting Florida Springs Land Use Planning Strategies & Best Management Practices). Florida Yards & Neighborhoods (FYN) education shall be provided for individual lot owners.

SECTION 1: PROPOSED DEVELOPMENT STANDARDS

ENVIRONMENTAL

Development within the World Woods Planned Development District must be generally consistent with ten (10) policies adopted along with Objective 1.07D of the Hernando County Comprehensive Plan. Policies 1.07D (7-10), which address environmental issues, are depicted below, along with proposed development standards that are intended to ensure consistency with the policies:

Policies

POLICY 1.07D(7): Prior to development approval, a geologic assessment of the proposed development areas must be secured by the developer and provided to the County. The assessment must be prepared by a qualified professional approved by the County.

POLICY 1.07D(8): In areas of the property that may affect the cave feature known to exist, development approvals will not be issued until scientific information is provided by the developer to the County to assure that the cave will not be negatively impacted. Once sufficient scientific information is provided to determine an area above the cave where development should be limited or prohibited, a "preservation tract" will be established for that area. If development approvals are greater than one (1) unit per 3.18 gross acres of land within the PDD, an appropriate environmental entity will be chosen to manage the preservation tract, with concurrence by the County.

POLICY 1.07D(9): Floral and faunal surveys shall be conducted by appropriate state agencies and qualified scientist within subsurface geologic features. Protection shall be afforded new species.

POLICY 1.07D(10): Development of the property within the District shall adhere to green industries Best Management Practices (BMP's), including Integrated Pest Management (IPM) (FDEP & FDCA, 2002. Protecting Florida Springs – Land Use Planning Strategies & Best Management Practices). Florida Yards & Neighborhoods (FYN) education shall be provided for individual lot owners.

PROPOSED DEVELOPMENT STANDARDS

Coastal Engineering Associates Inc. and The Colinas Group, Inc. recommend the following land management strategies to minimize stormwater and other developmental impacts associated with development of the project site:

- 1. The attached geological assessment report by the Colinas Group (Section 2 of the report) shall be utilized as a guideline in the preparation of design plans for the development of World Woods.
- 2. The attached survey and mapping report of the BROOKSVILLE RIDGE CAVE by George Veni & Associates, Cave and Karst Specialists, indicates the absence of flora and fauna species in the cave that require protection.
- 3. A natural buffer shall be provided above and for 100 feet to each side of the Brooksville Ridge Cave, running the length of the cave as depicted in the Drainage Analysis Report. (The Florida Springs Task Force Report recommended this buffer setback distance in their 2000 Report around sinkholes and other karst features.) This area shall be placed in a preservation tract, which shall be managed by an environmental entity chosen by the developer, with concurrence by Hernando County.
- 4. A 100-foot radius upland buffer zone shall be established around the cavities in rock exposed in the bottom of sinkholes depicted within the Drainage Analysis Report. Buffer zones shall contain natural or planted vegetation to attenuate stormwater in excess rainfall discharging to the karst features.
- 5. Development shall adhere to best management practices (BMP's), including Integrated Pest Management (IPM) (FDEP & FDCA, 2002. Protecting Florida Springs Land Use Planning Strategies & Best Management Practices).
- 6. Florida Yards & Neighborhoods (FYN) education shall be provided for individual lot owners.
- 7. The application of fertilizers, herbicides and pesticides shall be prohibited within the sinkhole and cave buffer zones.
- 8. Construction of improvements, other than stormwater management improvements, shall be avoided within the buffers.
- 9. To the extent practical, stormwater currently generated within the natural surface drainage basins of on-site sinkholes shall be re-routed for conveyance to stormwater treatment facilities constructed in areas where soil thickness over the limestone surface exceeds 10 feet.
- 10. Use of the existing small soil-covered sinkholes, located in the higher upland portion of the project site, as part of the development's stormwater management system shall be avoided if practical. These depressions shall be filled with clean, clayey sand fill to inhibit concentrated infiltration of untreated stormwater.
- 11. If the small drainage gully leading to Sinkhole 2 in the Drainage Analysis Report is to remain post construction, the side slopes and bottom shall be stabilized and vegetated to control continued soil erosion. An upland buffer zone of 125 feet on each side of the gully shall be established for treatment of stormwater collected in the gully.
- 12. Stormwater treatment shall be in accordance with Southwest Florida Water Management District (SWFWMD) Environmental Resource Permitting guidelines.

CABOT CITRUS FARMS


The perfect location for Cabot's first U.S. property, tucked between state forests and nature reserves in the central-west region of Florida, aptly known as the Nature Coast, Cabot Citrus Farms is perfectly situated to enjoy laid-back southern living, while in convenient proximity to major urban centers. The property and surrounding areas embody a comforting feel complete with a notable change of pace. When you are ready to speed things back up, whether to catch a flight, a sports game, or a little nightlife, Tampa and Orlando are both a short drive away at 50 and 80 minutes, respectively.

The two internationally renowned championship golf courses will continue to be a central focal point of the planned resort. Cabot Citrus Farms is already proceeding with a major renovation of both courses to make them an even greater attraction to golfers worldwide. As depicted below in the conceptual master plan.

The subject property has excellent access, with the main entrance directly from US Highway 98, less than one mile from the Suncoast Parkway. The Parkway allows golfers and other tourists to reach Cabot Citrus Farms from Tampa International Airport without encountering a single stop sign or traffic signal. A second access to the project will be from Hebron Church Road, which intersects US 98 approximately 3,000 further to the southeast. Presently only partially improved, Hebron Church Road provides access to properties other than those owned by Cabot Citrus Farms. Approved development plans for this road allow for limited access to existing maintenance facilities. As shown on the enclosed master plan, right of way for a third future access is available from SR 491; this road will be used by Cabot Citrus Farms as a construction haul road.

While the present resort facility serves its own potable water and wastewater treatment requirements (well septic), a sewer & water agreement will be negotiated with the Hernando County Utilities Department to assure adequate central sewer and water service for upcoming resort and residential elements of Cabot Citrus Farms. More than adequate space is available for on-site drainage retention, which will be designed and permitted in accordance with the regulations of the Southwest Florida Water Management District.

While a significant amount of natural habitat has been preserved within the golf course campus, the master plan will allow for further habitat retention, especially in the area of an on-site cave feature. A natural vegetative buffer will also be maintained around the perimeter of the project where it abuts privately owned properties.



PROPOSED SETBACKS

SINGLE FAMILY

FRONT:

10'; Provided any front-loaded garage is set back 25'

SIDE:

5'

REAR:

20' for main house*

* Pool or any other accessory dwelling unit may encroach into such setback to 10'

VILLAS

FRONT:

10', provided any front-loaded garage is set back 25 ft*

SIDE:

0'/5''-; 0' in the event there's a common wall and provided there is a common wall maintenance easement

agreement or a maintenance easement on entire side of not less than 10'

REAR:

20'

* Such villas shall be allowed golf cart only access, provided cart paths are installed to each

CONDOMINIUMS

FRONT:

10', provided any front-loaded garage is set back 25 ft*

SIDE:

0'/5''; 0' in the event there's a common wall and provided there is a common wall maintenance easement

agreement or a maintenance easement on entire side of not less than 10'

REAR:

20'

MULTIFAMILY

FRONT:

10', provided any front-loaded garage is set back 25 ${\rm ft}^\square$

SIDE:

0'/5"; 0' in the event there's a common wall and provided there is a common wall maintenance easement

agreement or a maintenance easement on entire side of not less than 10'

REAR:

20'

HOTEL & RETAIL

FRONT:

0'; Provided an adjacent sidewalk of not less than 5' is part of roadway in front of building

SIDE:

0'; Provided there is a common wall maintenance easement agreement or a

maintenance easement on entire side of not less than 10'

REAR:

0'; Provided there is a maintenance easement on entire rear of not less than 10'

GOLF COURSE

The setbacks for the golf course shall be 100 - feet from all external privately owned property lines. There shall be no required golf course setback for properties within the project area, a "Safety Review" may be applicable will be drafted pending approval

I. PRELIMINARY LAYOUT

The proposed master plan is attached

II. DRAFT OF PROTECTIVE COVENANTS

Existing covenants are in OR 987 PG 1576 (World Woods DCR's from 1993). The applicant will be addressing the need for their own covenants with the initial conditional platting.

III. PRELIMINARY ENGINEERING REPORT


A. <u>TOPOGRAPHY</u> - The property contains significant topographic relief, with hills as high as 170 MSL in the center of the property and low areas around 60 MSL along the southern boundary.




Figure 6 - TOPO Map

B. <u>FLOODPLAIN</u> - The project site falls into Zone X, above the 100-year floodplain, although the two onsite lakes and a number of golf drainage features are designed in A or AE zones, subject to the 100-year flood. The primary flood feature is the lake on the east side of the entrance. The project is located on the FIRM panels 12053C0053D and 12053C0061D depicted below.


FIRM Panel 12053C0061D



FIRM Panel 12053C0053D



C. <u>SOILS</u> - According to the Soil Survey of Hernando County, a variety of soils are found on the site, however, the predominant soil in the west is Candler fine sand and the predominant soil in the east is Kendrick fine sand. The Candler soil series is very permeable and has high development potential. Kendrick fine sand is a moderately permeable soil that underlies much of the upland area containing hardwood hammock



Map Unit Symbol	Map Unit Name
6	Arredondo fine sand, 0 to 5 percent slopes
14	Candler fine sand, 0 to 5 percent slopes
15	Candler fine sand, 5 to 8 percent slopes
29	Kendrick fine sand, 0 to 5 percent slopes
34	Micanopy loamy fine sand, 2 to 5 percent slopes
36	Nobleton fine sand, 0 to 5 percent slopes
41	Pits
47	Sparr fine sand, 0 to 5 percent slopes
55	Williston loamy fine sand, 2 to 5 percent slopes
56	Williston variant loamy fine sand, 2 to 5 percent slopes
99	Water

D. <u>DRAINAGE</u> – Site drainage is defined by the existing topographic relief of the project properties, forming internal drainage basins of varying sizes capable of storing the 100- year / 24-hour event; adequate space is available for on-site drainage retention systems, which will be designed, permitted and constructed in accordance with the regulations of the Southwest Florida Water Management District (SWFWMD), FEMA and Hernando county.

E. **VEGETATION** - Most of the eastern and southern portions of the property are within the Annutteliga Hammock and comprised of hardwood forest, its canopy dominated by live oak, laurel oak and water oak, a considerable number of sweet gums, hickory, and magnolia as well as red cedar trees and occasional cabbage palms. Most of the northern and western area is part of the Candler Sand Ridge and consisted of planted pine prior to its conversion to golf course. A natural vegetative buffer will also be maintained around the perimeter of the project where it abuts privately owned properties and an on-site cave feature. With construction of the golf courses and sale of the vast majority of the hammock to the State through the CARL program, the following preservation objectives of World Woods PDD Comprehensive Plan Strategy 1.05C(5) have been met: "At least 70% of the total land area shall consist of open space, a category which includes the golf courses and practice areas. At least 50% of the hammock shall be preserved. Wherever areas of preserved hammock shall be connected by a corridor of natural hammock vegetation, which may be crossed by golf cart paths. In the site planning of the property the hammock preservation shall be established in such a fashion that at least 210 acres of upland shall be retained in the southern portion of the property with Horse Lake and a 150 acres tract of upland contiguous to the lake being retained as a continuous tract with only a boardwalk or pedestrian trails allowed. Pedestrian trails shall be designed to preserve the habitat and wildlife species. The additional 60 - acres of upland must be inter-connected by corridors. The connections may only be broken by cart paths, walking trails, and one entrance road."

IV. LIST OF PLANNED PUBLIC IMPROVEMENTS

Planned off-site public improvements include:

- Construction of pump stations and a sewer transmission line to HCUD's existing force main located at the Northwest Solid Waste Management Facility.
- Approximately 3.6 miles of 12-inch potable water line connecting the existing Cabot Citrus Farms system to the county owned regional potable water supply system in the Seville Development located west of US 98; reference the below Hernando County Utility Map (Figure - 7)

V. **DEVELOPMENT SCHEDULE**

Renovation of the golf courses has been initiated, with completion anticipated by the 4th Quarter of 2023; construction of the remaining elements of the Cabot Citrus Farms master plan are expected to start in 2023 and be completed over a 10-year development schedule.

VI. ADEQUATE ACCESS ANALYSIS

Consistent with the requirements of Hernando County, the developer will complete the Traffic Analysis in accordance with the Hernando County Facility Design Guidelines. The analysis will include an evaluation of the access to serve the Conditional Plat for Cabot Citrus Farms with our first Conditional Plat. Project access and related improvements will consist of three access locations to the four lanes of US 98 (including Hebron Church Road) and one to County Road 49, as shown on the master zoning plan; US 98 connects NW to Suncoast Parkway.

VII. UTILITIES

Sanitary Sewer: The Hernando County Utilities Department (HCUD) constructed a 16" force main from the Seville project south to its Glen Wastewater Reclamation Facility (GWRF), then added an eight (8) inch force main to the Northwest Waste Management Facility (across US 98 from the subject site) to transport leachate to GWRF; HCUD no longer utilizes their force main extension for this purpose thus providing future service to Cabot Citrus Farms throughout the project's development. The GWRF has the capability to serve the project development thru project buildout. Figure 7 depicts the location and size of existing sewer and water lines in the vicinity of the project.

Solid Waste: The County's Northwest Waste Management Facility is located across US 98 from Cabot Citrus Farms; the residential landfill cell capacity is currently under expansion to serve the County's needs through the facilities current planning and service horizon.

Drainage: A Stormwater management will be designed, permitted, and constructed for the project development consisted with adopted SWFWMD SWERP and COUNTY/FEMA regulatory criteria.

Potable Water: Cabot Citrus Farms has a small potable water system (well and plant); HCUD also constructed and operates a regional potable water system (wells, plant, storage tank) in the nearby Seville development. As part of Seville's sewer-water agreement with HCUD, the County can expand the system to provide county wide potable water. Cabot Citrus Farms thru a county approved sewer-water agreement will explore in coordination with HCUD the potential connection of the two potable water systems for long-term service for the Cabot Citrus Farms development.

World Woods
Pence de Leen Bhd.
Brookeville, P.L.

Wight
Water
Ware stained
Were sta

Figure 8 - Utilities Locations

