



PRINTED: 1/27/2025 10:46am PLOT: L:\31031\Drawings\Holdses LLC\Prop\04041031\_050P\_000-001.dwg



LAND USE TABLE			
LAND USE	ACRES	DWELLING UNITS	SQFT
SINGLE FAMILY & ROADS	28	155	
RECREATIONAL	2.5		
DRAINAGE, OPEN SPACE, BUFFER TRACTS	24.4		
COMMERCIAL	10.0		80,000 SF
<b>TOTAL AREA</b>	<b>±64.9</b>	<b>155</b>	

**NOTE:**  
 \* ALL ACRES AND UNITS PROVIDED IN LAND USE TABLE ARE CONCEPTUAL, FOR PLANNING PURPOSES ONLY. FINAL NUMBER OF EACH TYPE OF USE AND ACREAGE WILL BE DETERMINED AT THE TIME OF PLATTING.

\* LOCATIONS OF USES ARE CONCEPTUAL AND FOR PLANNING PURPOSES ONLY. THE EXACT LOCATION OF EACH USE WILL BE DETERMINED AT THE TIME OF PLATTING.



**Site Data**  
 Owner/Applicant:  
 Dire Wolf Holdings, LLC  
 3655 Fantasy Way  
 Brooksville, FL 34604

Parcel Key Nos.: 00381027, 00381072, 00472517, and 01456837

Section/Township/Range: 8/235/19E

Current Zoning: CPDP with single-family and General Commercial  
 Proposed Zoning: CPDP with single-family and General Commercial

Area = ±/-. 64.9 acres

Proposed No. of Lots: 155

Perimeter Building Setbacks: (INCLUSIVE OF BUFFERS)  
 East (from US 41): 75'  
 Side: 20'  
 Rear: 20'

Residential Building Setbacks: Commercial Building Setbacks:  
 Front: 25' Front: 75'  
 Side: 5' Side: 10'  
 Rear: 15' Rear: 15'

Rear from Frontage Rd. 35'

**Buffers:**  
 The buffer tracts for the residential area as indicated on this plan will consist of natural vegetation where possible, enhanced to 80% opacity where needed. Where site grading requires the removal of natural vegetation, a vegetative buffer will be landscaped within the buffer tract consisting of vegetation and opacity consistent with county standards. Width and types of buffers are as shown on the plan.

**Flood Plain:**  
 The project is located on Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (FIRM) Community Panel 12053C 0930 effective date February 2, 2022. The property contains both Flood Zone Areas A and AE with base elevations of 77.6' on the south and 93.5' on the north.

**Fire protection:**  
 Fire hydrants will be placed throughout the community at a minimum of 250' curb line distance intervals which is consistent with county standards. The potable water system will be designed to provide a minimum of 1,000 GPM for use in firefighting as required by NFPA guidelines as required by Hernando County.

Homeowner's association documents will be in place to restrict the construction of permanent walls that preclude access to the side yards. Fencing will be allowed to the mid-point of the side yard of the home if constructed with a minimum 36-inch gate in which to access the rear yard.

**General notes**  
 1. This is a planning document and is not to be considered a final design or construction plan; also, not intended for recordation in public records. Drainage and utility easements will be included in the final construction plans and shall meet the requirements of Hernando County and any agencies having jurisdiction related to this project.  
 2. Drainage retention area(s) are conceptually located; the actual size and location will be determined with final engineering design.

**REZONING MASTER PLAN**

DIRE WOLFE

---

**Coastal**  
 Engineering  
 Surveying  
 Planning  
 Environmental  
 Construction Management

966 Canalside Boulevard - Ft. Lauderdale - Florida 33301  
 (561) 786-0022 Fax: (561) 786-2009  
 EIT-5000742

---

REUSE OF DOCUMENT  
 THIS DOCUMENT, COMPRISED OF THE  
 ACREAGE, IS THE PROPERTY OF COASTAL  
 ENGINEERING, SURVEYING, PLANNING,  
 ENVIRONMENTAL, CONSTRUCTION  
 MANAGEMENT, INC. NO PART OF THIS  
 DOCUMENT IS TO BE REPRODUCED OR  
 TRANSMITTED IN ANY FORM OR BY  
 ANY MEANS, ELECTRONIC OR MECHANICAL,  
 INCLUDING PHOTOCOPYING, RECORDING,  
 OR BY ANY INFORMATION STORAGE AND  
 RETRIEVAL SYSTEMS, WITHOUT THE  
 WRITTEN PERMISSION OF COASTAL  
 ENGINEERING, SURVEYING, PLANNING,  
 ENVIRONMENTAL, CONSTRUCTION  
 MANAGEMENT, INC.

---

WHEN PRINTED TO SCALE, DRAWING LINE SHALL BE 1/8" X 1/4"

---

**1**

21031