

OWNER / DEVELOPER
 PARK SQUARE ENTERPRISES, LLC
 5200 VINELAND RD
 SUITE 200
 ORLANDO, FL 32811
 SSHARMA@PARKSQUAREHOMES.COM
 CONTACT: SUGANDHA SHARMA

GEOTECHNICAL ENGINEER:
 FAULKNER ENGINEERING SERVICES
 2734 CAUSEWAY CENTER DRIVE
 TAMPA, FLORIDA, 33619
 CONTACT: PAVAN KOLUKULA, P.E.
 PAVAN@FAULKNERENG.COM
 (813)621-8168
 REPORT No.: 22-5396

CIVIL ENGINEER:
 WGI
 3111 W. DR. MARTIN LUTHER KING JR. BLVD
 SUITE 375
 TAMPA, FLORIDA 33607
 (813) 559-2292
 CONTACT: DILLON GOODELL, P.E.

SURVEYOR:
 GEOPPOINT SURVEYING, INC.
 213 HOBBS STREET
 TAMPA, FLORIDA 3361
 (813) 248-8888
 CONTACT: MATTHEW C. KNEELAND, R.P.L.S


CANOPY SUBDIVISION CONDITIONAL PLAT

FOR

CANOPY

U.S. HIGHWAY 19


WEEKI WACHEE, HERNANDO COUNTY, FLORIDA



COUNTY MAP
 NOT TO SCALE



VICINITY MAP
 N.T.S.



LOCATION MAP
 N.T.S.

SUBMITTAL DATE:
 SEPTEMBER 07, 2023

SHEET INDEX	
SHEET NUMBER	SHEET TITLE
CP	COVER SHEET
CP.0	EXISTING CONDITIONS
CP.1	CONDITIONAL PLAT
CP.2	CONDITIONAL PLAT
CP.3	CONDITIONAL PLAT
CP.4	CONDITIONAL PLAT
CP.5	CONDITIONAL PLAT
CP.6	TYPICAL SECTIONS
CP.7	TYPICAL SECTIONS

FLOODPLAIN INFORMATION:
 ACCORDING TO CURRENT FLOOD INSURANCE MAPS ISSUED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY, THE PROPERTY SHOWN APPEARS TO LIE WITHIN ZONES "X", "A" AND "AE". PANEL NUMBERS 12053C0154E DATED JANUARY 15, 2021 AND 12053C0158D DATED FEBRUARY 2, 2012.

WATERSHED:
 TEXT


BENCHMARK:
 ELEVATIONS SHOWN HEREON ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88) BASED ON NATIONAL GEODETIC SURVEY BENCHMARK "CR-50", HAVING A PUBLISHED ELEVATION OF 23.67 FEET (NAVD 88).

NOT AUTHORIZED FOR
 CONSTRUCTION PRIOR TO
 FORMAL CITY APPROVAL

CERT. NO. 6091




813.574.3190



INITIAL SUBMITTAL
 APRIL 6, 2023

CANOPY
 U.S. HIGHWAY 19
 WEEKI WACHEE, HERNANDO COUNTY, FLORIDA
 COVER SHEET

SHEET
CP
 1 OF 9
 7935.00



N

0 1' 2' 4'

LEGEND

- BOUNDARY / R.O.W.
- EASEMENT / SETBACK
- CURB / EDGE OF PAVT
- BUILDING FACE
- CONTOUR
- WATER LINE
- WASTEWATER LINE
- FORCE MAIN
- STORM DRAIN LINE
- OVERHEAD UTILITY
- UNDERGROUND UTILITY
- GAS LINE
- FENCE
- RETAINING WALL
- BENCHMARK
- MAIL BOX
- SIGN
- WATER METER VAULT
- WATER VALVE
- WATER MANHOLE
- WASTEWATER MANHOLE
- UTILITY POLE
- CLEAN-OUT
- GUY WIRE
- ELEC MANHOLE
- ELEC TRANSFORMER PAD
- AIR CONDITIONER UNIT
- STORM DRAIN INLET
- STORM DRAIN MANHOLE
- EXISTING FLOODPLAIN

FLOODPLAIN INFORMATION:
 ACCORDING TO CURRENT FLOOD INSURANCE MAPS ISSUED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY, THE PROPERTY SHOWN APPEARS TO LIE WITHIN ZONES "X", "A" AND "AE". PANEL NUMBERS 12053C0154E DATED JANUARY 15, 2021 AND 12053C0158D DATED FEBRUARY 2, 2012.

NOT AUTHORIZED FOR
 CONSTRUCTION PRIOR TO
 FORMAL CITY APPROVAL

CERT NO. 6091

 WGI Inc.
 3111 W. DR. #1430, SUITE 305, TAMPA, FLORIDA 33607

813.574.3190

 DILLON J. GOODELL
 LICENSE
 No. 91967
 STATE OF FLORIDA
 PROFESSIONAL ENGINEER




INITIAL SUBMITTAL
 APRIL 6, 2023

CANOPY
 U.S. HIGHWAY 19
 WEEKI WACHEE, HERNANDO COUNTY, FLORIDA
 EXISTING CONDITIONS


SHEET
 CP.0
 2 OF 9
 7935.00

SWMT: 01/2023, 10:59 AM
 PLOTTED BY: FLOYD JACKSON
 C:\Users\Floyd\OneDrive\Documents\Drawings\7935\CP.0\CP.0.dwg

Roadway Curve Radius Table					
Curve No.	Radius	Curve No.	Radius	Curve No.	Radius
C-1	690'	C-21	120'	C-41	250'
C-2	690'	C-22	120'	C-42	600'
C-3	690'	C-23	105'	C-43	650'
C-4	690'	C-24	180'	C-44	600'
C-5	150'	C-25	260'	C-45	125'
C-6	650'	C-26	250'	C-46	650'
C-7	650'	C-27	150'	C-47	650'
C-8	200'	C-28	55'	C-48	250'
C-9	200'	C-29	40'	C-49	250'
C-10	200'	C-30	250'	C-50	250'
C-11	250'	C-31	250'	C-51	497.30'
C-12	250'	C-32	600'	C-52	497.30'
C-13	250'	C-33	120'	C-53	250'
C-14	250'	C-34	125'	C-54	400'
C-15	690'	C-35	125'	C-55	230'
C-16	690'	C-36	300'	C-56	130'
C-17	690'	C-37	200'	C-57	120'
C-18	690'	C-38	650'	C-58	150'
C-19	470'	C-39	450'	C-59	650'
C-20	250'	C-40	200'		



WGI
 2035 Vista Parkway, West Palm Beach, FL 33411
 Phone No. 866.909.2220 www.wginc.com
 Cert No. 6091 - LB No. 7055



SITE DATA

TOTAL VESTED UNITS PROPOSED FOR DEVELOPMENT	781
UNUSED VESTED UNITS	0

DENSITY CALCULATIONS

DENSITY	3.13 DU / AC
---------	--------------

TOTAL OPEN SPACE

PROPOSED LAKES/PONDS/DRA'S	35.20 AC
PROPOSED WETLANDS PER SWFWMD	19.00 AC
RECREATION/OPEN AREA	35.57 AC
TOTAL LOT AREA	116.90 AC
TOTAL R.O.W. AREA	56.97 AC
TOTAL PHASE II C AREA	263.64 AC

TOTAL UNITS

40' LOTS	395 LOTS - 51%
50' LOTS	257 LOTS - 33%
60' LOTS	129 LOTS - 16%

RECREATION AREA PROVIDED (7.25 AC REQUIRED)

DRAINAGE	40.40 AC. (15.3%)
----------	-------------------

PHASE 1 (VILLAGE A) COMPLETE DEC 2024

TOTAL UNITS	227
40' LOTS	169
50' LOTS	41
60' LOTS	17

PHASE 2 (VILLAGE B) COMPLETE DEC 2026

TOTAL UNITS	177
40' LOTS	101
50' LOTS	58
60' LOTS	18

PHASE 3 (VILLAGE C) COMPLETE DEC 2028

TOTAL UNITS	176
40' LOTS	45
50' LOTS	72
60' LOTS	39

PHASE 4 (VILLAGE D) COMPLETE DEC 2030

TOTAL UNITS	201
40' LOTS	80
50' LOTS	66
60' LOTS	55

SETBACKS


MINIMUM LOT WIDTH	40 FEET
MINIMUM LOT DEPTH	105 FEET
MINIMUM FRONT SETBACK	20 FEET
MINIMUM SIDE SETBACK	5 FEET
MINIMUM REAR SETBACK	15 FEET

- NOTES:**
- THE 75' PERIMETER SETBACK ALONG US 19 MAY BE INCLUDED IN THE LOTS AND/OR A SEPARATE TRACT AT DEVELOPER'S OPINION. IN EITHER CASE, THE 75' PERIMETER SETBACK WILL APPLY.
 - A 75' PERIMETER SETBACK FROM US 19 IS REQUIRED.
 - A 20' PERIMETER SETBACK BUFFER IS REQUIRED ON THE NORTH, SOUTH, AND WEST PROPERTY BOUNDARIES.
 - THE BUFFERS SHOWN ON THE NORTH, WEST AND SOUTH BOUNDARIES MAY BE PART OF A LOT OR MAY BE ALL OR PART OF A SEPARATE TRACT AT DEVELOPER'S OPINION. IN EITHER CASE, THE 20' OR 30' BUFFER WILL APPLY.
 - VILLAGES WILL BE PHASED. ACTUAL PRODUCT MIX MAY VARY BASED ON FINAL ENGINEERING DESIGN AND WILL NOT EXCEED THE TOTAL AUTHORIZED DENSITY.
 - ROADWAY ALIGNMENTS AND INTERNAL ACCESS POINTS ARE CONCEPTUAL AND SUBJECT TO CHANGE.
 - REQUIRED US 19 TURN LANE IMPROVEMENTS ARE COMPLETED.
 - THIS MASTER SITE PLAN WILL IN NO WAY ALTER THE ENTITLEMENTS ON LAND THAT IS NOT WITHIN GLEN LAKES PHASE II C. UNDER THE OWNERSHIP OF ACF 10-A GLEN LAKES LLC AND FURTHER IDENTIFIED BY THE FOLLOWING PARCEL NUMBERS:
 R11 422 17 0000 0030 0000
 R12 422 17 0000 0040 0000
 R13 422 17 0000 0020 0050
 R13 422 17 0000 0080 0010
 R14 422 17 0000 0010 0031
 - THE FINAL LOCATION OF OPEN SPACE, PARK SITE(S), AND RECREATION AREA/AMENITY CENTER ACCESS AND A LIST OF PROPOSED FACILITIES SHALL BE PROVIDED FOR REVIEW AND APPROVAL DURING THE CONDITIONAL PLAT PROCESS. OWNERSHIP AND MAINTENANCE OF THE OPEN SPACE AND PARK SITE(S) SHALL BE PROVIDED BY A MANDATORY HOMEOWNER'S ASSOCIATION, COMMUNITY DEVELOPMENT DISTRICT OR OTHER LEGAL ENTITY ESTABLISHED FOR MAINTENANCE.
 - ALL LAND ARE SHOWN WITHOUT HATCHING IS WITHIN FLOODPLAIN CLASS X 11. CURVATURES AND LINE DATA TABLES FOR BOUNDARY BEARINGS AND DISTANCES FOUND ON CP.5
 - FIRE HYDRANTS WILL BE PROVIDED WITHIN THE SUBDIVISION.

KEY

PROPOSED DETENTION	[Blue Box]
PREVIOUSLY DEDICATED PRESERVATION AREA FOR UNITS U & T	[Hatched Box]
FLOODPLAIN CLASS AE	[Dotted Box]


NO.	DATE	DESCRIPTION	BY
1	06/21/23	RESUBMITTAL	



CANOPY SUBDIVISION
 HERNANDO COUNTY, FL
 CONDITIONAL PLAT

SHEET:
CP.1

Project: Canopy P1700079500; Date: 06/21/23 12:25:03 PM; Drawn: 06/20/23 12:19:14 PM



N. 89°49'36"E.(S) 1328.49'

30' PERIMETER FIRE BUFFER
(UNDISTURBED NATURAL
VEGETATIVE BUFFER, ENHANCED
WHEN NEEDED TO ATTAIN
80% OPACITY WITHIN 3 YEARS.)

50' DEDICATION
FOR FUTURE R.O.W.



LIFT STATION #2
(50' WIDE x 60' LONG)

VILLAGE C


VILLAGE B

VILLAGE A

LOCATION MAP



KEY MAP



SITE DATA

TOTAL UNITS	781 DWELLING UNITS
40' LOTS	395 LOTS - 51%
50' LOTS	257 LOTS - 33%
60' LOTS	129 LOTS - 16%
RECREATION AREA PROVIDED (7.40 AC REQUIRED)	8.27 AC.
DRAINAGE	40.40 AC. (15.3%)

KEY


PROPOSED DETENTION	
PREVIOUSLY DEDICATED PRESERVATION AREA FOR UNITS U & T	
FLOODPLAIN CLASS AE	

CP SHEET 5 OF 5

WGI
2035 Vista Parkway, West Palm Beach, FL 33411
Phone No. 866.909.2220 www.wginc.com
Cert No. 6091 - LB No. 7055

REVISIONS	
NO.	DESCRIPTION
1	06/21/23 RESUBMITTAL

CAD	NO.	DATE	BY
JOB NO.	TED		
DRAWN BY	CB		
CHECK BY	SP		
DATE	2022-05-03		






CANOPY SUBDIVISION
HERNANDO COUNTY, FL
CONDITIONAL PLAT

SHEET:
CP.2

Reverted Civilian P:\19079350.Dwg - Elin Laska Planned\Drawn\PC\A\CP\CP.2\CP.2\CP.2.dwg - Plotter: B:\2022\12\22\27PM - Sheet: 6/12/23 12:19:13 PM

Revised: 06/21/23 12:25:02 PM (06/21/23 12:25:02 PM) [06/21/23 12:25:02 PM] [06/21/23 12:25:02 PM] [06/21/23 12:25:02 PM]




SITE DATA

TOTAL UNITS	781 DWELLING UNITS
40' LOTS	395 LOTS - 51%
50' LOTS	257 LOTS - 33%
60' LOTS	129 LOTS - 16%
RECREATION AREA PROVIDED (7.40 AC REQUIRED)	8.27 AC.
DRAINAGE	40.40 AC. (15.3%)

WVGI
 2035 Vista Parkway, West Palm Beach, FL 33411
 Phone No. 866.909.2220 www.wvgi.com
 Cert No. 6091 - LB No. 7055

REVISIONS	
NO.	DESCRIPTION
1	06/21/23 RESUBMITTAL

CAD	JOB NO.	TED	CB	SP	DATE
					2022-05-03






CANOPY SUBDIVISION
 HERNANDO COUNTY, FL
 CONDITIONAL PLAT

SHEET:
CP.3

KEY

PROPOSED DETENTION	
PREVIOUSLY DEDICATED PRESERVATION AREA FOR UNITS U & T	
FLOODPLAIN CLASS AE	

Reviewer: C:\Users\jg12345\Documents\Projects\Glen Lakes\Glen Lakes PH1\Glen Lakes PH1.dwg - Plotter: 0/12/2022 12:28:17 PM Server: 0/12/2022 12:19:17 PM




SITE DATA

TOTAL UNITS	781 DWELLING UNITS
40' LOTS - 51%	395 LOTS - 51%
50' LOTS - 33%	257 LOTS - 33%
60' LOTS - 16%	129 LOTS - 16%
RECREATION AREA PROVIDED (7.40 AC REQUIRED)	8.27 AC.
DRAINAGE	40.40 AC. (15.3%)

WGI
 2035 Vista Parkway, West Palm Beach, FL 33411
 Phone No. 866.909.2220 www.wginc.com
 Cert No. 6091 - LB No. 7055

NO.	DATE	DESCRIPTION	BY
1	06/21/23	RESUBMITTAL	TED




CANOPY SUBDIVISION
 HERNANDO COUNTY, FL
 CONDITIONAL PLAT




SHEET:
CP.4

KEY

PROPOSED DETENTION	
PREVIOUSLY DEDICATED PRESERVATION AREA FOR UNITS U & T	
FLOODPLAIN CLASS AE	



CP SHEET 2 OF 5



SITE DATA

TOTAL UNITS	781 DWELLING UNITS
40' LOTS	395 LOTS - 51%
50' LOTS	257 LOTS - 33%
60' LOTS	129 LOTS - 16%
RECREATION AREA PROVIDED (7.40 AC REQUIRED)	8.27 AC.
DRAINAGE	40.40 AC. (15.3%)

BOUNDARY CURVE DATA TABLE

NO.	RADIUS	DELTA	ARC	BEARING	CHORD
1	25.00	90°00'00"	39.27	35.36	(N)S.57°40'49"W.(E)
2	325.00	40°22'58"	229.06	224.35	(N)S.82°29'19"W.(E)
3	350.00	39°17'55"	240.06	235.38	(N)S.81°56'48"W.(E)
4	521.00	20°16'39"	184.39	183.43	N.69°36'39"W.
5	94.00	86°47'36"	142.39	129.16	N.45°43'22"W.
6	50.00	105°28'12"	92.04	78.58	N.52°54'43"W.
7	203.00	52°32'00"	221.56	210.72	N.78°23'44"W.
8	70.00	178°52'53"	218.54	198.99	S.86°10'45"W.
9	15.00	52°24'58"	13.72	13.25	N.30°35'18"W.
10	335.00	14°03'36"	82.21	82.00	N.49°45'59"W.
11(S)	590.00	80°41'21"	830.89	763.91	N.29°50'17"E.
11(D)	590.03	80°42'40"	831.16	764.12	N.31°20'20"E.
12(S)	365.00	81°39'21"	520.18	477.27	N.30°18'44"E.
12(D)	365.04	81°39'00"	520.20	477.29	N.31°48'30"E.

BOUNDARY LINE DATA TABLE

L1	N.77°19'11"W.	111.00
L2	(N)S.07°30'00"W.(E)	171.29
L3	N.71°32'42"W.	34.51
L4	S.78°21'15"W.	59.72
L5	S.63°33'12"W.	53.35
L6	S.53°02'29"W.	64.78
L7	N.00°00'45"W.	187.33
L8	S.88°04'03"W.	184.93
L9	N.81°24'08"W.	68.40
L10	N.48°56'35"W.	105.26
L11	N.53°59'50"W.	101.46
L12	S.84°50'39"W.	114.99
L13	N.56°47'47"W.	172.04
L14	S.79°30'33"W.	38.77
L15	N.72°50'22"W.	82.03
L16	N.67°49'43"W.	77.84
L17	S.67°48'08"W.	59.32
L18	N.76°55'28"W.	39.67
L19	N.64°36'15"W.	268.43
L20	N.01°55'01"W.	223.90
L21	N.33°39'36"E.	61.92
L22	N.33°36'01"E.	279.55
L23	N.39°31'10"E.	181.53
L24	N.11°29'38"W.	246.27
L25	N.89°49'45"E.	96.08
L26	N.00°02'52"W.	70.06

EXISTING COMMERCIAL (NOT INCLUDED IN THIS ZONING PLAN)

KEY


PROPOSED DETENTION	
PREVIOUSLY DEDICATED PRESERVATION AREA FOR UNITS U & T	
FLOODPLAIN CLASS AE	

WGI
 2035 Vista Parkway, West Palm Beach, FL 33411
 Phone No. 866.909.2220 www.wginc.com
 Cert No. 6091 - LB No. 7055

REVISIONS

NO.	DATE	DESCRIPTION	BY
1	06/21/23	RESUBMITTAL	

CAD: TED
 JOB NO.:
 DRAWN BY: CB
 CHECK BY: SP
 DATE: 2022-05-03



CANOPY SUBDIVISION
 HERNANDO COUNTY, FL
 CONDITIONAL PLAT


SHEET:
CP.5

Reviewer: C:\Users\p170007930\OneDrive\My Documents\Drawings\Canopy\CP.5\CP.5_SHEET_2_OF_5.dwg -- Plotter: 0/2023/12/26/3:51 PM -- Paper: 0/2023/12/26/3:51 PM

HERNANDO COUNTY ROADWAY STANDARD DETAIL 70' ROW (IV-10)
COLLECTOR 2 LANE ROAD - CLOSED DRAINAGE ROUNDABOUT TO OUTER BANKS DRIVE

TYPICAL SECTION
NOT TO SCALE

DESIGN SPEED = 40 MPH



GENERAL NOTE:

DESIGN SPEED, RIGHT-OF-WAY, AND
ROADSIDE DIMENSIONS ARE MINIMUMS.
SITE CONDITION MAY REQUIRE INCREASES.

* VARIANCE IN HORIZONTAL DESIGN SPEED
ALLOWED
WITH JUSTIFICATION AND APPROPRIATE
SIGNAGE

** SIDEWALKS IF APPLICABLE

ALL DIMENSIONS ARE TYPICAL AND SHOWN IN
FEET, UNLESS NOTED OTHERWISE

8" LIMEROCK BASE - COMPACTED TO 98%
AASHTO T-180 METHOD - LBR 100


12" TYPE "B" STABILIZED SUBGRADE - LBR 40
ALTERNATE BASE / SUB BASE SECTION -13.5'
LIMEROCK BASE, PLACED IN
TWO LIFTS, COMPACTED TO 98% AASHTO T-180
METHOD

HERNANDO COUNTY ROADWAY STANDARD DETAIL 50' ROW (IV-05)

TYPICAL SECTIONS
NOT TO SCALE

LOCAL ROAD - CLOSED
DRAINAGE 50' ROW

DESIGN SPEED = 25 MPH



GENERAL NOTES:


DESIGN SPEED, RIGHT-OF-WAY, AND
ROADSIDE DIMENSIONS ARE MINIMUMS.
SITE CONDITION MAY REQUIRE INCREASES.

* VARIANCE IN HORIZONTAL DESIGN SPEED
ALLOWED
WITH JUSTIFICATION AND APPROPRIATE
SIGNAGE

** SIDEWALKS IF APPLICABLE

ALL DIMENSIONS & LABELS ARE TYPICAL

NOT AUTHORIZED FOR
CONSTRUCTION PRIOR TO
FORMAL CITY APPROVAL



INITIAL SUBMITTAL
APRIL 6, 2023

CANOPY
U.S. HIGHWAY 19
WEEKI WACHEE, HERNANDO COUNTY, FLORIDA
TYPICAL SECTIONS

SHEET

CP.6

8 OF 9


7935.00

**ROADWAY STANDARD DETAIL 90' ROW
(ENTRANCE ROAD ENTRY)**

COLLECTOR/MAJOR LOCAL 2 LANE ROAD AND BOULEVARD

DESIGN SPEED = 35 MPH *

TYPICAL SECTION
NOT TO SCALE



GENERAL NOTE:
DESIGN SPEED, RIGHT-OF-WAY, AND ROADSIDE DIMENSIONS ARE MINIMUMS. SITE CONDITION MAY REQUIRE INCREASES.
* VARIANCE IN HORIZONTAL DESIGN SPEED ALLOWED WITH JUSTIFICATION AND APPROPRIATE SIGNAGE
** SIDEWALKS IF APPLICABLE
ALL DIMENSIONS AND LABELS ARE TYPICAL AND SHOWN IN FEET UNLESS OTHERWISE LABELED

TITLE: ROADWAY STANDARD
MAJOR LOCAL 4-LANE - CLOSED DRAINAGE
APPROVED BY: DATE: ND: IV-08
C. G. MIXSON, P.E. 10-01-08


**HERNANDO COUNTY
DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION
1628 E. JEFFERSON ST.
BROOKSVILLE, FLORIDA 34601
PH: (827)754-4082 FAX: (827)754-4423**

**ROADWAY STANDARD DETAIL 90' ROW
(ENTRANCE ROAD)**

MAJOR LOCAL/COMMERCIAL 4 LANE ROAD - CLOSED DRAINAGE

DESIGN SPEED = 35 MPH *


TYPICAL SECTION
NOT TO SCALE



GENERAL NOTE:
DESIGN SPEED, RIGHT-OF-WAY, AND ROADSIDE DIMENSIONS ARE MINIMUMS. SITE CONDITION MAY REQUIRE INCREASES.
* VARIANCE IN HORIZONTAL DESIGN SPEED ALLOWED WITH JUSTIFICATION AND APPROPRIATE SIGNAGE
** SIDEWALKS IF APPLICABLE
ALL DIMENSIONS AND LABELS ARE TYPICAL AND SHOWN IN FEET UNLESS OTHERWISE LABELED

TITLE: ROADWAY STANDARD
MAJOR LOCAL 4-LANE - CLOSED DRAINAGE
APPROVED BY: DATE: ND: IV-08
C. G. MIXSON, P.E. 10-01-08

**HERNANDO COUNTY
DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION
1628 E. JEFFERSON ST.
BROOKSVILLE, FLORIDA 34601
PH: (827)754-4082 FAX: (827)754-4423**



NOTES:
1. UTILITIES SEPARATION SHALL MEET F.D.E.P. REQUIREMENTS.

NOT TO SCALE


HERNANDO COUNTY
UTILITIES DEPARTMENT
15365 CORTEZ BOULEVARD
BROOKSVILLE, FLORIDA 34613
OFFICE: (352) 754-4037 FAX: (352) 754-4485

TYPICAL UTILITY LOCATIONS FOR LOCAL ROAD SECTION

DETAIL: NS-03
PREVIOUS D-30

DATE: JUNE 2019

NOT AUTHORIZED FOR
CONSTRUCTION PRIOR TO
FORMAL CITY APPROVAL



INITIAL SUBMITTAL
APRIL 6, 2023

CANOPY
U.S. HIGHWAY 19
WEEKI WACHEE, HERNANDO COUNTY, FLORIDA
TYPICAL SECTIONS