

### FIRST AMENDMENT TO WATER AND SEWER AGREEMENT

THIS First Amendment to the Water and Sewer Agreement dated March 14, 2023, by and between the HERNANDO COUNTY WATER AND SEWER DISTRICT ("HERNANDO" or "DISTRICT"), and CABOT CITRUS OPCO LLC ("DEVELOPER"), is entered into on this \_\_\_\_ day of \_\_\_\_\_, 2025 and the parties agree as follows:

1. DEVELOPER is selling approximately 330 acres of property to the Florida Department of Environmental Protection ("FDEP"), and the boundary of the Water and Sewer Agreement must be amended to reflect the new boundary.
2. Exhibit A to the Water and Sewer Agreement dated March 1, 2023, and recorded in O.R. Book 4279, Page 1274, public records of Hernando County, Florida is amended and substituted with Exhibit A attached hereto.
3. If the Closing between DEVELOPER and FDEP does not occur by December 1, 2025, this First Amendment shall be null and void.
4. After the Closing between DEVELOPER and FDEP occurs, this First Amendment shall be recorded at DEVELOPER's expense in the Official Records of Hernando County, Florida.
5. All other terms in the Agreement are reaffirmed and incorporated by reference, except as stated herein.

IN WITNESS WHEREOF, the parties hereto have set their hands and seals this \_\_\_\_ day of \_\_\_\_\_, 2025.

CABOT CITRUS OPCO LLC, a Delaware  
Limited liability company

By: \_\_\_\_\_

David Bennett  
Vice President

ATTEST:

BOARD OF COUNTY COMMISSIONERS  
HERNANDO COUNTY, FLORIDA


\_\_\_\_\_  
Doug Chorvat, Jr., Clerk

By: \_\_\_\_\_  
Brian Hawkins, Chairman Date

Approved for Form & Legal Sufficiency

\_\_\_\_\_  
Jon Joubert  
County Attorney's Office

# SECTION 1,2,3,10, & 11 TOWNSHIP 21 SOUTH, RANGE 18 EAST HERNANDO COUNTY, FLORIDA




## LEGEND AND ABBREVIATIONS

- C1 = SEE CURVE TABLE
- L1 = SEE LINE TABLE
- (C) = CALCULATED
- (P) = PLAT OR MAP
- (M) = FIELD MEASURED
- (R) = RECORD OR DEED
- O.R. = OFFICIAL RECORD
- P.B. = PLAT BOOK
- P.C. = PAGE
- R/W = RIGHT-OF-WAY
- SEC = SECTION
- POB = POINT OF BEGINNING
- POC = POINT OF COMMENCEMENT
- ▲ = DESCRIPTIVE POINT
- \*\*\* = BASIS for BEARINGS

## SURVEY NOTES:

1. BEARINGS ARE BASED ON THE FLORIDA STATE PLANE COORDINATE SYSTEM, WEST ZONE, NORTH AMERICAN DATUM OF 1983 (NAD 83), 2011 ADJUSTMENT AND ARE GRID BEARINGS.
2. BASIS FOR SURVEY IS DESCRIPTION, RECORD PLAT, AND MONUMENTATION FOUND IN PLACE.
3. ADDITIONS, DELETIONS REPRODUCTION OF SURVEY DRAWINGS BY OTHER THAN THE SIGNED PARTY OR PARTIES IS PROHIBITED BY LAW WITHOUT WRITTEN CONSENT OF THE SIGNED PARTY OR PARTIES.
4. THIS SURVEY MAP IS VALID ONLY TO THOSE PERSONS OR ENTITIES NAMED HEREON. COASTAL ENGINEERING ASSOCIATES, INC. WILL ASSUME NO RESPONSIBILITY FOR THE UNAUTHORIZED REPRODUCTION AND/OR REDISTRIBUTION OF THIS SURVEY MAP.
5. THIS PROPERTY IS SUBJECT TO ANY DEDICATION, LIMITATIONS, RESERVATIONS, RESTRICTIONS, AND/OR EASEMENTS OF RECORD AND NOT OF RECORD.
6. THE PROPERTY DESCRIBED HEREON APPEARS TO BE IN FLOOD ZONE "X" (AREA DETERMINED TO FALL OUTSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN), AND FLOOD ZONES "A" & "AE", (AREAS DETERMINED TO FALL INSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN) AS SCALED FROM THE FLOOD INSURANCE RATE MAP COMMUNITY NUMBER 120110, MAP NUMBER 12053C, PANEL NUMBER 0061-D, EFFECTIVE DATE 02/02/2012.



**Coastal**  
engineering associates, inc.

966 Candlelight Boulevard - Brooksville - Florida 34601  
(352) 796-9423 - Fax (352) 799-8359  
EB-0000142

Engineering  
Planning  
Surveying  
Environmental  
Traffic  
Transportation  
Construction Management

## METES AND BOUNDS SKETCH

CABOT CITRUS FARMS  
COMMUNITY DEVELOPMENT DISTRICT

DATE  
9/19/25  
22009-28  
**EX-A**  
SHEET 1

**SECTION 1,2,3,10, & 11 TOWNSHIP 21 SOUTH,  
RANGE 18 EAST  
HERNANDO COUNTY, FLORIDA**

**LEGAL DESCRIPTION**

COMMENCE AT THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF SECTION 11, TOWNSHIP 21 SOUTH, RANGE 18 EAST, HERNANDO COUNTY, FLORIDA; THENCE ALONG THE WEST BOUNDARY LINE OF SAID SECTION 11, RUN N00°17'18"E, 1606.70 FEET TO A POINT ON THE NORTH RIGHT-OF-WAY LINE OF PONCE DE LEON BOULEVARD AND THE POINT OF BEGINNING; THENCE ALONG SAID RIGHT-OF-WAY, RUN N48°02'51"W, 2137.55 FEET TO THE EAST RIGHT-OF-WAY LINE OF PALM BOULEVARD SOUTH. SAID POINT ALSO BEING ON THE EAST BOUNDARY LINE OF SUGARMILL WOODS, PALM VILLAGE AS RECORDED IN PLAT BOOK 14, PAGES 3-15 OF THE PUBLIC RECORDS OF HERNANDO COUNTY, FLORIDA; THENCE ALONG SAID EAST BOUNDARY LINE, RUN N41°57'18"E, 40.37 FEET; THENCE S56°28'28"E, 117.51 FEET; THENCE N33°31'32"E, 150.00 FEET; THENCE N56°28'28"W, 7.33 FEET; THENCE N33°31'32"E, 30.00 FEET TO THE NORTH RIGHT-OF-WAY LINE OF OWATONNA DRIVE; THENCE N66°29'30"E, 143.03 FEET; THENCE N39°00'46"W, 40.00 FEET TO A NON-TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 1088.79 FEET, A CENTRAL ANGLE OF 20°06'36", AND A CHORD BEARING AND DISTANCE OF N14°54'51"E, 380.19 FEET; THENCE ALONG THE ARC OF SAID CURVE 382.15 FEET; THENCE N04°51'33"E, 110.00 FEET TO THE PC OF A CURVE TO THE RIGHT. SAID CURVE BEING CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 513.80 FEET, A CENTRAL ANGLE OF 31°35'04", AND A CHORD BEARING AND DISTANCE OF N20°39'05"E, 279.66 FEET; THENCE ALONG THE ARC OF SAID CURVE 283.23 FEET; THENCE N36°26'33"E, 116.12 FEET; THENCE N83°39'17"E, 61.40 FEET; THENCE N09°57'43"E, 126.49 FEET TO THE SOUTH RIGHT-OF-WAY LINE OF HUPA ROAD; THENCE N28°23'49"E, 30.00 FEET TO THE CENTERLINE OF HUPA ROAD; THENCE ALONG SAID CENTERLINE, RUN N61°36'11"W, 48.70 FEET; THENCE N28°23'49"E, 115.00 FEET; THENCE N79°04'24"E, 55.23 FEET TO A NON TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 1321.78 FEET, A CENTRAL ANGLE OF 4°20'20", AND A CHORD BEARING AND DISTANCE OF N19°42'41"E, 100.07 FEET; THENCE ALONG THE ARC OF SAID CURVE 100.10 FEET; THENCE N40°37'11"W, 56.40 FEET; THENCE N11°01'33"E, 115.00 FEET TO THE CENTERLINE OF SHAWNIGAN CIRCLE; THENCE ALONG SAID CENTERLINE, RUN; THENCE S78°58'27"E, 52.43 FEET; THENCE N11°01'33"E, 110.00 FEET; THENCE N37°22'24"E, 44.64 FEET, THENCE N40°03'32"W, 40.00 FEET TO A NON-TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE WEST, HAVING A RADIUS OF 1321.78 FEET, A CENTRAL ANGLE OF 6°13'11", AND A CHORD BEARING AND DISTANCE OF N00°18'08"E, 143.41 FEET; THENCE ALONG THE ARC OF SAID CURVE 143.49 FEET; THENCE N02°48'28"W, 334.29 FEET; THENCE N39°21'37"E, 50.00 FEET; THENCE N24°30'39"W, 130.00 FEET TO THE SOUTH RIGHT-OF-WAY LINE OF SHAWNIGAN CIRCLE; THENCE N01°53'28"W, 30.00 FEET TO THE CENTERLINE OF SHAWNIGAN CIRCLE; THENCE ALONG SAID CENTERLINE, RUN N88°06'32"E, 10.00 FEET; THENCE N01°53'28"W, 30.00 FEET TO THE NORTH RIGHT-OF-WAY LINE OF SHAWNIGAN CIRCLE; THENCE N16°32'38"E, 126.49 FEET; THENCE N31°07'15"W, 40.00 FEET TO A NON-TANGENT CURVE TO THE RIGHT. SAID CURVE BEING CONCAVE TO THE SOUTHEAST, HAVING A RADIUS OF 1056.83 FEET, A CENTRAL ANGLE OF 7°05'26", AND A CHORD BEARING AND DISTANCE OF N11°43'49"E, 130.70 FEET; THENCE ALONG THE ARC OF SAID CURVE 130.79 FEET; THENCE N15°16'32"E, 70.24 FEET; THENCE S88°04'10"E, 40.00 FEET; THENCE N08°39'47"W, 170.12 FEET TO THE SOUTH RIGHT-OF-WAY LINE OF PONTIAC COURT; THENCE N15°56'32"E, 30.00 FEET TO THE CENTERLINE OF PONTIAC COURT; THENCE ALONG SAID CENTERLINE, RUN S74°03'28"E, 25.00 FEET; THENCE N15°56'32"E, 30.00 FEET TO THE NORTH RIGHT-OF-WAY LINE OF PONTIAC COURT;

-CONTINUED ON SHEET 3 EX-A

**LEGEND AND ABBREVIATIONS**

C1 = SEE CURVE TABLE  
L1 = SEE LINE TABLE  
(C) = CALCULATED  
(P) = PLAT OR MAP  
(M) = FIELD MEASURED  
(R) = RECORD or DEED  
O.R. = OFFICIAL RECORD  
P.B. = PLAT BOOK  
PG. = PAGE  
R/W = RIGHT-OF-WAY  
SEC = SECTION  
POB = POINT OF BEGINNING  
POC = POINT OF COMMENCEMENT  
▲ = DESCRIPTIVE POINT  
\*\*\* = BASIS for BEARINGS

**SURVEY NOTES:**

1. BEARINGS ARE BASED ON THE FLORIDA STATE PLANE COORDINATE SYSTEM, WEST ZONE, NORTH AMERICAN DATUM OF 1983 (NAD 83), 2011 ADJUSTMENT AND ARE GRID BEARINGS.
2. BASIS FOR SURVEY IS DESCRIPTION, RECORD PLAT, AND MONUMENTATION FOUND IN PLACE.
3. ADDITIONS, DELETIONS REPRODUCTION OF SURVEY DRAWINGS BY OTHER THAN THE SIGNED PARTY OR PARTIES IS PROHIBITED BY LAW WITHOUT WRITTEN CONSENT OF THE SIGNED PARTY OR PARTIES.
4. THIS SURVEY MAP IS VALID ONLY TO THOSE PERSONS OR ENTITIES NAMED HEREON. COASTAL ENGINEERING ASSOCIATES, INC. WILL ASSUME NO RESPONSIBILITY FOR THE UNAUTHORIZED REPRODUCTION AND/OR REDISTRIBUTION OF THIS SURVEY MAP.
5. THIS PROPERTY IS SUBJECT TO ANY DEDICATION, LIMITATIONS, RESERVATIONS, RESTRICTIONS, AND/OR EASEMENTS OF RECORD AND NOT OF RECORD.
6. THE PROPERTY DESCRIBED HEREON APPEARS TO BE IN FLOOD ZONE "X" (AREA DETERMINED TO FALL OUTSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN), AND FLOOD ZONES "A" & "AE", (AREAS DETERMINED TO FALL INSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN) AS SCALED FROM THE FLOOD INSURANCE RATE MAP COMMUNITY NUMBER 120110, MAP NUMBER 12053C, PANEL NUMBER 0061-D, EFFECTIVE DATE 02/02/2012.



966 Candlelight Boulevard - Brooksville - Florida 34601  
(352) 796-9423 - Fax (352) 799-8359  
EB-0000142

Engineering  
Planning  
Surveying  
Environmental  
Traffic  
Transportation  
Construction Management

**METES AND BOUNDS SKETCH**

CABOT CITRUS FARMS  
COMMUNITY DEVELOPMENT DISTRICT

DATE  
9/19/25  
22009-28  
**EX-A**  
SHEET 2

**SECTION 1,2,3,10, & 11 TOWNSHIP 21 SOUTH,  
RANGE 18 EAST  
HERNANDO COUNTY, FLORIDA**

**LEGAL DESCRIPTION**

-CONTINUED FROM SHEET 2 EX-A

THENCE ALONG SAID CENTERLINE, RUN S74°03'28"E, 25.00 FEET; THENCE N15°56'32"E, 30.00 FEET TO THE NORTH RIGHT-OF-WAY LINE OF PONTIAC COURT; THENCE N29°58'33"E, 153.36 FEET; THENCE N31°37'30"W, 40.00 FEET TO A NON-TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 9321.56 FEET, A CENTRAL ANGLE OF 0°49'37", AND A CHORD BEARING AND DISTANCE OF N17°37'14"E, 134.54 FEET; THENCE ALONG THE ARC OF SAID CURVE 134.54 FEET; THENCE N66°45'08"E, 50.00 FEET; THENCE N03°45'54"E, 133.74 FEET TO THE SOUTH RIGHT-OF-WAY LINE OF INGALIK ROAD; THENCE N27°06'32"E, 30.00 FEET TO THE CENTERLINE OF INGALIK ROAD AND A NON-TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE SOUTH, HAVING A RADIUS OF 654.36 FEET, A CENTRAL ANGLE OF 7°20'19", AND A CHORD BEARING AND DISTANCE OF N66°33'37"W, 83.76 FEET; THENCE ALONG THE CENTERLINE OF INGALIK ROAD, AND THE ARC OF SAID CURVE 83.81 FEET; THENCE N19°46'13"E, 30.00 FEET TO THE NORTH RIGHT-OF-WAY LINE OF INGALIK ROAD; THENCE N58°58'52"E, 147.84 FEET; THENCE N05°48'26"W, 40.00 FEET; THENCE N20°06'33"E, 229.10 FEET; THENCE N62°12'06"E, 54.92 FEET; THENCE N08°26'35"W, 67.10 FEET; THENCE N20°06'32"E, 90.00 FEET TO THE CENTERLINE OF PUMA ROAD; THENCE ALONG SAID CENTERLINE, RUN N69°53'28"W, 40.10 FEET; THENCE N20°06'32"E, 105.00 FEET; THENCE N70°18'17"E, 71.19 FEET; THENCE N11°51'36"W, 50.00 FEET TO A NON-TANGENT CURVE TO THE LEFT. SAID CURVE BEING CONCAVE TO THE NORTH, HAVING A RADIUS OF 2174.11 FEET, A CENTRAL ANGLE OF 15°27'54", AND A CHORD BEARING AND DISTANCE OF N07°44'02"E, 585.05 FEET; THENCE ALONG THE ARC OF SAID CURVE 586.83 FEET; THENCE N00°00'05"E, 130.28 FEET TO A POINT ON THE NORTH LINE OF SECTION 03, TOWNSHIP 21 SOUTH, RANGE 18 EAST, HERNANDO COUNTY, FLORIDA; THENCE ALONG SAID NORTH LINE, RUN S89°51'11"E, 134.77 FEET TO THE NORTHWEST CORNER OF SECTION 02, TOWNSHIP 21 SOUTH, RANGE 18 EAST, HERNANDO COUNTY, FLORIDA; THENCE ALONG THE NORTH LINE OF SAID SECTION 2, RUN S89°48'49"E, 2657.70 FEET TO THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 2; THENCE CONTINUING ALONG THE NORTH LINE OF SAID SECTION 2, RUN S89°49'18"E, 2657.79 FEET TO THE NORTHEAST CORNER OF SAID SECTION 2; THENCE ALONG THE EAST LINE OF SAID SECTION 2, RUN S00°06'23"E, 2650.09 FEET TO THE SOUTHEAST CORNER OF THE NORTHEAST 1/4 OF SAID SECTION 2; THENCE ALONG THE SOUTH LINE OF THE NORTH 1/2 OF SECTION 01, TOWNSHIP 21 SOUTH, RANGE 18 EAST, HERNANDO COUNTY, FLORIDA, RUN S89°42'54"E, 5265.76 FEET TO A POINT LYING 44.72 FEET WEST OF THE EAST LINE OF SAID SECTION 01; THENCE S00°11'59"E, 100.00 FEET; THENCE RUN 100.00 FEET SOUTH OF AND PARALLEL TO THE SOUTH LINE OF THE NORTH 1/2 OF SAID SECTION 01, N89°42'54"W, 1680.15 FEET; THENCE S45°17'06"W, 212.13 FEET; THENCE N89°42'54"W, 200.00 FEET; THENCE N44°42'54"W, 212.13 FEET TO A POINT LYING 100.00 FEET SOUTH OF THE SOUTH LINE OF THE NORTH 1/2 OF SAID SECTION 01; THENCE RUN 100.00 FEET SOUTH OF AND PARALLEL TO SAID SOUTH LINE, N89°42'54"W, 3006.51 FEET; THENCE S38°20'29"E, 2739.39 FEET; THENCE N83°52'39"W, 983.41 FEET; THENCE S83°01'38"W, 2079.14 FEET; THENCE S79°54'10"W, 1400.89 FEET TO THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 11; THENCE ALONG SAID EAST LINE, RUN S00°10'12"W, 1335.57 FEET TO THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 11; THENCE ALONG THE NORTH LINE OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 11, RUN S89°53'46"W, 1331.16 FEET TO THE NORTHWEST CORNER OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 11; THENCE ALONG THE WEST LINE OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 11, RUN S00°18'10"W, 923.44 FEET TO THE NORTH RIGHT-OF-WAY LINE OF PONCE DE LEON BOULEVARD; THENCE ALONG SAID NORTH RIGHT-OF-WAY LINE, RUN N48°02'51"W, 1784.59 FEET TO THE POINT OF BEGINNING.

CONTAINING 885.79 ACRES MORE OR LESS.

**LEGEND AND ABBREVIATIONS**

C1 = SEE CURVE TABLE  
L1 = SEE LINE TABLE  
(C) = CALCULATED  
(P) = PLAT OR MAP  
(M) = FIELD MEASURED  
(R) = RECORD or DEED  
O.R. = OFFICIAL RECORD  
P.B. = PLAT BOOK  
PG. = PAGE  
R/W = RIGHT-OF-WAY  
SEC = SECTION  
POB = POINT OF BEGINNING  
POC = POINT OF COMMENCEMENT  
▲ = DESCRIPTIVE POINT  
\*\*\* = BASIS for BEARINGS

**SURVEY NOTES:**

1. BEARINGS ARE BASED ON THE FLORIDA STATE PLANE COORDINATE SYSTEM, WEST ZONE, NORTH AMERICAN DATUM OF 1983 (NAD 83), 2011 ADJUSTMENT AND ARE GRID BEARINGS.
2. BASIS FOR SURVEY IS DESCRIPTION, RECORD PLAT, AND MONUMENTATION FOUND IN PLACE.
3. ADDITIONS, DELETIONS REPRODUCTION OF SURVEY DRAWINGS BY OTHER THAN THE SIGNED PARTY OR PARTIES IS PROHIBITED BY LAW WITHOUT WRITTEN CONSENT OF THE SIGNED PARTY OR PARTIES.
4. THIS SURVEY MAP IS VALID ONLY TO THOSE PERSONS OR ENTITIES NAMED HEREON. COASTAL ENGINEERING ASSOCIATES, INC. WILL ASSUME NO RESPONSIBILITY FOR THE UNAUTHORIZED REPRODUCTION AND/OR REDISTRIBUTION OF THIS SURVEY MAP.
5. THIS PROPERTY IS SUBJECT TO ANY DEDICATION, LIMITATIONS, RESERVATIONS, RESTRICTIONS, AND/OR EASEMENTS OF RECORD AND NOT OF RECORD.
6. THE PROPERTY DESCRIBED HEREON APPEARS TO BE IN FLOOD ZONE "X" (AREA DETERMINED TO FALL OUTSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN), AND FLOOD ZONES "A" & "AE", (AREAS DETERMINED TO FALL INSIDE OF THE 1% CHANCE ANNUAL FLOODPLAIN) AS SEALED FROM THE FLOOD INSURANCE RATE MAP COMMUNITY NUMBER 120110, MAP NUMBER 12053C, PANEL NUMBER 0061-D, EFFECTIVE DATE 02/02/2012.

**Coastal**  
engineering associates, inc.

966 Candlelight Boulevard - Brooksville - Florida 34601  
(352) 796-9423 - Fax (352) 799-8359  
EB-0000142

Engineering  
Planning  
Surveying  
Environmental  
Traffic  
Transportation  
Construction Management

**METES AND BOUNDS SKETCH**

**CABOT CITRUS FARMS  
COMMUNITY DEVELOPMENT DISTRICT**

DATE  
9/19/25

22009-28  
**EX-A**  
**SHEET 3**