

Master Drainage Plan

for

South Brooksville

Prepared For:



Hernando County
1525 E Jefferson St
Brooksville, FL 34601

Prepare By:



June 30, 2023

January 29, 2024

Table of Contents

1. Introduction	8
1.1. Vertical Datum	11
1.2. Existing Permits	11
1.3. Flood Zone Maps	12
1.4. Watershed Model	12
1.5. Design Storms	15
2. Existing Conditions	17
2.1. Data Collection	18
2.2. Existing Site Conditions	19
2.3. Runoff Estimation	20
2.4. Time of Concentration	25
3. Hydrologic and Hydraulic Evaluation	26
3.1. Previous Studies	26
3.2. Watershed Model Development	26
3.3. Model Parameters	26
3.4. Modifications to the Bystre Lake Model	26
3.5. Alternatives Analysis	26
4. Water Quality Evaluation	27
5. Best Management Practices	28
5.1. BMP 1	32
5.2. BMP 2	33
5.3. BMP 3	35
5.4. BMP 4	37
5.5. BMP 5	39
5.6. BMP 6	40
5.7. BMP 7	41

5.8. BMP 8..... 42

5.9. BMP 9..... 42

5.10. BMP 10 43

5.11. BMP 11 44

5.12. BMP 12 44

6. Summary.....46

6.1. Benefits 46

6.2. Opinion of Probable Costs 47

6.3. Regulatory Considerations..... 48

List of Figures

Figure 1. Location Map 9

Figure 2. Study Area 10

Figure 3. Model Boundary Map 14

Figure 4. Surface Comparison at Cortez Blvd and Emerson Rd 17

Figure 5. Surface Comparison at Cortez Blvd and Mitchell Rd..... 18

Figure 6. Surface Comparison at BMP 6 18

Figure 7. Existing Conditions Drainage Map 20

Figure 8. 2011 Submodel Basin C0100 ICPRv4 Input Data..... 21

Figure 9. 2023 Existing Conditions Basin C0100 ICPRv4 Input Data 21

Figure 10. NDVI for Study Area..... 24

Figure 11. Water Surface Plan 1 29

Figure 12. Water Surface Profile 1..... 29

Figure 13. Water Surface Plan 2 30

Figure 14. Water Surface Profile 2..... 30

Figure 15. Gabion Basket Channel 31

Figure 16. Concrete Lined Channel 32

Figure 17. Proposed BMP 2 DEM..... 34

Figure 18. 25Y/1D Stage and Flow for NC2710_MC and RC2710A_MC 35

Figure 19. BMP 4 Channel Between Asmara and Smith 38

List of Tables

Table 1. Model Components Summary 13
Table 2. Design Storms..... 15
Table 3. Model Components for Existing Conditions Model 19
Table 4. Impervious Estimates per Land Cover Area 24
Table 5. Inundated Structures 46
Table 6. Individual BMP EOPCC 47
Table 7. Proposed BMP Combinations..... 48

Appendices

The some of the following appendices may be provided by other professionals and are not certified by the Engineer-of-Record.

A. Aerial Maps.....
B. Soils Maps
C. Land Use Maps.....
D. Drainage Maps.....
D1. Existing Drainage Maps.....
D2. Existing Time of Concentration Calculations
D3. Proposed Drainage Maps
E. Model Data
E1. Existing Conditions Hydrologic/Hydraulic Model Data.....
E2. BMP 11 Hydrologic/Hydraulic Model Data
E3. BMPs 11 & 2AB Hydrologic/Hydraulic Model Data
E4. BMPs 11, 2AB, & 3 Hydrologic/Hydraulic Model Data
E5. BMPs 11, 2AB, 3, & 4 Hydrologic/Hydraulic Model Data
E6. BMPs 11, 2AB, 3, 4, & 12 Hydrologic/Hydraulic Model Data.....
E7. BMPs 11, 2AB, 3, 4, & 8 Hydrologic/Hydraulic Model Data.....
E8. BMPs 11, 2AB, 3, 4, 8, & 10 Hydrologic/Hydraulic Model Data.....
E9. BMPs 11, 2AB, 3, 4, 8, 10, & 12 Hydrologic/Hydraulic Model Data
F. Conceptual Plans

- F1. BMP 2 (aka BMP 2AB) Conceptual Plans**
- F2. BMP 3 Conceptual Plans.....**
- F3. BMP 4 Conceptual Plans.....**
- F4. BMP 8 Conceptual Plans.....**
- F5. BMP 10 Conceptual Plans.....**
- F6. BMP 11 Conceptual Plans.....**
- F7. BMP 12 Conceptual Plans.....**
- G. Results Summary**
- G1. Results Maps – 2.33-Year**
- G2. Results Maps – 10-Year**
- G3. Results Maps – 25-Year**
- G4. Results Maps – 100-Year**
- G5. Results Tables – BMP 11**
- G6. Results Tables – BMP 11 & 2AB**
- G7. Results Tables – BMP 11, 2AB, & 3**
- G8. Results Tables – BMP 11, 2AB, 3, & 4**
- G9. Results Tables – BMP 11, 2AB, 3, 4, & 12.....**
- G10. Results Tables – BMP 11, 2AB, 3, 4, & 8.....**
- G11. Results Tables – BMP 11, 2AB, 3, 4, 8, & 10.....**
- G12. Results Tables – BMP 11, 2AB, 3, 4, 8, 10, & 12**
- H. Engineer’s Opinion of Probable Construction Cost.....**
- H1. BMP 2 (aka BMP 2AB)**
- H2. BMP 3.....**
- H3. BMP 4.....**
- H4. BMP 8.....**
- H5. BMP 10.....**
- H6. BMP 11.....**

- H7. BMP 12.....**
- I. Other Information.....**
- I1. NAVD to NGVD Conversion**
- I2. NOAA Atlas 14 Storm Events**
- I3. Pre-Application Meetings**

References

FAC – Florida Administrative Code

AHV1 - Environment Resource Permit Applicant’s Handbook Volume 1, Southwest Florida Water Management District, 1 June 2018

AHV2 - Environment Resource Permit Applicant’s Handbook Volume 2, Southwest Florida Water Management District, 1 June 2018

FDOT – Drainage Design Guide, Florida Department of Transportation, January 2018

ERD – Evaluation of Current Stormwater Design Criteria within the State of Florida, Environmental Research & Design, Inc., June 2007

LOS/SWRS/BMP – Approach to Assessing Level-of-Service, Surface Water Resources, and Best Management Practice Alternatives for Watersheds in Hernando County, Florida, Jones Edmunds & Associates, Inc., October 2013

Revisions

- 7 April 2023 – Initial Draft
- 12 June 2023 – Draft
- 16 June 2023 – Internal QA/QC Revisions
- 30 June 2023 – Hernando County Comment Revisions
- 29 January 2024 – Corrected Weir RC0600W1**

Certification

<p>Not valid unless stamped or embossed with Engineer’s Seal, signed, and dated in contrasting color ink or digitally sealed.</p>	
<p>These documents have been prepared under the responsible charge of Colin Tyson Miller, P.E. and is based on his professional knowledge and available information, in accordance with commonly accepted procedures consistent with applicable standards of practice.</p> <p>McKim & Creed 3903 Northdale Blvd, Ste. 115E Tampa, FL 33624 EB 29588</p>	<p style="text-align: center;">COLIN TYSON MILLER, State of Florida, Professional Engineer, License No. 61775</p> <p style="text-align: center;">This item has been digitally signed and sealed by COLIN TYSON MILLER on <u>05/31/24</u>.</p> <p style="text-align: center;">Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.</p> <p>Narr _____ Date _____</p>

Notes to Reviewers

The following is an abridged narrative report of the efforts to design the proposed project within the Standard of Care and appropriate regulations. Some appendices included have been reduced (size and resolution) or provided under separate cover to simplify this report. Most provided documents (PDFs) are searchable and bookmarked to aid the review. Additionally, we can provide georeferenced information (for example, shapefiles) of some of the intermediate design data (available upon request). Please contact the Engineer-of-Record with any difficulties arising from the review.

The following appendices may be provided by other professionals. Only appendices provided by the Engineer-of-Record are certified.

Revisions from the previous version (see Revisions) are generally shown in **red bold** (when possible) to assist with the review.

1. Introduction

The Master Drainage Plan (MDP) for South Brooksville (Study Area) is approximately 728 acres. The Study Area is located in the Lake Bystre Watershed on the southeast portion of the City of Brooksville but also includes a portion of unincorporated Hernando County. The Study Area is generally bound by Mildred Ave (west), Cortez Blvd (south), Emerson Rd and Jefferson St or US 98 (east), and Mount Fair (north). Drainage from the Study Area ultimately discharges under Cortez Blvd or State Road 50 (SR 50) through two 8' wide box culverts constructed prior to 1996.

This Study updates significant changes to the watershed model for Study Area, evaluates previously constructed Best Management Practices (BMPs), evaluates unimplemented BMPs as identified in the previous MDP (2011), and evaluates potential new BMPs.

The Authorities Having Jurisdiction (AHJs) are:

1. Florida Department of Environmental Protection (FDEP)
2. Southwest Florida Water Management District (SWFWMD)
3. Florida Department of Transportation (FDOT)
4. Hernando County, Florida
5. City of Brooksville, Florida




Figure 1. Location Map




Figure 2. Study Area

1.1. Vertical Datum

All elevations refer to the North American Vertical Datum of 1988 (NAVD) unless otherwise indicated. Conversions from elevation in National Geodetic Vertical Datum of 1929 (NGVD) to NAVD are possible using the following equation:

$$\text{NAVD} + 0.814 = \text{NGVD}$$

Or

$$\text{NGVD} - 0.814 = \text{NAVD}$$

This conversion is based on NGS Coordinate Conversion and Transformation (NCAT) (<https://geodesy.noaa.gov/NCAT/>) from the National Geodetic Survey (NGS), National Oceanic and Atmospheric Administration (NOAA). The conversion is based on the following 28.5451717543 latitude and 82.3832130432 longitude.

1.2. Existing Permits

The following permits are near or adjacent to the Study Area and appear to have been constructed after the Bystre Lake Watershed Study was completed (from 1/2006 to 12/2022).

ERP 2980.001 - Hernando County Judicial Renovations

Project located within the Study Area but not added to Watershed Model. Improvements appear to have minimal impacts downstream. Inconsistencies with aerial photographs and as-built features would require fieldwork to accurately incorporate, which is outside the scope of the Study.

ERP 22674.002 - Hernando County DPW Warehouse Expansion

Project located outside of Study Area. Not added to Watershed Model.

ERP 26914.000 - Hernando County Sheriff's Substation

Improvements added to Watershed Model.

ERP 30412.002 - Bar Codes Talk – Warehouse

Project located inside of Study Area but not added to Watershed Model. Considered to have minimal impacts due to downstream changes (ERP 42292.000-001 Freedom Gardens 1 & 2).

ERP 40814.001 - South Brooksville BMP 5 Drainage Improvements

Added to Watershed Model based on publicly available as-built/record drawings.

ERP 41830.001 - South Brooksville BMP 7 Drainage Improvements

Added to Watershed Model based on publicly available as-built/record drawings.

ERP 42077.000 - South Brooksville BMP 6 Drainage Improvements

Added to Watershed Model based on publicly available as-built/record drawings.

ERPs 42292.000-001 - Freedom Gardens 1 and 2

Improvements added to Watershed Model.

ERP 44643.000 - Hernando County Former DPW Drainage Improvements

Project located within Study Area but not added to Watershed Model. Considered to have minimal impacts due to downstream changes (ERP 42292.000-001 Freedom Gardens 1 & 2).

ERP 44666.000 - FDOT Trail

Project located within Study Area but not added to Watershed Model. Considered to have minimal impacts due to downstream changes (ERPs 42077.000 and 41830.001 or BMPs 6 and 7, respectively).

1.3. Flood Zone Maps

The Project Area is shown on the following FEMA Flood Insurance Rate Maps (FIRMs): 12053C0192D (2/2/2012). The Project Area has FEMA flood zones A, AE, and X located within or adjacent.

1.4. Watershed Model

The Project Area is located within the Bystre Lake Watershed. This watershed was modeled by the URS in 2010, using ICPv3. The Bystre Lake Watershed was Peer-Reviewed by Halcrow in 2009. The Governing Board of the SWFWMD approved the model in 2010. This model was the basis for the current effective FEMA Flood Insurance

Rate Maps (FIRMs). The Watershed Model used for the South Brooksville Stormwater Master Drainage Plan (2011) was based on the Bystre Lake Watershed Model (2010) using ICPRv3. The following table summarizes components and general extent of the various Watershed Models.

Table 1. Model Components Summary

Watershed Model	Area (ac)	Basins	Nodes	Links
Bystre Lake 2010	17604.44	446	522	1065
South Brooksville SWMDP 2011 Pre BMPs	17604.45	446	522	1065
South Brooksville SWMDP 2011 Post BMPs	17604.69	445	522	1057
South Brooksville SWMDP 2023 Sub Model	6933.84	201	248	502




Figure 3. Model Boundary Map

To minimize boundary conditions, we increased the submodel size (see **Figure 3. Model Boundary Map**). This model will only have one time/stage boundary node (NC1222). The distance downstream is sufficient to eliminate inaccuracies in the study area, while eliminating a significant portion (approximately 50%) of the Bystre Lake Watershed Model.

Inflow from Blue Sink appears to be actually an outflow to Blue Sink and is a free-discharge condition (peak stages for all events up to and including 500-Year, are below invert/crest for Links from Bystre Lake).

1.5. Design Storms

The design storms are based on NOAA Atlas 14. These depths were used for existing (before proposed conditions) and proposed (after proposed conditions) hydrologic/hydraulic analysis. For values not directly provided by NOAA Atlas 14, we used log-log interpolation (linear through cubic regression).

Table 2. Design Storms

Storm Recurrence, Duration, & Distribution	Bystre Lake Watershed 2010 (inch)	South Brooksville SWMDP 2011 (inch)	South Brooksville SWMDP 2023 (based on NOAA Atlas 14) (inch)
2.33-Year/24-Hour SCS Type 2 FL Mod.	N/A	5.5*	4.78
5-Year/24-Hour SCS Type 2 FL Mod.	N/A	6.0	5.63
10-Year/24-Hour SCS Type 2 FL Mod.	N/A	7.3	6.75
25-Year/24-Hour SCS Type 2 FL Mod.	N/A	9.0	8.62
50-Year/24-Hour SCS Type 2 FL Mod.	N/A	10.0	10.3
100-Year/24-Hour SCS Type 2 FL Mod.	12.5	12.5	12.2
100-Year/72-Hour FDOT 72 Hour	14.3	N/A	16.0
100-Year/120-Hour SWFWMD 120 Hour	16.8	N/A	17.25
100-Year/168-Hour FDOT 168 Hour	18.0	N/A	18.3
500-Year/24-Hour SCS Type 2 FL Mod.	16.0	N/A	17.5
500-Year/72-Hour	N/A	N/A	23.3

Storm Recurrence, Duration, & Distribution	Bystre Lake Watershed 2010 (inch)	South Brooksville SWMDP 2011 (inch)	South Brooksville SWMDP 2023 (based on NOAA Atlas 14) (inch)
FDOT 72 Hour			
500-Year/120-Hour SWFWMD 120 Hour	19.6	N/A	24.69
500-Year/168-Hour FDOT 168 Hour	N/A	N/A	25.9
* 2YR/24HR SBSWMDP 2010			

2. Existing Conditions

The existing conditions were analyzed using ICPRv4.07.08. The Bystre Lake Watershed Model was revised to reflect the current existing conditions (as of 1/2023) within the Study Area. Revisions to increase the resolution of the discretization were focused on the main conveyance routes upstream of Cortez Blvd (SR 50), but some revisions downstream of Cortez Blvd were made. **Figure 4** is an example of the differences in resolution between the 2011 DEM Surface and the 2023 DEM Surface.




Figure 4. Surface Comparison at Cortez Blvd and Emerson Rd

The revisions to channels are based on the Hernando County 2019 DEM available from the SWFWMD. Besides the resolution, it appears that some features have shifted. Many of the revisions were to better model low flow events (like 2.33-Year/24-Hour storm event), which can heavily impact Benefit-Cost Analysis. Placing channels in separate basins also reduces complexity of excluding channel storage from associated nodes.




Figure 5. Surface Comparison at Cortez Blvd and Mitchell Rd

Additionally, there was some permitted construction within the Study Area that were included and reflected in the 2023 model adjustments. Freedom Gardens 1 and 2 Developments (ERP 42292.000-001) are located within the areas shown in Figure 4B. Those developments directly impacted identified BMP 9 from the South Brooksville SWMDP 2011. Impacts of County stormwater improvement project BMP 6 are shown in **Figure 5**.




Figure 6. Surface Comparison at BMP 6

2.1. Data Collection

The revisions to the Bystre Lake Watershed model were prepared using the following data:

- 2023 Building Footprints – Hernando County
- 2023 Soils (gSSURGO) – Natural Resource Conservation Services (NRCS)
- 2023 ERP Files of Record – SWFWMD
- 2022 Property Lines – Florida Department of Revenue (FDOR)
- 2020 Aerial Photographs (4-Band) – SWFWMD
- 2019 Hernando DEM (2.5-feet) – SWFWMD
- 2017 Land Use – SWFWMD

The Initial Conditions are based on the associated Watershed Model (see **Section 1.4**).

2.2. Existing Site Conditions

The Existing Conditions Model (as of January 2023) was developed with proposed analysis considered. Additional components, for example basins, links, and nodes, were added in places where previous or future features would be located. The result is significantly more resolution in the study area (see Table below).

Table 3. Model Components for Existing Conditions Model

Watershed Model	Area (ac)	Basins	Nodes	Links
South Brooksville SWMDP 2023 Existing Conditions	6940.84	247	304	590

Basins have been delineated with the associated Watershed Model and adjusted onsite due to better topographic information and to align with proposed features (when possible). The following exhibit is reduced scale and detail, see **Appendix D Drainage Maps**.




Figure 7. Existing Conditions Drainage Map

2.3. Runoff Estimation

Runoff was estimated using Green-Ampt (AHV2 6.7.d), with normal wet season soil moisture levels (AHV2 6.1), SCS Unit Hydrograph with Shape Factor(s) of 256 and the SCS Type II Florida Modified Rainfall Distribution (SWFWMD AHV2 6.3).

Soil and Land Use values were extracted from the Bystre Lake Watershed Model 2010, by comparing individual basin entries (in converted ICPRv3 model). There was generally good correlation between basins using the same Soils and Land Use values. This approach simplifies the calculations and makes the Manual Basins more understandable. Figure 8 and Figure 9 showing ICPRv4 Basin C0100 input, the updated approach shows Land Cover by FLUCCs and soils by MUKEY, both values directly related to specific land uses and soils.




Figure 8. 2011 Submodel Basin C0100 ICPRv4 Input Data




Figure 9. 2023 Existing Conditions Basin C0100 ICPRv4 Input Data

We used Florida Land Use and Cover Codes (FLUCCS) for Land Cover Zone and Soil MUKEY values for Soil Zones. The example above has FLUCCs code for whole number portion with decimal associated with individual estimates of impervious area.

Land Cover Zone	Pct Impervious	Pct DCIA	Pct Direct	la Impervious	la Pervious
1100	10	0	0	0.1	0.1
1200	15	5	0	0.1	0.1

Land Cover Zone	Pct Impervious	Pct DCIA	Pct Direct	Ia Impervious	Ia Pervious
1300	70	20	0	0.1	0.1
1400	70	50	0	0.1	0.1
1500	77	72	0	0.1	0.1
1600	0	0	0	0.1	0.1
1700	70	65	0	0.1	0.1
1800	5	2	0	0.1	0.1
1820	5	2	0	0.1	0.1
1900	0	0	0	0.1	0.1
2100	0	0	0	0.1	0.1
2140	0	0	0	0.1	0.1
2200	10	10	0	0.1	0.1
2300	10	0	0	0.1	0.1
... (rows removed for brevity)					

Soil Zone	Kv Saturated	MC Saturated	MC Residual	MC Initial	MC Field	MC Wilting
322073	0.313386	0.7578	0.094725	0.3789	0.3789	0.18945
322074	3.968504	0.7578	0.094725	0.3789	0.3789	0.18945
322075	1.091339	0.7578	0.094725	0.3789	0.3789	0.18945
322076	35.00787	0.7812	0.09765	0.3906	0.3906	0.1953
322081	13.03937	0.7632	0.0954	0.3816	0.3816	0.1908
322083	0.029921	0.99	0.12375	0.495	0.495	0.2475
322084	0.029921	0.99	0.12375	0.495	0.495	0.2475
322085	0.029921	0.99	0.12375	0.495	0.495	0.2475
322088	0.127559	0.774	0.09675	0.387	0.387	0.1935

Soil Zone	Kv Saturated	MC Saturated	MC Residual	MC Initial	MC Field	MC Wilting
322090	0.029921	0.873	0.109125	0.4365	0.4365	0.21825
... (rows removed for brevity)						

Soil Zone	Pore Size Index	Bubble Pressure	Allow Recharge	WT Initial	Layer Thickness	Cells Per Layer
322073	0.58515	2.739201	0	0.076631	0	0
322074	0.58515	2.739201	0	0.076631	0	0
322075	0.58515	2.739201	0	0.076631	0	0
322076	0.58515	2.739201	0	5.141579	0	0
322081	0.58515	2.739201	0	0.75762	0	0
322083	0.568464	2.8188	0	0.055675	0	0
322084	0.568464	2.8188	0	0.055675	0	0
322085	0.568464	2.8188	0	0.055675	0	0
322088	0.58515	2.739201	0	0.068584	0	0
322090	0.253576	6.8358	0	0.072381	0	0
... (rows removed for brevity)						

Additionally, we estimated the current impervious percentages per Land Use zone. This estimate was based on road widths, building footprints, and Normalized Difference Vegetation Index (NDVI) derived from the SWFWMD’s 4-band 2020 aerial photographs. The runoff estimates were improved by these individual estimates for impervious areas per Land Cover Zone, by more accurately accounting for spatial variability of impervious areas. Directly Connected Impervious Area percentages were held from original data, when appropriate.




Figure 10. NDVI for Study Area

Table 4. Impervious Estimates per Land Cover Area

Land Cover Zone	Impervious %	DCIA %	Direct %	Impervious Ia (in)	Pervious Ia (in)
...					
1300.513	33.14	20	0	0.1	0.1
1300.533	49.88	20	0	0.1	0.1
1300.585	58	20	0	0.1	0.1
1300.634	61.85	20	0	0.1	0.1
1300.656	39.45	20	0	0.1	0.1
1300.701	52.1	20	0	0.1	0.1
1300.707	53.08	20	0	0.1	0.1
1300.715	51.78	20	0	0.1	0.1
1300.732	40.69	20	0	0.1	0.1
1300.735	63.44	20	0	0.1	0.1
1300.762	58.35	20	0	0.1	0.1

Land Cover Zone	Impervious %	DCIA %	Direct %	Impervious Ia (in)	Pervious Ia (in)
1300.768	46.99	20	0	0.1	0.1
1300.778	66.15	20	0	0.1	0.1
1300.784	66.17	20	0	0.1	0.1
1300.848	51.99	20	0	0.1	0.1
1300.865	57.38	20	0	0.1	0.1
...					

This approach does allow for spatial variability of impervious areas therefore improving runoff estimates.

2.4. Time of Concentration

Times of Concentration were approximated using the Velocity Method (TR55 Method) for revised basins. These calculations are available in Existing Conditions Hydrologic/Hydraulic Model Data (see **Appendix D2 Existing Time of Concentration Calculations**).

3. Hydrologic and Hydraulic Evaluation

3.1. Previous Studies

The Study Area is located within the Bystre Lake Watershed which was last published by the Southwest Florida Water Management District (SWFWMD) in 2010. This model was used as the basis for the South Brooksville Stormwater Master Drainage Plan in 2011 (SBSWMDP 2011).

3.2. Watershed Model Development

The revised watershed model representing the existing conditions was used to develop all BMP models. Simple exhibits showing project areas are included in **Appendix D3**.

3.3. Model Parameters

The model parameters for the proposed models (various BMP Alternatives) match the existing conditions model.

3.4. Modifications to the Bystre Lake Model

The revisions to the Bystre Lake Model to better match existing conditions and align with proposed BMPs, was described in **Section 2 Existing Conditions**.

3.5. Alternatives Analysis

The previous study, South Brooksville Stormwater Master Drainage Plan (2011), identified ten (10) drainage improvement projects. Three projects were implemented (5, 6, and 7). Project 9 is no longer possible, a residential development was permitted and constructed over the same area. Project 1 required (or connected to) Project 9, so it was not considered for further analysis.

4. Water Quality Evaluation

The proposed BMPs have been configured to favor drainage concerns. Even though there will be some stormwater quality improvements, the improvements are primarily associated with conversion of sources of pollutants to detention/retention areas and reduction of erosion.

Further evaluation and documentation of stormwater quality improvements is advisable during individual BMP design and permitting. Credits for net improvements should be reserved for future projects, other BMPs documented in this Plan or unrelated projects.

5. Best Management Practices

The Best Management Practices (BMPs) reviewed fit into two major categories: attenuation and conveyance improvements. Attenuation improvements (detention or retention) can also provide water quality improvements through assimilation (wet detention) or infiltration (dry retention). Attenuation improvements require land with hydraulic connection to the flooding source. Conveyance improvements (storm sewers and channels) can move flooding but generally do not significantly attenuate (reduce peak flooding depths).

The BMPs from the South Brooksville Stormwater Master Drainage Plan 2011 (SBSWMDP 2011) were reviewed within the context of the existing conditions (considering constructed BMPs, significant development in the Study Area, and refined topographic information). Several (minimum of three) configurations for each BMP were reviewed to determine a likely optimal configuration. BMPs 5, 6, and 7 have been constructed and were considered in the existing conditions for further development of BMPs. BMP 2 is the only remaining BMP (from original BMPs) with significant attenuation capacity, so it was a requirement for all remaining viable BMPs (BMP 3, 4, 8, and 10). BMP 11 (downstream of Cortez Blvd / SR 50) is outside the original study area but provides some attenuation.

Potential Additional Improvements

Identifying additional potential improvements can be challenging. We reviewed the existing water surface profile along major flow paths. Plan and Profiles are provided in **Figure 11, Figure 12, Figure 13, and Figure 14**. Flows appear to be impacted by Cortez Blvd (SR 50). Modeling indicates minimal benefits (reductions in peak flood stages) of additional parallel pipes under SR 50, and the construction costs are very significant (due to the existing traffic and complexity of construction). Channel improvements upstream and downstream of Cortez Blvd / SR 50 appear to provide greater reductions in flood stages than increasing conveyance under Cortez Blvd / SR 50.




Figure 11. Existing Water Surface Plan 1




Figure 12. Existing Water Surface Profile 1



Figure 13. Existing Water Surface Plan 2




Figure 14. Existing Water Surface Profile 2

Channel Improvements: Gabion Baskets with Open Bottom

Gabion Baskets are generally easier to construct and less expensive than concrete lined channels. Baseflow can occur through the gabion baskets which reduces groundwater seepage issues. The baskets can be configured vertical to near vertical (0.5:1 horizontal to vertical ratio) configurations. Like with the concrete channels, open bottoms reduce environmental impact and permit complexities.




Figure 15. Gabion Basket Channel

Channel Improvements: Concrete Lined Channels with Open Bottoms

Concrete lined channels can be easier to maintain than Gabion Baskets. Construction is more complex and expensive than Gabion Baskets. Like with the Gabion Baskets, open bottoms reduce environmental impact and permit complexities. Intermediate cross bracing of the concrete slopes is advisable, to improve slope stability.




Figure 16. Concrete Lined Channel

5.1. BMP 1

The previous proposed BMP 1, from SBSWMDP 2011, description is included below:

Description: BMP 1 is stormwater improvements at the site of the old Hernando County Department of Public Works (DPW) compound. During the BMP development phase, coordination meetings were held with the DPW Environmental Engineering consultant to discuss options for stormwater management. The Environmental consultant provided valuable information and input for determination for best location, depth and configuration of a stormwater management system. The proposed improvements include a detention pond located at the southeast corner of the parcel. The proposed pond is located at the area of the lowest elevation of the site directly north of the existing swale carrying runoff from the site. The "L" shaped pond is proposed to have 5 foot wide bottom and 3 foot depth, with 4 to 1 side slopes. An overflow weir structure will control flow from the proposed pond to the existing swale and allows for one foot freeboard. Stormwater enters the pond via overland flow.

Benefits: Construction of the stormwater detention pond in this BMP will alleviate local flooding offsite of the project site. The proposed BMP will also assist with reducing downstream sediment loading.

This BMP appears to have been permitted and may have been constructed. The stormwater management system located at BMP 1 was intended to attenuate and treat stormwater from proposed improvements. Given the downstream BMP (BMP 9) is no longer viable due to a residential development, we have concluded no further review of this BMP is appropriate. The impacts of this BMP (constructed or not) will not be significant in the primary study area because of the downstream changes.

5.2. BMP 2

The previous proposed BMP 2, from SBSWMDP 2011, description is included below:

Description: BMP 2 is stormwater improvements at the abandoned Brooksville Wastewater Treatment Plant site located south of Newgate Street, near its intersection with School Street. The proposed improvements include two large detention ponds located at the west side of the site. The proposed pond is located at the intersections of several existing channels. The "L" shaped pond is proposed to be 4 foot deep with 4 to 1 side slopes. Water would flow into the pond via culverts from two channels and the 24" x 38" elliptical storm sewer on St Francis Street which is currently in design phase. An existing channel with stormwater flowing west to east separates the two proposed ponds. Piping crossing this channel functions as equalization piping. An overflow weir structure will control flow from the proposed pond to the existing channel, and allows for T freeboard. The ponds also allow for future widening and improvement of Newgate Street. This BMP also includes improvements to the culverts crossing Twigg Street and Newgate Street.

Benefits: Construction of the stormwater detention pond in this BMP will alleviate local flooding north of the project site. The cost includes improvements to existing culverts crossing Twigg and Newgate, demolition of the few remaining features of the old Wastewater Treatment Plant, and construction of the two ponds.

BMP 2 is also referred to as BMP 2AB due to the bifurcation of the detention system. The location appears to be more effective, if slightly limited. The most effective configuration will allow inflows (unrestricted) at the highest elevation and outflows (restricted) at the lowest elevation. This configuration for the attenuation storage maximizes the stage reduction. The aerial extent was expanded to limits of existing public ownership and to avoid takings and secondary impacts to drainage (obstructing existing drainage).




Figure 17. Proposed BMP 2 DEM

Additional refinements to the grading are possible. Expanding NC0381_MC west is limited by a residential property. Expanding NC0382_MC to the east is limited by drainage and storage impacts. The overall storage is relatively small based on the volume of discharge along the channel (306 ac*ft). Conveyance and bypass improvements are necessary to realize the full benefits of BMP 2.




Figure 18. 25Y/1D Stage and Flow for NC2710_MC and RC2710A_MC

BMP 2 (aka BMP 2AB) Major Components

- Two Stormwater Detention Areas (ICPR Model Components NC0381_MC and NC0382_MC)
- Channel Improvements from Twigg Street to SR 50 (ICPR Model Components RC0602A_MC, RC0603A_MC, RC0604A_MC, RC0591A_MC, RC2710A_MC, and RC2713A_MC)
- Bypass Channel (ICPR Model Components RC0601W2_MC and NC0601_MC)
- Property or Easement Purchase (lower portion of Channel Improvements to SR 50)

BMP 2 Dependency(ies)

- BMP 11 (possibly none)

5.3. BMP 3

The previous proposed BMP 3, from SBSWMDP 2011, description is included below:

Description: BMP 3 is stormwater improvements between Twigg and School Street from Martin Luther King Boulevard to Newgate Street. This is the southern portion of a storm water channel known locally as Saxon's Brook. The proposed improvement in this BMP includes an 8' x 6' box culvert from Martin Luther King to Newgate within an existing channel at approximately 3' below existing ground elevation. Stormwater will enter the box culvert north of Martin Luther King and will exit the box culvert south of Newgate Street into the regional stormwater pond described in BMP 2. A manhole is included south of Martin Luther King where the channel changes direction from southwest to directly south. A 20' wide by T deep trapezoidal channel with 4 to 1 side slopes will also be constructed within the easement area, and immediately above the proposed box culvert. The purpose of this open channel is to collect and convey surface runoff from the adjoining properties, as well as provide for additional conveyance capacity and relief of surcharge conditions that will develop during the rare but extremely high flows. Clearance/acquisition of the easement must be accomplished before this BMP can be fully implemented.

Benefits: Construction of the stormwater box culvert improves stormwater flow from Martin Luther King Boulevard to the proposed regional stormwater pond described in BMP 2. By using a culvert rather than the channel for conveyance, local flooding is reduced between Twigg and Newgate Streets and decreases sediment loading downstream within the pond. By improving the stormwater conveyance in this area, flooding upstream of Martin Luther King Blvd. is also reduced. The cost does not include improvements to culverts crossing Newgate as this cost is included in BMP 2, nor does it include the cost of easement acquisition.

BMP 3 could be open (channel) or closed (pipe) but the County expressed concern for an open configuration, therefore the only alternative that was reviewed was to match the existing upstream culverts from previously constructed BMP 5 (2 – 6' x 5' RCBs). The use of RCBs will improve construction and reduce needed drainage easements.

BMP 3 Major Components

- Two 6' x 5' RCBs from Martin Luther King Jr Blvd to BMP 2 (ICPR Model Components RC0485A_MC, RC0560A, and RC0565A_MC)
- Property or Easement Purchase

BMP 3 Dependency(ies)

- BMP 11
- BMP 2 (aka BMP 2AB)

5.4. BMP 4

The previous proposed BMP 4, from SBSWMDP 2011, description is included below:

Description: BMP 4 is stormwater improvements of the existing channel located between Dire-Dawa Avenue and Jefferson Street from Smith Street to Asmara Street. The proposed improvements in this BMP involve widening the existing channel to the maximum width allowed based on the existing easement. Some purchase of property for additional easement will be required to allow for a consistent channel width along the full length of the channel. The culvert sizes under A.C.L, Smith, and Asmara Streets will be increased to prevent upstream flooding impacts and not impede flow through the channel. Improvement of the channel includes enhancing the vegetation along the channel slopes to improve stabilization.

Benefits: Improving the stormwater channel reduces flooding locally between Smith and Asmara Street and reduces sediment loading downstream. By improving the stormwater conveyance in this area, flooding upstream of Smith Street will also be reduced. Public safety will be enhanced by reduction of the 100 year flood event in the area and downstream of the pond. The cost does not include acquisition of additional property for the drainage easement.

The revised BMP 4 simplifies the previous approach to limit channel improvements to immediately upstream of Smith Street and immediately downstream of Asmara Street. Channel improvements between Smith and Amara Streets were evaluated using a gabion basket design with an open bottom.




Figure 19. BMP 4 Channel Between Asmara and Smith

The depth varies (based on LiDAR DEM) from north to south, but the available right-of-way is limited to approximately 30-feet. The section shown above is 20-feet (out-to-out) but would not be constructable without significant temporary construction easements (TCEs). Wider sections would improve drainage (by adding storage) but would cost more (slightly for construction and significantly for land acquisition).

Culverts are proposed to be removed and replaced with larger (more conveyance) RCBs at Smith (6' x 4' RCB) and Asmara (6' x 6' RCB) Streets. These RCBs match the existing culverts height, which should improve constructability. The existing channel between Smith and Amara Streets is proposed to be replaced with a Gabion basket channel to the limits of the existing right-of-way. Additional easements may be necessary for construction and maintenance.

BMP 4 Major Components

- 6' x 4' RCB under Smith Street (ICPR Model Component RC0450A_MC)

- 6' x 6' RCB under Asmara Street (ICPR Model Component RC0460A_MC)
- Gabion Basket Channel from Smith to Asmara Streets (ICPR Model Component RC0455A_MC)
- Property or Easement Purchase

BMP 4 Dependency(ies)

- BMP 11
- BMP 2 (aka BMP 2AB)
- BMP 3

5.5. BMP 5

The previous proposed BMP 5, from SBSWMDP 2011, description is included below:

Description: BMP 5 is stormwater improvements at the cell tower located on "Parcel 23" at the corner of Asmara Street, Jefferson Street, and Martin Luther King Boulevard. This parcel is also known locally as "The Dauson Property," and was recently acquired by Hernando County specifically for storm water management purposes. The proposed improvements include a single detention pond located at the west side of the site. An existing sanitary sewer pipe on the parcel will be relocated to the east of the pond to maximize detention capacity. The proposed pond is bordered by the existing channel (Saxon's Brook) to the west. The proposed pond is approximately 4' deep with 4 to 1 side slopes. Stormwater will flow into the pond at the northwest corner of the parcel via an existing 72[""] diameter culvert. No improvements are proposed in this BMP to the culvert under Asmara Street. Flow discharges from the pond to the south side of the parcel through two existing 5' by 6' box culverts under Martin Luther King Boulevard. Included in this BMP is the proposed improvement of the channel section with stabilization measures. This will be accomplished by enhancing the vegetation along the channel slopes to improve stabilization. No improvements are proposed to the existing box culvert under Martin Luther King, Jr. Boulevard. The proposed preliminary design requires purchase of several residential properties to the west side of the parcel which include the existing channel to become part of the proposed pond.

Benefits: The stormwater detention pond in this BMP will act as intermediate volume detention control for higher rain fall events. This will allow stormwater

volume to be released at reduced rates thereby preventing peak flooding events from occurring downstream through the conveyance system proposed as part of BMP 3, described previously. Sedimentation will also be reduced by enhancement of the vegetated channel stabilization methods, thereby improving water quality downstream. Public safety will be enhanced by the stormwater pond by reduction of the 100 year flood event in the area to the west of the pond and downstream of the pond. The cost does not include acquisition of property to the west occupied by the existing channel that will be incorporated by the proposed pond.

BMP 5 was constructed. The available as-built information was used to update the Lake Bystre Watershed Model.

5.6. BMP 6

The previous proposed BMP 6, from SBSWMDP 2011, description is included below:

Description Option A: BMP 6 Option A includes stormwater improvements to the existing channel (also known locally as Parson's Creek) from Martin Luther King Boulevard to the parcel owned by Hernando County located on the west side of Josephine Street, construction of a detention pond on the County owned property, and channel improvements with construction of a double 8' x 6' box culvert from the proposed detention pond to Newgate Street. Two feet above this double box culvert will be constructed a shallow (1" deep) trapezoidal open channel to collect and convey surface water runoff from adjoining properties; this open channel will also act as a conveyance and relief feature under surcharge conditions during those rare times of extreme flows. This Box Culvert/Open Channel stormwater conveyance feature discharges into the detention pond proposed in BMP 2. Channel improvements upstream from the County owned parcel on Josephine will include widening the channel in certain areas to provide a consistent cross section that maximizes flow and allows for 4 to 1 side slopes. Drainage easement will need to be obtained for several parcels for construction of these improvements.

Description Option B: BMP 6 Option B includes all of Option A, identified above plus constructing an enlarged long linear detention pond along the west side of the existing channel (Parson's Creek) to provide additional storage of excess runoff. Construction the detention pond will require a drainage easement from the adjacent property owners.

Construction Benefits: of the stormwater double box culvert as proposed will improve stormwater flow along Parson's Creek from Martin Luther King Boulevard through the existing channel to the proposed regional stormwater pond described in BMP 2. By improving the channel, adding detention, and including the double box culvert local flooding is reduced and water quality will be improved. The cost does not include purchase of any easements. The culvert crossing improvement for Newgate is included in BMP 2.

BMP 6 was partially constructed. The available as-built information was used to update the Lake Bystre Watershed Model. Construction of double 8' x 6' RCBs were not completed as originally planned.

5.7. BMP 7

The previous proposed BMP 7, from SBSWMDP 2011, description is included below:

Description Option A: There are two options proposed for BMP 7. Option A involves constructing a stormwater detention pond on the City of Brooksville DPW site such that the CDPW would need to be relocated and the buildings demolished prior to construction. The portion of the pond extending into Russell Park would only be used for 100 year flood plain expansion and so would remain dry other than during a 100 year flood event. Stormwater will enter the pond through the channel from the northwest of the parcel. This BMP will utilize a cascade method from upper pool to lower pool to take advantage of the existing terrain and park improvements. This BMP also includes channel improvements to the south and west of the site and includes widening channel in areas to provide a consistent cross section that maximizes flow and allows for 4 to 1 slopes. Flow exits to the southeast corner of the site through a control structure into a single 8' x 6' box culvert.

Description Option B: Option B is similar to Option A, but no pond would be located at the CDPW site and so the City of Brooksville DPW facilities would not need to be relocated. This BMP will also utilize a cascade method from upper pool to lower pool to take advantage of the existing terrain and park improvements. The portion of the pond extending into Russell Park would be expanded somewhat, but as in Option B, would only be used for 100 year flood plain expansion. Control structures,

pipings, and channel improvements would be essentially the same as described in Option B.

BMP 7 was constructed. The available as-built information was used to update the Lake Bystre Watershed Model.

5.8. BMP 8

The previous proposed BMP 8, from SBSWMDP 2011, description is included below:

Description: BMP 8 includes a 60" diameter pipe to divert flow from the existing channel west of Jefferson Street (upper reaches of Saxon's Brook) to the existing channel at Russell Park (Parson's Creek). Improvements include three stormwater manholes and diversion structure within the existing channel west of Jefferson, and crossing under South Brooksville. Drainage easements will need to be obtained from several parcels for construction of these improvements.

Benefits: Construction of the stormwater culvert improves flooding conditions downstream of Smith Street between Dire-Dawa Street and Jefferson Street. Additionally, water quality will be improved through reduction of sediment loading.

BMP 8 diverts flows from contributing to BMP 4 and subsequently to BMP 5. It was found that too much diversion would cause flooding in BMP 7. Therefore, the size was limited to 24" RCP.

BMP 8 Major Components

- 24" RCP (ICPR Model Component RC2510A_MC)

BMP 8 Dependency(ies)

- BMP 11
- BMP 2 (aka BMP 2AB)
- BMP 3
- BMP 4
- BMP 12

5.9. BMP 9

The previous proposed BMP 9, from SBSWMDP 2011, description is included below:

Description: BMP 9 includes 36" diameter culvert along Bethune Street from A Street to D Street. The pipe begins at a proposed overflow structure located in the existing swale on the old DPW site, which is described in BMP No. 1. To construct this proposed improvement, a drainage easement along the street and acquisition of one parcel will be required. The pipe along Bethune will be constructed within the right-of-way.

Benefits: Construction of the stormwater culvert improves flooding conditions between A Street and Shady Oak Village Circle.

BMP 9 does not appear to be viable after residential development was constructed.

5.10. BMP 10

The previous proposed BMP 10, from SBSWMDP 2011, description is included below:

Description: BMP 10 includes a 24" x 38" elliptical pipe along Martin Luther King Boulevard from the existing channel east of Twigg Street to St. Francis Street culvert which is currently in design phase. Improvements include one stormwater manhole and diversion structure within the existing channel. The pipe along Martin Luther King Boulevard will be constructed within the right-of-way.

Benefits: Benefits include diverting flow from the channel addressed in BMP 3, and will help reduce flooding between Twigg and School Streets during higher rain fall events. Sedimentation will be reduced downstream with the reduction of flow within the open channel thereby improving water quality downstream.

BMP 10 will improve conveyance down St. Francis Street from BMP 5 and under School Street to reduce flooding at the southern end of School Street.

BMP 10 Major Components

- 36" RCP down St. Francis Street to BMP 2B (ICPR Model Component RC0482B_MC)
- 36" RCP from downstream end of BMP 5 to St. Francis Street (ICPR Model Component RC0482A_MC)

- 24" RCP under School Street (ICPR Model Component RC0599B_MC)
- 30" RCP under School Street (ICPR Model Component RC0599A_MC)

BMP 10 Dependency(ies)

- BMP 11
- BMP 2 (aka BMP 2AB)

5.11. BMP 11

This BMP provides some necessary improvements outside (downstream or southeast) of the study area. Channel improvements from SR 50 to property owned by the County, excavation of detention area, and construction of diversion weir are proposed.

BMP 11 Major Components

- Channel improvements downstream of SR 50 (ICPR Model Component RC0618A_MC)
- Detention Area (ICPR Model Component NC0621_MC)
- Diversion Weir (ICPR Model Component RC0619W3_MC)
- Property or Easement Purchase

BMP 11 Dependency(ies)

- None

5.12. BMP 12

This BMP provides the function for the portion BMP 6 not constructed. Channel improvements and 8' x 4' reinforced concrete box (RCB) culverts are proposed.

BMP 12 Major Components

- Channel improvements from Twigg Street to BMP 6 (ICPR Model Components RC0587A_MC, RC0581A_MC, and RC0405A_MC)
- Two 8' x 4' RCB Culverts at Twigg (ICPR Model Component RC0585A_MC)
- Two 8' x 4' RCB Culverts at Private Driveway (ICPR Model Component RC0580A_MC)
- Culvert removal at Leonard Street (if necessary)

- Two 8' x 4' RCB Culverts at St. Josephine Street (ICPR Model Component RC0570A_MC)
- Property or Easement Purchase

BMP 12 Dependency(ies)

- BMP 11
- BMP 2 (aka BMP 2AB)

6. Summary

The following summarizes the performance of each BMP, opinions of probable construction costs, and permitting requirements.

6.1. Benefits

Benefits as avoided damages were estimated using the approach detailed in LOS/SWRS/BMP and using the Benefit Cost Analysis Tool (Excel Spreadsheet) from the Southwest Florida Water Management District (2016). The Benefits of previously implemented BMPs (5, 6, and 7) were analyzed based on the existing conditions minus the BMPs versus the existing conditions (to best estimate the impact of BMPs 5, 6, and 7).

Table 5. Inundated Structures

BMP(s)	2.33-Year	5-Year	10-Year	25-Year	50-Year	100-Year
Pre-5, 6, & 7	4	4	6	7	9	14
5, 6, & 7	2	4	4	5	7	10
All the following BMP(s) Combinations are individually compared to existing conditions (2023).						
11	2	4	4	5	7	11
11 & 2AB	1	1	1	2	3	8
11, 2AB, & 3	1	1	1	2	3	8
11, 2AB, 3, & 4	1	1	1	2	3	8
11, 2AB, 3, 4, & 8	1	1	1	2	3	8
11, 2AB, 3, 4, 8, & 10	1	1	1	2	3	7
11, 2AB, 3, 4, & 12	1	1	1	1	2	6
11, 2AB, 3, 4, 8, 10, &	1	1	1	1	2	6

BMP(s)	2.33-Year	5-Year	10-Year	25-Year	50-Year	100-Year
12						

6.2. Opinion of Probable Costs

The following Engineer’s Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the typical range for this EOPCC is approximately -30% to +50% (meaning costs below could be 30% lower or 50% higher than eventual construction costs). The following EOPCC is only for civil components and excludes mitigation, landscaping, and additional design services.

Table 6. Individual BMP EOPCC

BMP	Avg. Grand Total (weighted average)	Likely Range (standard deviation estimate)
1	Permitted	N/A
2 (2AB)	\$2,605,704	± \$363,356
3	\$4,633,404	± \$449,348
4	\$739,329	± \$115,159
5	Previously Constructed	N/A
6	Previously Constructed	N/A
7	Previously Constructed	N/A
8	\$890,572	± \$85,724
9	No longer viable	N/A
10	\$2,035,040	± \$171,819
11	\$1,348,856	± \$223,039
12	\$1,536,699	± \$162,117

Some potential BMPs are dependent on other BMPs to provide attenuation or conveyance improvements. Opinions of Probable Construction Costs for the analyzed combinations of BMPs are below.

Table 7. Proposed BMP Combinations

BMP	Avg. Grand Total	Likely Range
11	\$1,348,856	± \$223,039
11 & 2AB	\$3,954,560	± \$586,395
11, 2AB, & 3	\$8,587,964	± \$1,035,743
11, 2AB, 3, & 4	\$9,327,293	± \$1,150,902
11, 2AB, 3, 4, & 8	\$10,217,865	± \$1,236,626
11, 2AB, 3, 4, 8, & 10	\$12,252,905	± \$1,408,445
11, 2AB, 3, 4, & 12	\$10,863,992	± \$1,313,019
11, 2AB, 3, 4, 8, 10, & 12	\$13,789,604	± \$1,570,562

6.3. Regulatory Considerations

The preceding BMPs were developed without surveys (boundary, topographic, or wetland) and without geotechnical investigation information. Wetland and Geotechnical constraints may impact configuration and performance of any BMP. The following requirements are based on the regulations in effect when this document was prepared.

BMP 2 (aka BMP 2AB)

This project was discussed with the Southwest Florida Water Management District (SWFWMD) and the Florida Department of Environmental Protection (FDEP) during Pre-Application Meetings. Some aspects of BMP 2AB were not discussed, that is the channel improvements, and further coordination would be advisable.

BMP 2 (aka BMP 2AB) Permits

- SWFWMD Environmental Resource Permit (highly likely)
- FDOT Drainage Connection Permit (highly likely)
- FDEP 404 Permit (less likely)

- Wildlife Permits (likely)

BMP 3

The selected configuration for this BMP (closed RCB and filling existing channel) may increase the complexity of and requirements for mitigation. Including mitigation through BMP 2AB for impacts from BMP 3 may be advisable.

BMP 3 Permits

- SWFWMD Environmental Resource Permit (highly likely)
- FDEP 404 Permit (less likely)
- Wildlife Permits (likely)

BMP 4

The proposed configuration may qualify for an exemption, though the increases in culverts upstream and downstream may require an Environmental Resource Permit (ERP) from the Southwest Florida Water Management District (SWFWMD).

BMP 4 Permits

- SWFWMD Environmental Resource Permit (likely)
- FDEP 404 Permit (less likely)
- Wildlife Permits (likely)

BMP 8

The proposed configuration is primarily a storm sewer providing drainage relief from BMP 4 to BMP 7. This project likely can be permitted with minimal effort.

BMP 8 Permits

- SWFWMD Environmental Resource Permit (less likely)
- FDEP 404 Permit (less likely)
- Wildlife Permits (less likely)

BMP 10

The proposed configuration is primarily a storm sewer providing drainage relief from BMP 5 to BMP 2AB. This project likely can be permitted with minimal effort.

BMP 10 Permits

- SWFWMD Environmental Resource Permit (less likely)
- FDEP 404 Permit (very unlikely)
- Wildlife Permits (less likely)

BMP 11

This project is adjacent to and downstream of the FDOT right-of-way and stormwater resources. Even though this project increases the stages in the FDOT right-of-way, it is well below the adjacent roads and does not impact the FDOT's drainage system. Given the intension of the project is to promote flow increases under SR 50, coordination FDOT throughout the design development is advisable.

BMP 11 Permits

- SWFWMD Environmental Resource Permit (highly likely)
- FDOT Drainage Connection Permit (likely)
- FDEP 404 Permit (less likely)
- Wildlife Permits (likely)

BMP 12

Even though this project was not discussed recently with the Authorities Having Jurisdiction (AHJs), it is like the previous BMP 6 and other bank stabilization projects. It should not be challenging to design and permit if the requisite projects have been constructed. Impacts due to filling portions of the existing channel should be mitigated in preceding projects.


BMP 12 Permits

- SWFWMD Environmental Resource Permit (likely)
- FDEP 404 Permit (less likely)
- Wildlife Permits (likely)

A. Aerial Maps

Prepared by the Report's Engineer-of-Record.


C:\GISD\PROJ011550021\SBSWMDP 2023\aprx - 6/11/2023 - CMiller



PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
Aerial Map

- LEGEND
- S Brooksville SWMP 2011
 - BMPs
 - Status
 - Existing
 - Not Constructed
 - Not Viable
 - Proposed
 - Existing
 - Permitted
 - Proposed




MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com

B. Soils Maps

Prepared by the Report's Engineer-of-Record.

C:\GISD\PROJ011550021\SBSWMDP 2023\ISBSWMDP 2023.aprx - 6/11/2023 - CMiller




PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
Soil Map

LEGEND

- S Brooksville SWMP 2011
- BMPs**
- Status**
- Existing
- Not Constructed
- Not Viable
- Proposed
- Existing
- Permitted
- Proposed
- Soils (MUKEY)




MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com

C. Land Use Maps

Prepared by the Report's Engineer-of-Record.


C:\GISD\PROJ1011550021\SBSWMDP 2023\1550021\SBSWMDP 2023.aprx - 6/12/2023 - CMiller



PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
Land Use Map

- LEGEND
- S Brooksville SWMP 2011
 - Existing
 - Permitted
 - Proposed
 - City Limits
 - BMPs**
 - Status**
 - Existing
 - Not Constructed
 - Not Viable
 - Proposed
 - Land Use 2017 (FLUCCS)



MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com


D. Drainage Maps

Prepared by the Report's Engineer-of-Record.

D1. Existing Drainage Maps

Prepared by the Report's Engineer-of-Record.

C:\GISD\PROJ101550021\SBSSWMDP 2023.aprx - 6/12/2023 - CMiller




PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
Drainage Map (Existing)

LEGEND

Existing Node	Existing
Existing Link	Permitted
Existing Basin	Proposed
BMPs	Property Lines
Status	At-Risk Buildings
Existing	Buildings
Not Constructed	City Limits
Not Viable	Contours (Major)
Proposed	Contours (Minor)




MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com

D2. Existing Time of Concentration Calculations

Prepared by the Report's Engineer-of-Record.

C:\GISD1\PROJ1011550021\SBWSWMDP 2023\SBWSWMDP 2023.aprx - 6/12/2023 - CMiller



PROJECT

South Brooksville Stormwater Master Drainage Plan

SHEET

Drainage Map (Existing)
Time of Concentration

LEGEND

Time of Concentration

Flow Type

— Sheet Flow

— Shallow Conc. Flow

— City Limits

 Property Lines

At-Risk Buildings


Buildings

Existing Basin

— Contours (Major)

— Contours (Minor)

VICINITY



MCKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0369_MC	15	SHEET	142.6	141.1	100.0	1.50%	4.52	13.5
C0369_MC	21	SHALLOW	141.1	130	476.6	2.33%	4.52	3.2
C0370_MC	15	SHEET	118.2	114.9	100.0	3.30%	4.52	9.8
C0370_MC	21	SHALLOW	114.9	111.7	269.2	1.19%	4.52	2.5
C0371_MC	15	SHEET	138	136.8	100.0	1.20%	4.52	14.7
C0371_MC	21	SHALLOW	136.8	112.7	1202.2	2.00%	4.52	8.8
C0373_MC	15	SHEET	119.3	119.3	64.6	0.10%	4.52	28.1
C0373_MC	21	SHALLOW	119.3	112.2	414.9	1.71%	4.52	3.3
C0374_MC	15	SHEET	148.9	147.5	100.0	1.40%	4.52	13.8
C0374_MC	21	SHALLOW	147.5	133.5	1308.1	1.07%	4.52	13.1
C0377_MC	21	SHALLOW	164.9	160.3	212.6	2.16%	4.52	1.5
C0377_MC	21	SHALLOW	160.3	115.1	2278.3	1.98%	4.52	16.7
C0379_MC	15	SHEET	106.2	103.9	46.9	4.91%	4.52	4.6
C0379_MC	21	SHALLOW	103.9	99.1	612.5	0.78%	4.52	7.1
C0393_MC	21	SHALLOW	130.5	121.8	384.7	2.26%	4.52	2.6
C0393_MC	15	SHEET	133.5	130.5	100.0	3.00%	4.52	10.2
C0395_MC	15	SHEET	130.6	128.7	100.0	1.90%	4.52	12.3
C0395_MC	21	SHALLOW	128.7	118.3	304.5	3.42%	4.52	1.7
C0399_MC	15	SHEET	132.2	129.8	100.0	2.40%	4.52	11.2
C0399_MC	21	SHALLOW	128.8	118.3	603.9	1.74%	4.52	4.7
C0400_MC	15	SHEET	129.1	128.4	100.0	0.70%	4.52	18.3
C0400_MC	21	SHALLOW	128.4	113.3	657.6	2.30%	4.52	4.5

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0401_MC	15	SHEET	127.7	126	100.0	1.70%	4.52	12.8
C0401_MC	21	SHALLOW	126	111.5	800.5	1.81%	4.52	6.1
C0404_MC	15	SHEET	113	110.3	100.0	2.70%	4.52	10.6
C0404_MC	21	SHALLOW	110.3	99	823.4	1.37%	4.52	7.3
C0405_MC	15	SHEET	109.8	107.5	100.0	2.30%	4.52	11.4
C0405_MC	21	SHALLOW	107.5	99	677.0	1.26%	4.52	6.2
C0406_MC	15	SHEET	117.1	116.5	100.0	0.60%	4.52	19.4
C0406_MC	21	SHALLOW	116.5	110.2	779.0	0.81%	4.52	8.9
C0450_MC	15	SHEET	128.5	124.9	100.0	3.60%	4.52	9.5
C0450_MC	21	SHALLOW	124.9	122.3	274.7	0.95%	4.52	2.9
C0458_MC	15	SHEET	180.6	179.4	27.9	4.30%	4.52	3.2
C0458_MC	21	SHALLOW	179.4	118.7	1848.6	3.28%	4.52	10.5
C0460_MC	15	SHEET	121.4	119.1	100.0	2.30%	4.52	11.4
C0460_MC	21	SHALLOW	119.1	114.5	853.4	0.54%	4.52	12.0
C0480_MC	15	SHEET	118.5	117.1	100.0	1.40%	4.52	13.8
C0480_MC	21	SHALLOW	117.1	103.1	1154.2	1.21%	4.52	10.8
C0481_MC	15	SHEET	111	110.2	44.1	1.81%	4.52	6.5
C0481_MC	21	SHALLOW	110.2	108.7	195.8	0.77%	4.52	2.3
C0482_MC	15	SHEET	118	116.5	100.0	1.50%	4.52	13.5
C0482_MC	21	SHALLOW	116.5	104	1039.3	1.20%	4.52	9.8
C0540_MC	15	SHEET	121.5	116.8	100.0	4.70%	4.52	8.5
C0540_MC	21	SHALLOW	116.8	101	750.5	2.11%	4.52	5.3

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0550_MC	15	SHEET	100.7	98.9	100.0	1.80%	4.52	12.5
C0550_MC	21	SHALLOW	98.9	91.9	1053.9	0.66%	4.52	13.4
C0560_MC	15	SHEET	107.6	101.3	83.9	7.51%	4.52	6.1
C0560_MC	21	SHALLOW	101.3	98.2	639.8	0.48%	4.52	9.5
C0562_MC	15	SHEET	112	109.9	100.0	2.10%	4.52	11.8
C0562_MC	21	SHALLOW	109.9	104.4	727.1	0.76%	4.52	8.6
C0563_MC	15	SHEET	109.6	109.6	100.0	0.10%	4.52	39.8
C0563_MC	21	SHALLOW	109.6	105.7	416.9	0.94%	4.52	4.5
C0570_MC	15	SHEET	109.3	107.3	100.0	2.00%	4.52	12.0
C0570_MC	21	SHALLOW	107.3	99.1	808.5	1.01%	4.52	8.3
C0571_MC	15	SHEET	110.3	109.4	100.0	0.90%	4.52	16.5
C0571_MC	21	SHALLOW	109.4	105.1	521.0	0.83%	4.52	5.9
C0572_MC	15	SHEET	111.2	109.7	100.0	1.50%	4.52	13.5
C0572_MC	21	SHALLOW	109.7	103.1	663.2	1.00%	4.52	6.9
C0580_MC	15	SHEET	104.6	101.6	46.3	6.48%	4.52	4.0
C0580_MC	21	SHALLOW	101.6	96.8	523.6	0.92%	4.52	5.6
C0583_MC	15	SHEET	106.3	105.3	100.0	1.00%	4.52	15.8
C0583_MC	21	SHALLOW	105.3	101.1	600.8	0.70%	4.52	7.4
C0585_MC	15	SHEET	100.7	99.4	17.6	7.38%	4.52	1.8
C0585_MC	21	SHALLOW	99.4	95.7	150.0	2.47%	4.52	1.0
C0586_MC	15	SHEET	104.2	102.1	100.0	2.10%	4.52	11.8
C0586_MC	21	SHALLOW	102.1	100	221.3	0.95%	4.52	2.3

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0588_MC	15	SHEET	107.2	105.2	100.0	2.00%	4.52	12.0
C0588_MC	21	SHALLOW	105.2	99.5	982.2	0.58%	4.52	13.3
C0590_MC	15	SHEET	106.8	102.8	100.0	4.00%	4.52	9.1
C0590_MC	21	SHALLOW	102.8	93.8	171.9	5.24%	4.52	0.8
C0594_MC	15	SHEET	113.2	110.3	100.0	2.90%	4.52	10.3
C0594_MC	21	SHALLOW	110.3	98.4	454.5	2.62%	4.52	2.9
C0596_MC	15	SHEET	113.5	112.8	100.0	0.70%	4.52	18.3
C0596_MC	21	SHALLOW	112.8	106.9	234.0	2.52%	4.52	1.5
C0598_MC	15	SHEET	114.6	110	100.0	4.60%	4.52	8.6
C0598_MC	21	SHALLOW	110	95.6	1874.6	0.77%	4.52	22.1
C0599_MC	15	SHEET	108.7	107.5	100.0	1.20%	4.52	14.7
C0599_MC	21	SHALLOW	107.5	96.8	1561.2	0.69%	4.52	19.5
C0600_MC	15	SHEET	97.2	92.9	16.2	26.60%	4.52	1.0
C0600_MC	21	SHALLOW	92.9	91	566.6	0.34%	4.52	10.1
C0601_MC	15	SHEET	103.7	100.1	46.5	7.74%	4.52	3.8
C0601_MC	21	SHALLOW	100.1	93.8	1064.6	0.59%	4.52	14.3
C0602_MC	15	SHEET	97.8	91.6	19.6	31.64%	4.52	1.1
C0602_MC	21	SHALLOW	91.6	90.9	503.0	0.14%	4.52	13.9
C0603_MC	15	SHEET	99.7	96	56.3	6.58%	4.52	4.7
C0603_MC	21	SHALLOW	96	91.5	295.6	1.52%	4.52	2.5
C0604_MC	15	SHEET	106.1	96.3	58.9	16.64%	4.52	3.4
C0604_MC	21	SHALLOW	96.3	92.3	165.5	2.42%	4.52	1.1

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0605_MC	15	SHEET	100.5	98.9	100.0	1.60%	4.52	13.1
C0605_MC	21	SHALLOW	98.9	97.5	195.7	0.72%	4.52	2.4
C0606_MC	15	SHEET	105.2	101.7	100.0	3.50%	4.52	9.6
C0606_MC	21	SHALLOW	101.7	95.6	429.0	1.42%	4.52	3.7
C0607_MC	15	SHEET	102.3	101.1	100.0	1.20%	4.52	14.7
C0607_MC	21	SHALLOW	101.1	93.3	676.8	1.15%	4.52	6.5
C0619_MC	15	SHEET	106.5	98.2	61.0	13.62%	4.52	3.8
C0619_MC	21	SHALLOW	98.2	89	717.3	1.28%	4.52	6.5
C0650_MC	15	SHEET	103.6	101.7	100.0	1.90%	4.52	12.3
C0650_MC	21	SHALLOW	101.7	91.7	600.1	1.67%	4.52	4.8
C0651_MC	15	SHEET	98.9	95.2	100.0	3.70%	4.52	9.4
C0651_MC	21	SHALLOW	95.2	88.2	601.1	1.16%	4.52	5.8
C0695_MC	15	SHEET	95	94.5	100.0	0.50%	4.52	20.9
C0695_MC	21	SHALLOW	94.5	89.9	1120.7	0.41%	4.52	18.1
C0696_MC	21	SHALLOW	97.2	92.2	504.3	0.99%	4.52	5.2
C0696_MC	15	SHEET	98	97.2	100.0	0.80%	4.52	17.3
C0697_MC	15	SHEET	97.4	96.1	100.0	1.30%	4.52	14.3
C0697_MC	21	SHALLOW	96.1	91.4	394.2	1.19%	4.52	3.7
C0698_MC	15	SHEET	97.8	96.1	100.0	1.70%	4.52	12.8
C0698_MC	21	SHALLOW	96.1	92.1	1035.0	0.39%	4.52	17.2
C0699_MC	15	SHEET	96.6	95.4	100.0	1.20%	4.52	14.7
C0699_MC	21	SHALLOW	95.4	88.3	1037.8	0.68%	4.52	13.0


Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C0700_MC	15	SHEET	117.2	115	100.0	2.20%	4.52	11.6
C0700_MC	21	SHALLOW	115	87.6	2245.0	1.22%	4.52	21.0
C0701_MC	21	SHALLOW	89.2	87.8	658.0	0.21%	4.52	14.7
C0701_MC	15	SHEET	89.8	89.2	31.7	1.89%	4.52	4.9
C0702_MC	15	SHEET	93.4	89.1	25.1	17.15%	4.52	1.7
C0702_MC	21	SHALLOW	89.1	88	1600.5	0.10%	4.52	52.3
C0703_MC	15	SHEET	93.1	91.6	100.0	1.50%	4.52	13.5
C0703_MC	21	SHALLOW	91.6	89	583.7	0.45%	4.52	9.0
C1700_MC	15	SHEET	130.7	129.3	100.0	1.40%	4.52	13.8
C1700_MC	21	SHALLOW	129.3	116.1	430.6	3.07%	4.52	2.5
C1702_MC	15	SHEET	118.7	118.7	100.0	0.10%	4.52	39.8
C1702_MC	15	SHEET	118.7	117.3	51.6	2.71%	4.52	6.3
C1703_MC	15	SHEET	123.2	119.7	100.0	3.50%	4.52	9.6
C1703_MC	21	SHALLOW	119.7	114.6	545.0	0.94%	4.52	5.8
C1704_MC	15	SHEET	134.6	131.8	100.0	2.80%	4.52	10.5
C1704_MC	21	SHALLOW	131.8	120.8	128.4	8.57%	4.52	0.5
C1706_MC	15	SHEET	139.1	138.3	100.0	0.80%	4.52	17.3
C1706_MC	21	SHALLOW	138.3	129.9	409.2	2.05%	4.52	2.9
C1709_MC	15	SHEET	137.8	136.4	100.0	1.40%	4.52	13.8
C1709_MC	21	SHALLOW	136.4	132.5	327.4	1.19%	4.52	3.1
C1710_MC	15	SHEET	117.4	114.5	100.0	2.90%	4.52	10.3
C1710_MC	21	SHALLOW	114.5	102.6	128.1	9.29%	4.52	0.4

Basin ID	Flow ID	Flow Type	Begin. Elev.	End Elev.	Flow Length (ft)	Slope	2-Year Storm Depth	Flow Time
C1713_MC	15	SHEET	139.4	139.2	100.0	0.20%	4.52	30.2
C1713_MC	21	SHALLOW	139.2	119.1	723.2	2.78%	4.52	4.5
C2230_MC	15	SHEET	133.9	131.7	100.0	2.20%	4.52	11.6
C2230_MC	21	SHALLOW	131.7	118.8	1228.6	1.05%	4.52	12.4
C2240_MC	15	SHEET	135.4	130.1	100.0	5.30%	4.52	8.1
C2240_MC	21	SHALLOW	130.1	119.9	1248.1	0.82%	4.52	14.3
C2260_MC	15	SHEET	114.7	113.6	100.0	1.10%	4.52	15.3
C2260_MC	21	SHALLOW	113.6	105.7	586.2	1.35%	4.52	5.2
C2700_MC	15	SHEET	104.4	103.2	31.2	3.85%	4.52	3.6
C2700_MC	21	SHALLOW	103.2	96.5	634.2	1.06%	4.52	6.4
C2701_MC	15	SHEET	105.7	104	100.0	1.70%	4.52	12.8
C2701_MC	21	SHALLOW	104	100	435.9	0.92%	4.52	4.7
C2702_MC	15	SHEET	102.8	102	100.0	0.80%	4.52	17.3
C2702_MC	21	SHALLOW	102	98.6	601.4	0.57%	4.52	8.3
C2710_MC	15	SHEET	100.3	96.2	21.6	18.98%	4.52	1.4
C2710_MC	21	SHALLOW	96.2	94.4	184.6	0.97%	4.52	1.9
C2711_MC	15	SHEET	101.4	100.1	100.0	1.30%	4.52	14.3
C2711_MC	21	SHALLOW	100.1	99.2	178.4	0.50%	4.52	2.6
C2712_MC	15	SHEET	101.4	100.8	100.0	0.60%	4.52	19.4
C2712_MC	21	SHALLOW	100.8	98.2	350.8	0.74%	4.52	4.2
C3200_MC	15	SHEET	106.11	105.1	100.0	1.01%	4.52	15.8
C3200_MC	21	SHALLOW	105.1	95.9	2435.0	0.38%	4.52	40.9

D3. Proposed Drainage Maps

Prepared by the Report's Engineer-of-Record.

C:\GISD1_PROJ\011550021\SBSSWMDP 2023\SBSSWMDP 2023.aprx - 6/12/2023 - CMiller




PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
Drainage Map (BMP 11)

LEGEND

City Limits	BMPs Areas Status Existing
Property Lines	BMPs Areas Status Permitted
At-Risk Buildings	BMPs Areas Status Proposed
Buildings	BMP 11 Node
BMPs Existing	BMP 11 Link
BMPs Not Constructed	BMP 11 Basin
BMPs Not Viable	Contours (Major)
BMPs Proposed	Contours (Minor)



MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com





PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
Drainage Map (BMP 11, 2AB)

LEGEND

	City Limits		BMPs Areas Status
	Property Lines		Existing
	At-Risk Buildings		Permitted
	Buildings		Proposed
	BMPs Status		BMP11 2AB Node
	Existing		BMP11 2AB Link
	Not Constructed		BMP 11 2AB Basin
	Not Viable		Contours (Major)
	Proposed		Contours (Minor)






PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
Drainage Map (BMP 11, 2AB, 3)

LEGEND

[---] City Limits	BMPs Areas
[---] Property Lines	Status
[---] At-Risk Buildings	[---] Existing
[---] Buildings	[---] Permitted
[---] BMPs	[---] Proposed
[---] Status	[•] BMP11 2AB 3 Node
[---] Existing	[---] BMP11 2AB 3 Link
[---] Not Constructed	[---] BMP11 2AB 3 Basin
[---] Not Viable	[---] Contours (Major)
[---] Proposed	[---] Contours (Minor)



C:\GISD1_PROJ\011550021\SBSSWMDP 2023\SBSSWMDP 2023.aprx - 6/16/2023 - CMiller




PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
**Drainage Map
 (BMP 11, 2AB, 3, 4)**

LEGEND

City Limits	BMPs Areas
Property Lines	Status
At-Risk Buildings	Existing
Buildings	Permitted
BMPs	Proposed
Status	BMP11 2AB 3 4 Node
Existing	BMP11 2AB 3 4 Link
Not Constructed	BMP11 2AB 3 4 Basin
Not Viable	Contours (Major)
Proposed	Contours (Minor)



C:\GISD1_PROJ1011550021\SBSSWMDP 2023\SBSSWMDP 2023.aprx - 6/12/2023 - CMiller





PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**

SHEET
**Drainage Map
 (BMP 11, 2AB, 3, 4, 12)**

LEGEND

[---] City Limits	BMPs Areas
[---] Property Lines	Status
[Hatched] At-Risk Buildings	[Hatched] Existing
[Grey] Buildings	[White] Permitted
[Red] BMPs	[Red] Proposed
[Red] Existing	[Blue Dot] BMP11_2AB 3 4 12 Node
[Dashed] Not Constructed	[Blue Line] BMP 11 2AB 3 4 12 Link
[Crossed] Not Viable	[Purple Outline] BMP 11 2AB 3 4 12 Basin
[Red] Proposed	[Grey Line] Contours (Major)
	[Thin Grey Line] Contours (Minor)






PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
**Drainage Map
 (BMP 11, 2AB, 3, 4, 8)**

- LEGEND
- BMP 11 Node
 - BMP 11 Link
 - BMP 11 Basin
 - Existing
 - Permitted
 - Proposed
 - Property Lines
 - At-Risk Buildings
 - Buildings
 - City Limits
 - Contours (Major)
 - Contours (Minor)



MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com

C:\GISD1_PROJ1011550021\SBSSWMDP 2023.aprx - 6/12/2023 - CMiller




PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
**Drainage Map
 (BMP 11, 2AB, 3, 4, 8, 10)**

LEGEND

City Limits	BMPs Areas Status Existing
Property Lines	BMPs Areas Status Permitted
At-Risk Buildings	BMPs Areas Status Proposed
Buildings	BMP11 2AB 3 4 8 10 Node
BMPs Existing	BMP11 2AB 3 4 8 10 Link
BMPs Not Constructed	BMP11 2AB 3 4 8 10 Basin
BMPs Not Viable	Contours (Major)
BMPs Proposed	Contours (Minor)



C:\GISD1_PROJ1011550021\SBSSWMDP 2023.aprx - 6/12/2023 - CMiller




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
**Drainage Map
(BMP 11, 2AB, 3, 4, 8, 10, 12)**

LEGEND

	City Limits		BMPs Areas Status
	Property Lines		Existing
	At-Risk Buildings		Permitted
	Buildings		Proposed
	BMPs Status		BMP 11 2AB 3 4 8 10 12 Node
	Existing		BMP 11 2AB 3 4 8 10 12 Link
	Not Constructed		BMP 11 2AB 3 4 8 10 12 Basin
	Not Viable		Contours (Major)
	Proposed		Contours (Minor)



MCKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com

E. Model Data

E1. Existing Conditions Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E1_4_Project.i4p;

File Size: 4755 KB;

SHA1 923C88C438BFA55E2065D4A437389FFBA3866E3B

E2. BMP 11 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E2_4_Project.i4p;

File Size: 4745 KB;

SHA1 850FA48B41000D1A835AD3DB37186A1E6016F07C

E3. BMPs 11 & 2AB Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E3_4_Project.i4p;

File Size: 4675 KB;

SHA1 B4018C20B75EFA01F74D1B0F9411762E68B8BCAF

E4. BMPs 11, 2AB, & 3 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E4_4_Project.i4p;

File Size: 4672 KB;

SHA1 0A7931C42C27E0D5E8F0B4F0DCB0D646833C8A48

E5. BMPs 11, 2AB, 3, & 4 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E5_4_Project.i4p;

File Size: 4674 KB;

SHA1 960553424BCB98238B332929877CAAB3A4239671

E6. BMPs 11, 2AB, 3, 4, & 12 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E6_4_Project.i4p;

File Size: 4672 KB;

SHA1 F8E6E6EF57E0DD76AE6E563429EB50BBE8DCE2D3

E7. BMPs 11, 2AB, 3, 4, & 8 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E7_4_Project.i4p;

File Size: 4675 KB;

SHA1 CE01F6896A6541623AB2EBBB617FF191AE999C17

E8. BMPs 11, 2AB, 3, 4, 8, & 10 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E8_4_Project.i4p;

File Size: 4677 KB;

SHA1 2259F59E227AD29FB041C4F279DAA9F13BBA29A2

E9. BMPs 11, 2AB, 3, 4, 8, 10, & 12 Hydrologic/Hydraulic Model Data

Prepared by the Report's Engineer-of-Record.

Please note the following files have been attached to this PDF.

To view attachments:

Adobe Acrobat

Menu > View > Show/Hide > Navigation Panels > Attachments

Revu (Bluebeam)

Press Alt + P.

Please note that you will need to rename the i4p to Project.i4p to open in ICPRv4.

Model Data File Name: E9_4_Project.i4p;

File Size: 4674 KB;


SHA1 A92D16349BC96A1A8BD37DC7EDE5101989C6ED6B

F. Conceptual Plans


Prepared by the Report's Engineer-of-Record.

F1. BMP 2 (aka BMP 2AB) Conceptual Plans

Prepared by the Report's Engineer-of-Record.




BMP NO. 2 PLAN VIEW
SCALE: 1" = 100'




STATION 1+00

POND A SECTION "A-A"
PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'




STATION 1+00

POND B SECTION "C-C"
PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'




STATION 4+00


POND B SECTION "D-D"
PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'



CHANNEL IMPROVEMENT SECTION "E-E" PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'





BYPASS CHANNEL SECTION "F-F" PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'



STATION 4+13

POND A SECTION "B-B"
PROFILE VIEW
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 6'

REV. NO.	DESCRIPTION	DATE



MCKIM & CREED
3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744
CA Lic. No. 29588
www.mckimcreed.com

HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE
CIVIL
BMP NO. 2



PROJ. START DATE: APRIL 2023
MCE PROJ. # 011550021
DRAWN RVB
DESIGNED RVB
CHECKED CTM
PROJ. MGR. CTM

SCALE
HORIZONTAL: 1" = 100'
VERTICAL: N/A
C1.0
DRAWING NUMBER
0
REVISION



STATUS: **CONCEPTUAL NOT FOR CONSTRUCTION**

F2. BMP 3 Conceptual Plans

Prepared by the Report's Engineer-of-Record.



REV. NO.	DESCRIPTION	DATE



MCKIM & CREED
3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744
CA Lic. No. 29588
www.mckimcreed.com

HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE

CIVIL

BMP NO. 3


PROJ. START DATE: APRIL 2023
MCE PROJ. # 011550021
DRAWN: RVB
DESIGNED: RVB
CHECKED: CTM
PROJ. MGR.: CTM

SCALE	C1.1
HORIZONTAL: 1" = 60'	
VERTICAL: N/A	0
REVISION	


STATUS: **CONCEPTUAL NOT FOR CONSTRUCTION**

F3. BMP 4 Conceptual Plans


Prepared by the Report's Engineer-of-Record




BMP NO. 4 PLAN VIEW
SCALE: 1" = 40'




BMP NO. 4 PROFILE VIEW
HORIZ. SCALE: 1" = 40'
VERT. SCALE: 1" = 4'




BMP NO. 4 SECTION "A-A" VIEW
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 10'



BMP NO. 4 SECTION "B-B" VIEW
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 10'





BMP NO. 4 SECTION "C-C" VIEW
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 10'



BMP NO. 4 SECTION "D-D" VIEW
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 10'

REV. NO.	DESCRIPTION	DATE



MCKIM & CREED
3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744
CA Lic. No. 29588
www.mckimcreed.com

HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE

CIVIL

BMP NO. 4

PROJ. START DATE: APRIL 2023
MCE PROJ. # 011550021
DRAWN: RVB
DESIGNED: RVB
CHECKED: CTM
PROJ. MGR.: CTM

SCALE: HORIZONTAL: 1" = 40', VERTICAL: N/A


C1.2
DRAWING NUMBER

0
REVISION


STATUS: **CONCEPTUAL NOT FOR CONSTRUCTION**

F4. BMP 8 Conceptual Plans

Prepared by the Report's Engineer-of-Record




BMP NO. 8 PLAN VIEW
SCALE: 1" = 60'



BMP NO. 8 PROFILE VIEW
HORIZ. SCALE: 1" = 60'
VERT. SCALE: 1" = 6'

REV. NO.	DESCRIPTION	DATE



MCKIM & CREED
 3903 Northdale Blvd., Suite 115E
 Tampa, FL 33624
 Phone: (813) 549-3740, Fax: (813) 549-3744
 CA Lic. No. 29588
 www.mckimcreed.com



HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE
 CIVIL
BMP NO. 8


PROJ. START DATE: APRIL 2023 MCE PROJ. # 011550021 DRAWN: RVB DESIGNED: RVB CHECKED: CTM PROJ. MGR.: CTM	SCALE HORIZONTAL: 1" = 60' VERTICAL: N/A	C1.3 DRAWING NUMBER 0 REVISION
STATUS: CONCEPTUAL NOT FOR CONSTRUCTION		

F5. BMP 10 Conceptual Plans

Prepared by the Report's Engineer-of-Record




BMP NO. 4 PLAN VIEW
SCALE: 1" = 80'



BMP NO. 10 PROFILE VIEW
HORIZ. SCALE: 1" = 80'
VERT. SCALE: 1" = 8'

REV. NO.	DESCRIPTION	DATE



MCKIM & CREED
3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744
CA Lic. No. 29588
www.mckimcreed.com

HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE


CIVIL

BMP NO. 10

PROJ. START DATE: APRIL 2023 MCE PROJ. # 011550021 DRAWN: RVB DESIGNED: RVB CHECKED: CTM PROJ. MGR.: CTM	SCALE HORIZONTAL: 1" = 80' VERTICAL: N/A	C1.4 DRAWING NUMBER 0 REVISION
STATUS: CONCEPTUAL NOT FOR CONSTRUCTION		

F6. BMP 11 Conceptual Plans

Prepared by the Report's Engineer-of-Record



BMP NO.11 PLAN VIEW
SCALE: 1" = 40'

REV. NO.	DESCRIPTION	DATE

REVISIONS



3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744

CA Lic. No. 29588
www.mckimcreed.com



HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE

CIVIL

BMP NO. 11


PROJ. START DATE: APRIL 2023
MCE PROJ. # 011550021
DRAWN: RVB
DESIGNED: RVB
CHECKED: CTM
PROJ. MGR.: CTM

SCALE
HORIZONTAL: 1" = 40'
VERTICAL: N/A
C1.5
DRAWING NUMBER
0
REVISION

STATUS: **CONCEPTUAL NOT FOR CONSTRUCTION**

F7. BMP 12 Conceptual Plans



Prepared by the Report's Engineer-of-Record



BMP NO. 12 PLAN VIEW
SCALE: 1" = 40'

REV. NO.	DESCRIPTION	DATE

REVISIONS



3903 Northdale Blvd., Suite 115E
Tampa, FL 33624
Phone: (813) 549-3740, Fax: (813) 549-3744

CA Lic. No. 29588
www.mckimcreed.com

HERNANDO COUNTY

S. BROOKSVILLE STORMWATER MASTER DRAINAGE PLAN UPDATE

CIVIL

BMP NO. 12

PROJ. START DATE: APRIL 2023
MCE PROJ. # 011550021
DRAWN: RVB
DESIGNED: RVB
CHECKED: CTM
PROJ. MGR.: CTM

SCALE	C1.6 DRAWING NUMBER
HORIZONTAL: 1" = 40'	
VERTICAL: N/A	
REVISION	0

STATUS: **CONCEPTUAL NOT FOR CONSTRUCTION**


G. Results Summary

Prepared by the Report's Engineer-of-Record.

The following are reformatted results contained in **Appendix E**.

G1. Results Maps – 2.33-Year

Prepared by the Report's Engineer-of-Record.




0.25
Miles




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 (2.33 Year)

- LEGEND
- Study Area
 - BMP 11 (2.33Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)








PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB (2.33 Year)

- LEGEND
- Study Area
 - BMP 11 2AB (2.33Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 (2.33 Year)

LEGEND

- Study Area
- BMP 11 2AB 3 (2.33Y)**
- Major Reduction (<math>< 0.5</math>)
- Minor Reduction (<math>< 0.02</math>)
- No Significant Change
- Minor Impact (> 0.02)
- Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 (2.33 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 (2.33Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/12/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 12 (2.33 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 (2.33 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 8 (2.33Y)**
 - Major Reduction (<math>< 0.5</math>)
 - Minor Reduction (<math>< 0.02</math>)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)








PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 (2.33 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/12/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 12 (2.33 Yr)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




McKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com

G2. Results Maps – 10-Year

Prepared by the Report's Engineer-of-Record.


I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/9/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 (10 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 (10Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 (10 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 (10Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/12/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
Master Drainage Plan**



SHEET
BMP 11 2AB 3 4 12 (10 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)



MCKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com


I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GISD\SBSWMDP 2023.aprx - 6/9/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 (10 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 8 (10Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)



I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/9/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 (10 Year)


LEGEND

- Study Area
- BMP 11 2AB 3 4 8 10 (10Y)**
- Major Reduction (<math>< 0.5</math>)
- Minor Reduction (<math>< 0.02</math>)
- No Significant Change
- Minor Impact (> 0.02)
- Major Impact (> 0.5)



McKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com


I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GIS\2023\SBSWMDP 2023.aprx - 6/12/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 12 (10 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GIS\SBWSWMDP_2023.aprx - 6/9/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 (10 Year)

- LEGEND
- Study Area
 - BMP 11 (10Y)**
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBWSWMDP_2023.aprx - 6/9/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
Master Drainage Plan**



SHEET
BMP 11 2AB (10 Year)

- LEGEND
- Study Area
 - BMP 11 2AB (10Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)



G3. Results Maps – 25-Year


Prepared by the Report's Engineer-of-Record.




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 (25 Year)

- LEGEND
- Study Area
 - BMP 11 (25Y) Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB (25 Year)

- LEGEND
- Study Area
 - BMP 11 2AB (25Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)







PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 (25 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 (25Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/9/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 (25 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 (25Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GISD\SBSWMDP 2023.aprx - 6/12/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
 Master Drainage Plan**


SHEET
BMP 11 2AB 3 4 12 (25 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)



MCKIM & CREED
 ENGINEERS SURVEYORS PLANNERS
 3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
 V: 813-549-3740 W: www.mckimcreed.com


I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GISD\SBSWMDP 2023.aprx - 6/9/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 (25 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 8 (25Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/9/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 (25 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 8 10 (25Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/12/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 12 (25 Yr)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




McKIM & CREED
ENGINEERS SURVEYORS PLANNERS
3903 Northdale Blvd, Ste. 115E, Tampa FL 33624
V: 813-549-3740 W: www.mckimcreed.com

G4. Results Maps – 100-Year

Prepared by the Report's Engineer-of-Record.


I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP 2023.aprx - 6/9/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB (100 Year)

- LEGEND
- Study Area
 - BMP 11 2AB (100Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP 2023.aprx - 6/9/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 (100 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 (100Y)**
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Reduction (> 0.02)
 - Major Reduction (> 0.5)






PROJECT
**South Brooksville Stormwater
Master Drainage Plan**


SHEET
BMP 11 2AB 3 4 (100 Year)

LEGEND

- Study Area
- BMP 11 2AB 3 4 (100Y)**
- Major Reduction (< 0.5)
- Minor Reduction (< 0.02)
- No Significant Change
- Minor Impact (> 0.02)
- Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/12/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 12 (100 Year)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic\4-GIS\2023\SBSWMDP_2023.aprx - 6/9/2023 - MFuriato





PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 (100 Year)

- LEGEND
- Study Area
 - BMP 11 2AB 3 4 8 (100Y)**
 - Major Reduction (<math>< 0.5</math>)
 - Minor Reduction (<math>< 0.02</math>)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)






PROJECT
**South Brooksville Stormwater
Master Drainage Plan**


SHEET
BMP 11 2AB 3 4 8 10 (100 Year)

LEGEND

- Study Area
- Major Reduction (< 0.5)
- Minor Reduction (< 0.02)
- No Significant Change
- Minor Impact (> 0.02)
- Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GIS\SBWSWMDP 2023.aprx - 6/12/2023 - MFuriato




PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 2AB 3 4 8 10 12 (100 Yr)

- LEGEND
- Study Area
 - Major Reduction (< 0.5)
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)




I:\01155\002\1\ENG\20-Tech\24-Discipline Design Documentation\24b-Civil_Site_Hydraulic4-GIS\SBWSWMDP 2023\SBWSWMDP 2023.aprx - 6/9/2023 - MFuriato



PROJECT
**South Brooksville Stormwater
Master Drainage Plan**

SHEET
BMP 11 (100 Year)

- LEGEND
- Study Area
 - BMP 11 (100Y)**
 - Minor Reduction (< 0.02)
 - No Significant Change
 - Minor Impact (> 0.02)
 - Major Impact (> 0.5)



G5. Results Tables – BMP 11

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft, NAVD)	2.33Y/1D PROP (ft, NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft, NAVD)	5Y/1D PROP (ft, NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft, NAVD)	10Y/1D PROP (ft, NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft, NAVD)	25Y/1D PROP (ft, NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft, NAVD)	50Y/1D PROP (ft, NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft, NAVD)	100Y/1D PROP (ft, NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft, NAVD)	500Y/1D PROP (ft, NAVD)	500Y1D DIFF (ft)	NOTES
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G6. Results Tables – BMP 11 & 2AB

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G7. Results Tables – BMP 11, 2AB, & 3

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1030	207.36	207.36	→ 0.00	207.72	207.72	→ 0.00	207.93	207.93	→ 0.00	208.26	208.26	→ 0.00	208.50	208.50	→ 0.00	208.73	208.73	→ 0.00	209.23	209.23	→ 0.00	
NC1045	107.08	107.08	→ 0.00	107.13	107.13	→ 0.00	107.19	107.19	→ 0.00	107.27	107.27	→ 0.00	107.35	107.35	→ 0.00	107.42	107.42	→ 0.00	107.59	107.59	→ 0.00	
NC1050	105.59	105.59	→ 0.00	105.66	105.66	→ 0.00	105.73	105.73	→ 0.00	105.85	105.85	→ 0.00	105.94	105.94	→ 0.00	106.04	106.04	→ 0.00	106.24	106.24	→ 0.00	
NC1052	92.56	92.56	→ 0.00	92.64	92.64	→ 0.00	92.74	92.74	→ 0.00	92.86	92.86	→ 0.00	92.95	92.95	→ 0.00	93.01	93.02	↑ 0.01	93.75	93.74	↓ -0.01	
NC1080	83.50	83.50	→ 0.00	84.18	84.18	→ 0.00	85.27	85.27	→ 0.00	88.07	88.07	→ 0.00	90.49	90.49	→ 0.00	92.41	92.41	→ 0.00	95.33	95.33	→ 0.00	
NC1082	82.11	82.11	→ 0.00	82.71	82.71	→ 0.00	83.67	83.67	→ 0.00	85.52	85.52	→ 0.00	87.24	87.24	→ 0.00	88.75	88.75	→ 0.00	91.41	91.41	→ 0.00	
NC1090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.26	95.26	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.00	97.00	→ 0.00	
NC1100	86.69	86.69	→ 0.00	88.11	88.11	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.68	88.68	→ 0.00	88.81	88.81	→ 0.00	
NC1105	92.46	92.46	→ 0.00	92.74	92.74	→ 0.00	92.82	92.82	→ 0.00	92.96	92.96	→ 0.00	93.03	93.03	→ 0.00	93.09	93.09	→ 0.00	93.20	93.20	→ 0.00	
NC1110	94.09	94.09	→ 0.00	94.31	94.31	→ 0.00	94.53	94.53	→ 0.00	94.80	94.80	→ 0.00	94.93	94.93	→ 0.00	95.04	95.04	→ 0.00	95.21	95.21	→ 0.00	
NC1120	86.39	86.39	→ 0.00	86.75	86.75	→ 0.00	87.21	87.21	→ 0.00	87.94	87.94	→ 0.00	88.50	88.50	→ 0.00	88.53	88.53	→ 0.00	88.70	88.70	→ 0.00	
NC1130	86.84	86.84	→ 0.00	86.89	86.89	→ 0.00	86.95	86.95	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.43	87.43	→ 0.00	87.78	87.78	→ 0.00	
NC1140	89.76	89.76	→ 0.00	89.81	89.81	→ 0.00	89.86	89.86	→ 0.00	89.93	89.93	→ 0.00	89.98	89.98	→ 0.00	90.03	90.03	→ 0.00	90.14	90.14	→ 0.00	
NC1153	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1155	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1160	86.14	86.14	→ 0.00	86.51	86.51	→ 0.00	86.95	86.95	→ 0.00	87.22	87.22	→ 0.00	87.47	87.47	→ 0.00	87.74	87.74	→ 0.00	88.36	88.36	→ 0.00	
NC1170	85.91	85.91	→ 0.00	86.51	86.51	→ 0.00	86.92	86.92	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.42	87.42	→ 0.00	87.77	87.77	→ 0.00	
NC1180	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.94	84.94	→ 0.00	85.12	85.12	→ 0.00	86.09	86.09	→ 0.00	
NC1210	111.53	111.53	→ 0.00	111.61	111.61	→ 0.00	111.70	111.70	→ 0.00	111.84	111.84	→ 0.00	111.95	111.95	→ 0.00	112.05	112.05	→ 0.00	112.26	112.26	→ 0.00	
NC1212	88.78	88.78	→ 0.00	89.29	89.29	→ 0.00	89.84	89.83	↓ -0.01	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC1215	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.37	↓ -0.01	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC1216	145.25	145.25	→ 0.00	145.65	145.65	→ 0.00	145.90	145.90	→ 0.00	146.23	146.23	→ 0.00	146.49	146.49	→ 0.00	146.76	146.76	→ 0.00	147.29	147.29	→ 0.00	
NC1217	137.71	137.71	→ 0.00	138.03	138.03	→ 0.00	138.48	138.48	→ 0.00	139.00	139.00	→ 0.00	139.41	139.41	→ 0.00	139.84	139.84	→ 0.00	140.71	140.71	→ 0.00	
NC1218	88.73	88.73	→ 0.00	89.23	89.23	→ 0.00	89.77	89.77	→ 0.00	90.35	90.35	→ 0.00	91.08	91.07	↓ -0.01	91.83	91.82	↓ -0.01	93.58	93.57	↓ -0.01	
NC1219	107.34	107.34	→ 0.00	107.65	107.65	→ 0.00	108.25	108.25	→ 0.00	108.93	108.93	→ 0.00	109.54	109.54	→ 0.00	110.07	110.07	→ 0.00	111.19	111.19	→ 0.00	
NC1220	88.57	88.57	→ 0.00	89.05	89.05	→ 0.00	89.59	89.59	→ 0.00	90.24	90.24	→ 0.00	90.80	90.79	↓ -0.01	91.50	91.50	→ 0.00	93.26	93.25	↓ -0.01	
NC1221	88.40	88.40	→ 0.00	88.85	88.85	→ 0.00	89.33	89.33	→ 0.00	90.00	90.00	→ 0.00	90.47	90.47	→ 0.00	91.12	91.12	→ 0.00	92.87	92.87	→ 0.00	
NC1380	87.64	87.64	→ 0.00	87.70	87.70	→ 0.00	87.77	87.77	→ 0.00	87.87	87.87	→ 0.00	87.94	87.94	→ 0.00	88.01	88.01	→ 0.00	88.16	88.16	→ 0.00	
NC1390	92.38	92.38	→ 0.00	92.43	92.43	→ 0.00	92.49	92.49	→ 0.00	92.56	92.56	→ 0.00	92.59	92.59	→ 0.00	92.63	92.63	→ 0.00	92.72	92.72	→ 0.00	
NC1400	83.88	83.88	→ 0.00	84.44	84.44	→ 0.00	85.20	85.20	→ 0.00	86.32	86.32	→ 0.00	87.04	87.04	→ 0.00	87.72	87.72	→ 0.00	89.12	89.12	→ 0.00	
NC1405	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.06	86.06	→ 0.00	
NC1410	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.95	83.95	→ 0.00	84.60	84.60	→ 0.00	85.02	85.02	→ 0.00	86.06	86.06	→ 0.00	
NC1420	81.98	81.98	→ 0.00	82.06	82.06	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.07	86.07	→ 0.00	
NC1440	57.28	57.28	→ 0.00	57.79	57.79	→ 0.00	58.40	58.40	→ 0.00	63.64	63.64	→ 0.00	71.34	71.34	→ 0.00	78.26	78.26	→ 0.00	85.56	85.56	→ 0.00	
NC1500	97.83	97.83	→ 0.00	98.11	98.11	→ 0.00	98.44	98.44	→ 0.00	98.71	98.71	→ 0.00	98.81	98.81	→ 0.00	98.98	98.98	→ 0.00	99.36	99.36	→ 0.00	
NC1600	134.13	134.13	→ 0.00	134.18	134.18	→ 0.00	134.23	134.23	→ 0.00	134.30	134.30	→ 0.00	134.33	134.33	→ 0.00	134.36	134.36	→ 0.00	134.40	134.40	→ 0.00	
NC1610	131.42	131.42	→ 0.00	131.43	131.43	→ 0.00	131.45	131.45	→ 0.00	131.48	131.48	→ 0.00	131.51	131.51	→ 0.00	131.53	131.53	→ 0.00	131.58	131.58	→ 0.00	
NC1620	130.92	130.92	→ 0.00	130.97	130.97	→ 0.00	131.02	131.02	→ 0.00	131.10	131.10	→ 0.00	131.16	131.16	→ 0.00	131.22	131.22	→ 0.00	131.37	131.37	→ 0.00	
NC1630	127.56	127.56	→ 0.00	127.59	127.59	→ 0.00	127.62	127.62	→ 0.00	127.66	127.66	→ 0.00	127.70	127.70	→ 0.00	127.73	127.73	→ 0.00	127.81	127.81	→ 0.00	
NC1640	146.52	146.52	→ 0.00	146.68	146.68	→ 0.00	146.87	146.87	→ 0.00	147.09	147.09	→ 0.00	147.15	147.15	→ 0.00	147.20	147.20	→ 0.00	147.27	147.27	→ 0.00	
NC1650	126.38	126.38	→ 0.00	126.41	126.41	→ 0.00	126.45	126.45	→ 0.00	126.50	126.50	→ 0.00	126.54	126.54	→ 0.00	126.58	126.58	→ 0.00	126.68	126.68	→ 0.00	
NC1700	115.77	115.77	→ 0.00	115.80	115.80	→ 0.00	115.83	115.83	→ 0.00	115.88	115.88	→ 0.00	115.92	115.92	→ 0.00	115.96	115.96	→ 0.00	116.05	116.05	→ 0.00	
NC1701_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.19	115.19	→ 0.00	115.30	115.30	→ 0.00	115.58	115.58	→ 0.00	
NC1702_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.43	116.43	→ 0.00	116.71	116.71	→ 0.00	
NC1703_MC	116.63	116.63	→ 0.00	116.74	116.74	→ 0.00	116.87	116.87	→ 0.00	117.08	117.08	→ 0.00	117.27	117.27	→ 0.00	117.46	117.46	→ 0.00	117.76	117.76	→ 0.00	
NC1704_MC	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	
NC1705_MC	125.38	125.38	→ 0.00	125.41	125.41	→ 0.00	125.45	125.45	→ 0.00	125.51	125.51	→ 0.00	125.55	125.55	→ 0.00	125.64	125.64	→ 0.00	126.33	126.33	→ 0.00	
NC1706_MC	129.34	129.34	→ 0.00	129.36	129.36	→ 0.00	129.39	129.39	→ 0.00	129.44	129.44	→ 0.00	129.48	129.48	→ 0.00	129.52	129.52	→ 0.00	129.75	129.75	→ 0.00	
NC1707_MC	128.53	128.53	→ 0.00	128.58	128.58	→ 0.00	128.62	128.62	→ 0.00	128.68	128.68	→ 0.00	128.71	128.71	→ 0.00	128.74	128.74</					

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1711_MC	120.50	120.50	→ 0.00	120.91	120.91	→ 0.00	121.36	121.36	→ 0.00	121.82	121.82	→ 0.00	122.15	122.15	→ 0.00	122.32	122.32	→ 0.00	123.22	123.22	→ 0.00	
NC1712_MC	126.26	126.26	→ 0.00	126.58	126.58	→ 0.00	126.92	126.92	→ 0.00	127.26	127.26	→ 0.00	127.53	127.53	→ 0.00	127.62	127.62	→ 0.00	127.72	127.72	→ 0.00	
NC1713_MC	118.13	118.13	→ 0.00	118.15	118.15	→ 0.00	118.19	118.19	→ 0.00	118.24	118.24	→ 0.00	118.31	118.31	→ 0.00	118.41	118.41	→ 0.00	119.88	119.88	→ 0.00	
NC1714_MC	115.92	115.93	↑ 0.01	116.04	116.04	→ 0.00	116.35	116.35	→ 0.00	116.78	116.78	→ 0.00	117.24	117.24	→ 0.00	117.71	117.71	→ 0.00	119.18	119.18	→ 0.00	
NC1800	99.54	99.54	→ 0.00	99.71	99.71	→ 0.00	99.92	99.92	→ 0.00	100.20	100.20	→ 0.00	100.25	100.25	→ 0.00	100.27	100.27	→ 0.00	100.33	100.33	→ 0.00	
NC1900	146.95	146.95	→ 0.00	147.09	147.09	→ 0.00	147.18	147.18	→ 0.00	147.30	147.30	→ 0.00	147.38	147.38	→ 0.00	147.45	147.45	→ 0.00	147.57	147.57	→ 0.00	
NC1910	125.89	125.89	→ 0.00	125.95	125.95	→ 0.00	126.00	126.00	→ 0.00	126.05	126.05	→ 0.00	126.16	126.16	→ 0.00	126.28	126.28	→ 0.00	126.49	126.49	→ 0.00	
NC1920	137.03	137.03	→ 0.00	137.46	137.46	→ 0.00	138.16	138.16	→ 0.00	139.33	139.33	→ 0.00	139.85	139.85	→ 0.00	140.13	140.13	→ 0.00	140.80	140.80	→ 0.00	
NC2000	84.30	84.30	→ 0.00	84.36	84.36	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.12	85.12	→ 0.00	86.10	86.10	→ 0.00	
NC2010	86.79	86.79	→ 0.00	87.00	87.00	→ 0.00	87.24	87.24	→ 0.00	87.63	87.63	→ 0.00	87.95	87.95	→ 0.00	88.30	88.30	→ 0.00	89.24	89.24	→ 0.00	
NC2020	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.49	84.49	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.13	85.13	→ 0.00	86.10	86.10	→ 0.00	
NC2030	84.94	84.94	→ 0.00	85.00	85.00	→ 0.00	85.06	85.06	→ 0.00	85.15	85.15	→ 0.00	85.22	85.22	→ 0.00	85.29	85.29	→ 0.00	86.10	86.10	→ 0.00	
NC2100	108.92	108.92	→ 0.00	109.02	109.02	→ 0.00	109.16	109.16	→ 0.00	109.30	109.30	→ 0.00	109.39	109.39	→ 0.00	109.45	109.45	→ 0.00	109.58	109.58	→ 0.00	
NC2110	108.91	108.91	→ 0.00	109.02	109.02	→ 0.00	109.15	109.15	→ 0.00	109.28	109.28	→ 0.00	109.36	109.36	→ 0.00	109.41	109.41	→ 0.00	109.52	109.52	→ 0.00	
NC2200	114.77	114.77	→ 0.00	114.89	114.89	→ 0.00	115.01	115.01	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.42	115.42	→ 0.00	115.73	115.73	→ 0.00	
NC2210	115.63	115.63	→ 0.00	115.70	115.70	→ 0.00	115.77	115.77	→ 0.00	115.85	115.85	→ 0.00	115.91	115.91	→ 0.00	115.96	115.96	→ 0.00	116.10	116.10	→ 0.00	
NC2220	140.35	140.35	→ 0.00	140.39	140.39	→ 0.00	140.45	140.45	→ 0.00	140.52	140.52	→ 0.00	140.58	140.58	→ 0.00	140.64	140.64	→ 0.00	140.77	140.77	→ 0.00	
NC2230	122.44	122.44	→ 0.00	122.47	122.47	→ 0.00	122.50	122.50	→ 0.00	122.54	122.54	→ 0.00	122.57	122.57	→ 0.00	122.61	122.61	→ 0.00	122.70	122.70	→ 0.00	
NC2240	121.46	121.46	→ 0.00	121.50	121.50	→ 0.00	121.54	121.54	→ 0.00	121.60	121.60	→ 0.00	121.64	121.64	→ 0.00	121.69	121.69	→ 0.00	121.79	121.79	→ 0.00	
NC2250	110.17	110.17	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.43	→ 0.00	115.17	115.17	→ 0.00	
NC2260	107.81	107.81	→ 0.00	107.86	107.86	→ 0.00	107.91	107.91	→ 0.00	107.96	107.96	→ 0.00	107.99	107.99	→ 0.00	108.02	108.02	→ 0.00	108.08	108.08	→ 0.00	
NC2300	125.68	125.68	→ 0.00	126.17	126.17	→ 0.00	126.77	126.77	→ 0.00	127.65	127.65	→ 0.00	128.17	128.17	→ 0.00	128.23	128.23	→ 0.00	128.49	128.49	→ 0.00	
NC2310	124.10	124.10	→ 0.00	124.12	124.12	→ 0.00	124.14	124.14	→ 0.00	124.17	124.17	→ 0.00	124.19	124.19	→ 0.00	124.21	124.21	→ 0.00	124.26	124.26	→ 0.00	
NC2400	137.48	137.48	→ 0.00	137.51	137.51	→ 0.00	137.54	137.54	→ 0.00	137.58	137.58	→ 0.00	137.61	137.61	→ 0.00	137.63	137.63	→ 0.00	137.71	137.71	→ 0.00	
NC2500	127.16	127.16	→ 0.00	127.22	127.22	→ 0.00	127.28	127.28	→ 0.00	127.35	127.35	→ 0.00	127.41	127.41	→ 0.00	127.46	127.46	→ 0.00	127.60	127.60	→ 0.00	
NC2510	125.92	125.92	→ 0.00	126.08	126.08	→ 0.00	126.20	126.20	→ 0.00	126.42	126.42	→ 0.00	126.55	126.55	→ 0.00	126.65	126.65	→ 0.00	126.82	126.82	→ 0.00	
NC2600	93.67	93.67	→ 0.00	93.71	93.71	→ 0.00	93.77	93.77	→ 0.00	93.85	93.85	→ 0.00	93.91	93.91	→ 0.00	93.95	93.95	→ 0.00	94.04	94.04	→ 0.00	
NC2610	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC2700_MC	100.98	98.41	↓ -2.57	101.26	98.89	↓ -2.37	101.51	99.43	↓ -2.08	101.81	100.10	↓ -1.71	101.99	100.54	↓ -1.45	102.16	100.86	↓ -1.30	102.51	101.32	↓ -1.19	
NC2701_MC	100.99	100.96	↓ -0.03	101.28	101.02	↓ -0.26	101.53	101.07	↓ -0.46	101.83	101.14	↓ -0.69	102.03	101.18	↓ -0.85	102.20	101.36	↓ -0.84	102.58	101.59	↓ -0.99	
NC2702_MC	100.72	98.44	↓ -2.28	100.90	98.91	↓ -1.99	101.00	99.45	↓ -1.55	101.12	100.09	↓ -1.03	101.20	100.47	↓ -0.73	101.27	100.76	↓ -0.51	101.41	101.05	↓ -0.36	
NC2710_MC	100.97	98.15	↓ -2.82	101.26	98.64	↓ -2.62	101.51	99.19	↓ -2.32	101.80	99.85	↓ -1.95	101.99	100.31	↓ -1.68	102.15	100.68	↓ -1.47	102.51	101.22	↓ -1.29	
NC2711_MC	100.97	99.06	↓ -1.91	101.26	99.14	↓ -2.12	101.51	99.22	↓ -2.29	101.81	99.86	↓ -1.95	102.00	100.33	↓ -1.67	102.17	100.70	↓ -1.47	102.53	101.25	↓ -1.28	
NC2712_MC	101.00	100.40	↓ -0.60	101.30	100.56	↓ -0.74	101.55	100.71	↓ -0.84	101.84	100.89	↓ -0.95	102.03	101.03	↓ -1.00	102.19	101.19	↓ -1.00	102.54	101.51	↓ -1.03	
NC2713_MC	101.21	98.28	↓ -2.93	101.48	98.76	↓ -2.72	101.73	99.29	↓ -2.44	102.00	99.94	↓ -2.06	102.18	100.41	↓ -1.77	102.34	100.77	↓ -1.57	102.68	101.34	↓ -1.34	
NC2800	88.10	88.10	→ 0.00	88.17	88.17	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.67	88.67	→ 0.00	88.81	88.81	→ 0.00	
NC2810	91.76	91.76	→ 0.00	92.11	92.11	→ 0.00	92.34	92.34	→ 0.00	92.38	92.38	→ 0.00	92.42	92.42	→ 0.00	92.46	92.46	→ 0.00	92.55	92.55	→ 0.00	
NC2820	92.79	92.79	→ 0.00	92.84	92.84	→ 0.00	92.91	92.91	→ 0.00	92.99	92.99	→ 0.00	93.06	93.06	→ 0.00	93.13	93.13	→ 0.00	93.23	93.23	→ 0.00	
NC2830	93.70	93.70	→ 0.00	93.77	93.77	→ 0.00	93.84	93.84	→ 0.00	93.94	93.94	→ 0.00	94.01	94.01	→ 0.00	94.07	94.07	→ 0.00	94.21	94.21	→ 0.00	
NC2900	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.38	→ 0.00	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC2910	94.25	94.25	→ 0.00	94.61	94.61	→ 0.00	94.74	94.74	→ 0.00	95.03	95.03	→ 0.00	95.32	95.32	→ 0.00	95.61	95.61	→ 0.00	96.34	96.34	→ 0.00	
NC2950	91.40	91.40	→ 0.00	91.60	91.60	→ 0.00	91.85	91.85	→ 0.00	92.25	92.25	→ 0.00	92.58	92.58	→ 0.00	92.94	92.94	→ 0.00	93.82	93.82	→ 0.00	
NC2960	86.59	86.59	→ 0.00	86.66	86.66	→ 0.00	86.95	86.95	→ 0.00	87.23	87.23	→ 0.00	87.47	87.47	→ 0.00	87.75	87.75	→ 0.00	88.37	88.37	→ 0.00	
NC3100_MC	92.27	92.28	↑ 0.01	92.44	92.45	↑ 0.01	92.64	92.63	↓ -0.01	92.91	92.85	↓ -0.06	93.08	93.04	↓ -0.04	93.21	93.19	↓ -0.02	93.75	93.74	↓ -0.01	
NC3110	88.97	88.98	↑ 0.01	89.06	89.07	↑ 0.01	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3120	88.97	88.97	→ 0.00	89.06	89.06	→ 0.00	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3130	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.01	97.01	→ 0.00	
NC3200	97.66	97.66	→ 0.00	97.84	97.76	↓ -0.08	98.07	97.85	↓ -0.22	98.29	97.95	↓ -0.34	98.41	98.02	↓ -0.39	98.52	98.09	↓ -0.43	98.72	98.38	↓ -0.34	
NC3300	138.17	138.17	→ 0.00	138.23	138.23	→ 0.00	138.32															

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G8. Results Tables – BMP 11, 2AB, 3, & 4

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
GWSINK	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	
NC0000	192.48	192.48	→ 0.00	192.87	192.87	→ 0.00	193.32	193.32	→ 0.00	193.99	193.99	→ 0.00	194.50	194.50	→ 0.00	195.02	195.02	→ 0.00	195.05	195.05	→ 0.00	
NC0001	149.57	149.57	→ 0.00	149.69	149.69	→ 0.00	149.81	149.81	→ 0.00	150.06	150.06	→ 0.00	150.20	150.20	→ 0.00	150.31	150.31	→ 0.00	150.51	150.51	→ 0.00	
NC0005	145.57	145.57	→ 0.00	145.59	145.59	→ 0.00	145.61	145.61	→ 0.00	145.67	145.67	→ 0.00	145.72	145.72	→ 0.00	145.76	145.76	→ 0.00	145.86	145.86	→ 0.00	
NC0010	134.89	134.89	→ 0.00	135.80	135.80	→ 0.00	136.81	136.81	→ 0.00	138.29	138.29	→ 0.00	139.39	139.39	→ 0.00	140.36	140.36	→ 0.00	140.88	140.88	→ 0.00	
NC0020	134.64	134.64	→ 0.00	135.47	135.47	→ 0.00	136.23	136.23	→ 0.00	137.32	137.32	→ 0.00	138.13	138.13	→ 0.00	138.87	138.87	→ 0.00	139.68	139.68	→ 0.00	
NC0023	132.21	132.21	→ 0.00	132.39	132.39	→ 0.00	132.60	132.60	→ 0.00	132.90	132.90	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.94	133.94	→ 0.00	
NC0026	119.75	119.75	→ 0.00	120.21	120.21	→ 0.00	120.80	120.80	→ 0.00	121.69	121.69	→ 0.00	122.39	122.39	→ 0.00	123.05	123.05	→ 0.00	125.26	125.26	→ 0.00	
NC0028	118.83	118.83	→ 0.00	119.00	119.00	→ 0.00	119.21	119.21	→ 0.00	119.52	119.52	→ 0.00	119.77	119.77	→ 0.00	120.01	120.01	→ 0.00	120.89	120.89	→ 0.00	
NC0029	112.24	112.24	→ 0.00	112.67	112.67	→ 0.00	113.23	113.23	→ 0.00	114.05	114.05	→ 0.00	114.33	114.33	→ 0.00	114.54	114.54	→ 0.00	115.17	115.17	→ 0.00	
NC0030	110.29	110.29	→ 0.00	111.30	111.30	→ 0.00	112.37	112.37	→ 0.00	113.31	113.31	→ 0.00	113.43	113.43	→ 0.00	113.51	113.51	→ 0.00	113.67	113.67	→ 0.00	
NC0032	106.72	106.72	→ 0.00	106.84	106.84	→ 0.00	106.93	106.93	→ 0.00	107.23	107.23	→ 0.00	107.42	107.42	→ 0.00	107.55	107.55	→ 0.00	107.85	107.85	→ 0.00	
NC0040	97.79	97.79	→ 0.00	97.83	97.83	→ 0.00	97.87	97.87	→ 0.00	97.94	97.94	→ 0.00	97.99	97.99	→ 0.00	98.03	98.03	→ 0.00	98.15	98.15	→ 0.00	
NC0050	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.50	102.50	→ 0.00	102.76	102.76	→ 0.00	102.96	102.96	→ 0.00	103.16	103.16	→ 0.00	103.45	103.45	→ 0.00	
NC0055	96.74	96.74	→ 0.00	97.28	97.28	→ 0.00	97.86	97.86	→ 0.00	98.68	98.68	→ 0.00	98.81	98.81	→ 0.00	99.05	99.05	→ 0.00	99.48	99.48	→ 0.00	
NC0060	98.15	98.15	→ 0.00	98.25	98.25	→ 0.00	98.35	98.35	→ 0.00	98.49	98.49	→ 0.00	98.63	98.63	→ 0.00	98.74	98.74	→ 0.00	99.17	99.17	→ 0.00	
NC0065	95.62	95.62	→ 0.00	95.94	95.94	→ 0.00	96.28	96.28	→ 0.00	96.74	96.74	→ 0.00	97.13	97.13	→ 0.00	97.48	97.48	→ 0.00	98.87	98.87	→ 0.00	
NC0067	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.42	96.42	→ 0.00	97.23	97.23	→ 0.00	
NC0070	98.88	98.88	→ 0.00	99.10	99.10	→ 0.00	99.33	99.33	→ 0.00	99.63	99.63	→ 0.00	99.69	99.69	→ 0.00	99.73	99.73	→ 0.00	99.79	99.79	→ 0.00	
NC0080	98.38	98.38	→ 0.00	98.50	98.50	→ 0.00	98.61	98.61	→ 0.00	98.77	98.77	→ 0.00	98.92	98.92	→ 0.00	99.04	99.04	→ 0.00	99.47	99.47	→ 0.00	
NC0090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.41	96.41	→ 0.00	97.17	97.17	→ 0.00	
NC0092	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.06	96.06	→ 0.00	96.38	96.38	→ 0.00	97.02	97.02	→ 0.00	
NC0100	188.12	188.12	→ 0.00	188.47	188.47	→ 0.00	188.84	188.84	→ 0.00	189.34	189.34	→ 0.00	189.74	189.74	→ 0.00	190.16	190.16	→ 0.00	191.20	191.20	→ 0.00	
NC0101	186.71	186.71	→ 0.00	186.77	186.77	→ 0.00	186.84	186.84	→ 0.00	186.92	186.92	→ 0.00	186.97	186.97	→ 0.00	187.03	187.03	→ 0.00	187.14	187.14	→ 0.00	
NC0103	157.31	157.31	→ 0.00	157.39	157.39	→ 0.00	157.48	157.48	→ 0.00	157.59	157.59	→ 0.00	157.66	157.66	→ 0.00	157.73	157.73	→ 0.00	157.86	157.86	→ 0.00	
NC0105	140.34	140.34	→ 0.00	140.40	140.40	→ 0.00	140.47	140.47	→ 0.00	140.56	140.56	→ 0.00	140.63	140.63	→ 0.00	140.70	140.70	→ 0.00	140.87	140.87	→ 0.00	
NC0107	120.91	120.91	→ 0.00	121.00	121.00	→ 0.00	121.10	121.10	→ 0.00	121.23	121.23	→ 0.00	121.34	121.34	→ 0.00	121.44	121.44	→ 0.00	121.68	121.68	→ 0.00	
NC0109	110.46	110.46	→ 0.00	110.53	110.53	→ 0.00	110.61	110.61	→ 0.00	110.72	110.72	→ 0.00	110.81	110.81	→ 0.00	110.90	110.90	→ 0.00	111.12	111.12	→ 0.00	
NC0110	95.82	95.82	→ 0.00	96.49	96.49	→ 0.00	96.98	96.98	→ 0.00	97.50	97.50	→ 0.00	97.93	97.93	→ 0.00	98.46	98.46	→ 0.00	99.09	99.09	→ 0.00	
NC0120	108.49	108.49	→ 0.00	108.64	108.64	→ 0.00	108.81	108.81	→ 0.00	109.04	109.04	→ 0.00	109.20	109.20	→ 0.00	109.34	109.34	→ 0.00	109.62	109.62	→ 0.00	
NC0130	113.39	113.39	→ 0.00	113.56	113.56	→ 0.00	113.79	113.80	↑ 0.01	114.35	114.35	→ 0.00	114.80	114.80	→ 0.00	115.20	115.20	→ 0.00	120.92	120.92	→ 0.00	
NC0140	117.49	117.49	→ 0.00	117.58	117.58	→ 0.00	117.67	117.67	→ 0.00	117.78	117.78	→ 0.00	117.84	117.84	→ 0.00	117.91	117.91	→ 0.00	118.05	118.05	→ 0.00	
NC0146	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0150	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0160	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0165	101.52	101.52	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0170	111.44	111.44	→ 0.00	111.60	111.60	→ 0.00	111.79	111.79	→ 0.00	112.10	112.10	→ 0.00	112.35	112.35	→ 0.00	112.62	112.62	→ 0.00	113.21	113.21	→ 0.00	
NC0180	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0190	110.63	110.63	→ 0.00	110.71	110.71	→ 0.00	110.80	110.80	→ 0.00	110.93	110.93	→ 0.00	111.02	111.02	→ 0.00	111.11	111.11	→ 0.00	111.28	111.28	→ 0.00	
NC0210	167.20	167.20	→ 0.00	167.23	167.23	→ 0.00	167.27	167.27	→ 0.00	167.33	167.33	→ 0.00	167.38	167.38	→ 0.00	167.44	167.44	→ 0.00	167.56	167.56	→ 0.00	
NC0220	114.62	114.62	→ 0.00	114.65	114.65	→ 0.00	114.68	114.68	→ 0.00	114.73	114.73	→ 0.00	114.77	114.77	→ 0.00	114.81	114.81	→ 0.00	114.91	114.91	→ 0.00	
NC0240	102.34	102.34	→ 0.00	102.37	102.37	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0250	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0255	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0265	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0315	132.97	132.97	→ 0.00	133.02	133.02	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.26	133.26	→ 0.00	133.32	133.32	→ 0.00	133.48	133.48	→ 0.00	
NC0320	123.87	123.87	→ 0.00	124.13	124.13	→ 0.00	124.50	124.50	→ 0.00	125.78	125.78	→ 0.00	126.39	126.39	→ 0.00	126.47	126.47	→ 0.00	126.57	126.57	→ 0.00	
NC0330	111.11	111.11	→ 0.00	111.50	111.50	→ 0.00	112.08	112.08	→ 0.00	112.71	112.71	→ 0.00	112.97	112.97	→ 0.00	113.44	113.44	→ 0.00	115.05	115.05</		

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0355	104.82	104.82	→ 0.00	104.90	104.90	→ 0.00	104.98	104.98	→ 0.00	105.07	105.07	→ 0.00	105.13	105.13	→ 0.00	105.20	105.21	↑ 0.01	105.50	105.52	↑ 0.02	
NC0360	110.74	110.74	→ 0.00	110.82	110.82	→ 0.00	111.28	111.28	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.43	→ 0.00	115.18	115.18	→ 0.00	
NC0369_MC	131.63	131.63	→ 0.00	131.73	131.73	→ 0.00	131.79	131.79	→ 0.00	131.86	131.86	→ 0.00	131.91	131.91	→ 0.00	131.94	131.94	→ 0.00	132.01	132.01	→ 0.00	
NC0370_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.57	115.57	→ 0.00	
NC0371_MC	114.74	114.74	→ 0.00	114.86	114.86	→ 0.00	114.99	114.99	→ 0.00	115.16	115.16	→ 0.00	115.28	115.28	→ 0.00	115.41	115.41	→ 0.00	115.70	115.70	→ 0.00	
NC0372_MC	115.34	115.34	→ 0.00	115.43	115.43	→ 0.00	115.53	115.53	→ 0.00	115.69	115.69	→ 0.00	115.81	115.81	→ 0.00	115.92	115.92	→ 0.00	116.19	116.19	→ 0.00	
NC0373_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.42	116.42	→ 0.00	116.71	116.71	→ 0.00	
NC0374_MC	135.03	135.03	→ 0.00	135.14	135.14	→ 0.00	135.24	135.24	→ 0.00	135.37	135.37	→ 0.00	135.47	135.47	→ 0.00	135.57	135.57	→ 0.00	135.80	135.80	→ 0.00	
NC0375	96.31	96.31	→ 0.00	96.33	96.33	→ 0.00	96.68	96.54	↓ -0.14	97.20	97.12	↓ -0.08	97.87	97.83	↓ -0.04	99.63	99.64	↑ 0.01	100.06	100.07	↑ 0.01	
NC0376	96.02	96.02	→ 0.00	96.32	96.25	↓ -0.07	96.68	96.54	↓ -0.14	97.20	97.12	↓ -0.08	97.87	97.83	↓ -0.04	99.63	99.64	↑ 0.01	100.06	100.07	↑ 0.01	
NC0377_MC	116.06	116.06	→ 0.00	116.17	116.17	→ 0.00	116.29	116.29	→ 0.00	116.48	116.48	→ 0.00	116.62	116.62	→ 0.00	116.76	116.76	→ 0.00	117.13	117.13	→ 0.00	
NC0378	96.61	95.87	↓ -0.74	97.18	96.72	↓ -0.46	97.82	97.57	↓ -0.25	98.74	98.63	↓ -0.11	99.41	99.36	↓ -0.05	99.65	99.64	↓ -0.01	100.06	100.06	→ 0.00	
NC0379_MC	99.07	99.07	→ 0.00	99.20	99.20	→ 0.00	99.36	99.36	→ 0.00	99.64	99.64	→ 0.00	99.90	99.90	→ 0.00	100.16	100.16	→ 0.00	100.72	100.72	→ 0.00	
NC0380	109.85	109.85	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.43	→ 0.00	115.17	115.17	→ 0.00	
NC0381_MC	#N/A	95.56	→ 0.00	#N/A	95.66	→ 0.00	#N/A	95.79	→ 0.00	#N/A	96.00	→ 0.00	#N/A	96.20	→ 0.00	#N/A	96.50	→ 0.00	#N/A	98.28	→ 0.00	
NC0382_MC	#N/A	95.51	→ 0.00	#N/A	95.62	→ 0.00	#N/A	96.23	→ 0.00	#N/A	98.49	→ 0.00	#N/A	99.08	→ 0.00	#N/A	99.42	→ 0.00	#N/A	99.83	→ 0.00	
NC0385	129.23	129.23	→ 0.00	129.51	129.51	→ 0.00	129.84	129.84	→ 0.00	130.28	130.28	→ 0.00	130.55	130.55	→ 0.00	130.78	130.78	→ 0.00	131.33	131.33	→ 0.00	
NC0390	125.97	125.97	→ 0.00	126.47	126.47	→ 0.00	127.06	127.06	→ 0.00	127.77	127.77	→ 0.00	128.03	128.03	→ 0.00	128.22	128.22	→ 0.00	128.57	128.57	→ 0.00	
NC0391_MC	111.56	111.56	→ 0.00	111.66	111.66	→ 0.00	111.77	111.77	→ 0.00	112.73	112.73	→ 0.00	113.90	113.90	→ 0.00	114.40	114.40	→ 0.00	115.00	115.00	→ 0.00	
NC0392_MC	111.17	111.17	→ 0.00	111.26	111.26	→ 0.00	111.35	111.35	→ 0.00	112.32	112.32	→ 0.00	113.45	113.45	→ 0.00	113.92	113.92	→ 0.00	114.45	114.45	→ 0.00	
NC0393	124.11	124.11	→ 0.00	124.52	124.52	→ 0.00	125.01	125.01	→ 0.00	125.86	125.86	→ 0.00	126.44	126.44	→ 0.00	126.93	126.93	→ 0.00	127.72	127.72	→ 0.00	
NC0394	122.78	122.78	→ 0.00	123.08	123.08	→ 0.00	123.44	123.44	→ 0.00	123.95	123.95	→ 0.00	124.29	124.29	→ 0.00	124.61	124.61	→ 0.00	125.59	125.59	→ 0.00	
NC0395_MC	122.33	122.33	→ 0.00	122.54	122.54	→ 0.00	122.75	122.75	→ 0.00	123.08	123.08	→ 0.00	123.35	123.35	→ 0.00	123.60	123.60	→ 0.00	124.13	124.13	→ 0.00	
NC0396_MC	110.16	110.16	→ 0.00	110.17	110.17	→ 0.00	110.18	110.18	→ 0.00	111.70	111.70	→ 0.00	112.78	112.78	→ 0.00	113.21	113.21	→ 0.00	113.62	113.62	→ 0.00	
NC0397_MC	108.00	108.00	→ 0.00	108.88	108.88	→ 0.00	109.82	109.82	→ 0.00	111.04	111.04	→ 0.00	112.06	112.06	→ 0.00	112.45	112.45	→ 0.00	112.88	112.88	→ 0.00	
NC0398_MC	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	
NC0399	122.24	122.24	→ 0.00	122.43	122.43	→ 0.00	122.63	122.63	→ 0.00	122.93	122.93	→ 0.00	123.16	123.16	→ 0.00	123.38	123.38	→ 0.00	123.84	123.84	→ 0.00	
NC0400	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.56	113.56	→ 0.00	
NC0401	107.30	107.30	→ 0.00	108.03	108.03	→ 0.00	108.89	108.89	→ 0.00	110.07	110.07	→ 0.00	111.09	111.09	→ 0.00	111.45	111.45	→ 0.00	111.89	111.89	→ 0.00	
NC0403_MC	107.46	107.46	→ 0.00	108.21	108.21	→ 0.00	109.09	109.09	→ 0.00	110.22	110.22	→ 0.00	111.17	111.17	→ 0.00	111.52	111.52	→ 0.00	111.96	111.96	→ 0.00	
NC0404	105.02	105.02	→ 0.00	105.25	105.25	→ 0.00	105.52	105.52	→ 0.00	105.93	105.93	→ 0.00	106.28	106.28	→ 0.00	106.60	106.60	→ 0.00	107.39	107.39	→ 0.00	
NC0405_MC	104.61	104.60	↓ -0.01	104.78	104.78	→ 0.00	104.99	104.99	→ 0.00	105.32	105.31	↓ -0.01	105.60	105.60	→ 0.00	105.88	105.88	→ 0.00	106.63	106.63	→ 0.00	
NC0406_MC	110.69	110.69	→ 0.00	110.70	110.70	→ 0.00	110.72	110.72	→ 0.00	110.73	110.73	→ 0.00	110.75	110.75	→ 0.00	110.82	110.82	→ 0.00	110.96	110.96	→ 0.00	
NC0410	157.96	157.96	→ 0.00	158.32	158.32	→ 0.00	158.75	158.75	→ 0.00	159.40	159.40	→ 0.00	159.90	159.90	→ 0.00	160.67	160.67	→ 0.00	162.05	162.05	→ 0.00	
NC0420	149.96	149.96	→ 0.00	150.28	150.28	→ 0.00	150.64	150.64	→ 0.00	151.19	151.19	→ 0.00	151.63	151.63	→ 0.00	152.16	152.16	→ 0.00	153.51	153.51	→ 0.00	
NC0425	147.93	147.93	→ 0.00	148.44	148.44	→ 0.00	149.25	149.25	→ 0.00	149.68	149.68	→ 0.00	149.83	149.83	→ 0.00	149.97	149.97	→ 0.00	150.24	150.24	→ 0.00	
NC0428	142.61	142.61	→ 0.00	143.16	143.16	→ 0.00	143.80	143.80	→ 0.00	144.83	144.83	→ 0.00	145.02	145.02	→ 0.00	145.18	145.18	→ 0.00	145.50	145.50	→ 0.00	
NC0429	141.55	141.55	→ 0.00	141.77	141.77	→ 0.00	141.97	141.97	→ 0.00	142.32	142.32	→ 0.00	142.61	142.61	→ 0.00	142.91	142.91	→ 0.00	143.65	143.65	→ 0.00	
NC0430	129.81	129.81	→ 0.00	131.14	131.14	→ 0.00	132.13	132.13	→ 0.00	132.53	132.53	→ 0.00	132.69	132.69	→ 0.00	132.83	132.83	→ 0.00	133.12	133.12	→ 0.00	
NC0431	133.39	133.39	→ 0.00	133.80	133.80	→ 0.00	134.27	134.27	→ 0.00	134.77	134.77	→ 0.00	135.09	135.09	→ 0.00	135.37	135.37	→ 0.00	136.01	136.01	→ 0.00	
NC0434	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	
NC0435	110.30	110.30	→ 0.00	111.31	111.31	→ 0.00	112.37	112.37	→ 0.00	113.32	113.32	→ 0.00	113.43	113.43	→ 0.00	113.51	113.51	→ 0.00	113.68	113.68	→ 0.00	
NC0438	127.01	127.01	→ 0.00	127.26	127.26	→ 0.00	127.51	127.51	→ 0.00	128.14	128.14	→ 0.00	128.59	128.59	→ 0.00	129.01	129.01	→ 0.00	130.05	130.05	→ 0.00	
NC0440	125.99	125.99	→ 0.00	126.14	126.14	→ 0.00	126.26	126.26	→ 0.00	126.48	126.48	→ 0.00	126.62	126.62	→ 0.00	126.74	126.74	→ 0.00	127.01	127.01	→ 0.00	
NC0450	122.93	120.70	↓ -2.23	123.07	121.35	↓ -1.72	123.19	122.50	↓ -0.69	123.41	123.15	↓ -0.26	123.55	123.43	↓ -0.12	123.67	123.49	↓ -0.18	123.92	123.80	↓ -0.12	
NC0455	118.09	117.14	↓ -0.95	118.23	117.38	↓ -0.85	118.36	117.58	↓ -0.78	118.65	117.86	↓ -0.79	118.86	117.93	↓ -0.93	119.05	118.20	↓ -0.85	119.51	118.70	↓ -0.81	
NC0458	120.70	120.63	↓ -0.07	120.79	120.65	↓ -0.14	120.87	120.67	↓ -0.20	121.03	120.88	↓ -0.15	121.14	121.07	↓ -0.07	121.24	121.14	↓ -0.10	121.45	121.38	↓ -0.07	
NC0460	116.52	116.38	↓ -0.14	116.61	116.53	↓ -0.08	116.69	116.61	↓ -0.08	116.85	116.79	↓ -0.06	116.95									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0485_MC	106.80	104.89	↓ -1.91	107.15	105.07	↓ -2.08	107.53	105.06	↓ -2.47	108.17	105.67	↓ -2.50	108.60	107.60	↓ -1.00	108.98	108.59	↓ -0.39	109.73	110.13	↑ 0.40	
NC0490	95.22	95.22	→ 0.00	95.42	95.42	→ 0.00	95.66	95.66	→ 0.00	96.01	96.01	→ 0.00	96.18	96.18	→ 0.00	96.25	96.25	→ 0.00	96.39	96.39	→ 0.00	
NC0500	95.02	95.02	→ 0.00	95.25	95.25	→ 0.00	95.50	95.50	→ 0.00	95.86	95.86	→ 0.00	96.10	96.10	→ 0.00	96.25	96.25	→ 0.00	96.56	96.56	→ 0.00	
NC0510	92.67	92.67	→ 0.00	92.89	92.89	→ 0.00	93.18	93.18	→ 0.00	93.64	93.64	→ 0.00	94.02	94.02	→ 0.00	94.42	94.42	→ 0.00	95.36	95.36	→ 0.00	
NC0520	89.02	89.02	→ 0.00	89.17	89.17	→ 0.00	89.34	89.34	→ 0.00	90.34	90.34	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0530	91.74	91.72	↓ -0.02	92.10	92.09	↓ -0.01	92.60	92.59	↓ -0.01	93.35	93.34	↓ -0.01	93.94	93.94	→ 0.00	94.56	94.54	↓ -0.02	96.25	96.15	↓ -0.10	
NC0535	105.85	105.85	→ 0.00	105.87	105.87	→ 0.00	105.92	105.92	→ 0.00	106.03	106.03	→ 0.00	106.33	106.33	→ 0.00	106.64	106.64	→ 0.00	107.43	107.43	→ 0.00	
NC0540	105.03	105.03	→ 0.00	105.26	105.26	→ 0.00	105.53	105.53	→ 0.00	105.94	105.94	→ 0.00	106.29	106.29	→ 0.00	106.61	106.61	→ 0.00	107.40	107.40	→ 0.00	
NC0550_MC	96.27	95.45	↓ -0.82	96.51	95.91	↓ -0.60	96.81	96.39	↓ -0.42	97.22	97.10	↓ -0.12	97.49	97.48	↓ -0.01	97.73	97.69	↓ -0.04	98.18	98.02	↓ -0.16	
NC0555	98.12	98.12	→ 0.00	98.35	98.35	→ 0.00	98.61	98.61	→ 0.00	98.98	98.98	→ 0.00	99.23	99.23	→ 0.00	99.41	99.41	→ 0.00	99.44	99.44	→ 0.00	
NC0560_MC	104.15	101.78	↓ -2.37	104.29	102.30	↓ -1.99	104.41	102.75	↓ -1.66	104.57	103.66	↓ -0.91	104.67	104.32	↓ -0.35	104.79	104.55	↓ -0.24	105.02	104.80	↓ -0.22	
NC0561_MC	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.43	102.43	→ 0.00	102.56	102.48	↓ -0.08	102.64	102.51	↓ -0.13	102.71	102.57	↓ -0.14	102.86	102.73	↓ -0.13	
NC0562_MC	104.11	104.10	↓ -0.01	104.23	104.14	↓ -0.09	104.32	104.17	↓ -0.15	104.45	104.21	↓ -0.24	104.53	104.30	↓ -0.23	104.61	104.46	↓ -0.15	104.78	104.63	↓ -0.15	
NC0563_MC	105.51	105.51	→ 0.00	105.55	105.55	→ 0.00	105.59	105.59	→ 0.00	105.63	105.63	→ 0.00	105.66	105.66	→ 0.00	105.69	105.69	→ 0.00	105.75	105.75	→ 0.00	
NC0565_MC	103.25	100.66	↓ -2.59	103.58	100.93	↓ -2.65	103.89	101.37	↓ -2.52	104.30	102.31	↓ -1.99	104.53	103.45	↓ -1.08	104.68	104.13	↓ -0.55	104.93	104.68	↓ -0.25	
NC0570_MC	104.34	104.33	↓ -0.01	104.43	104.43	→ 0.00	104.53	104.52	↓ -0.01	104.65	104.65	→ 0.00	104.75	104.74	↓ -0.01	104.83	104.83	→ 0.00	105.06	105.05	↓ -0.01	
NC0571_MC	105.17	105.17	→ 0.00	105.18	105.18	→ 0.00	105.19	105.19	→ 0.00	105.21	105.21	→ 0.00	105.23	105.23	→ 0.00	105.24	105.24	→ 0.00	105.28	105.28	→ 0.00	
NC0572_MC	104.33	104.33	→ 0.00	104.42	104.42	→ 0.00	104.52	104.52	→ 0.00	104.65	104.64	↓ -0.01	104.74	104.74	→ 0.00	104.82	104.82	→ 0.00	105.05	105.05	→ 0.00	
NC0580_MC	101.66	101.49	↓ -0.17	101.89	101.62	↓ -0.27	102.14	101.77	↓ -0.37	102.42	102.06	↓ -0.36	102.61	102.30	↓ -0.31	102.78	102.50	↓ -0.28	103.14	102.90	↓ -0.24	
NC0581_MC	103.09	103.06	↓ -0.03	103.32	103.29	↓ -0.03	103.58	103.52	↓ -0.06	103.91	103.85	↓ -0.06	104.16	104.11	↓ -0.05	104.40	104.36	↓ -0.04	104.89	104.88	↓ -0.01	
NC0582_MC	101.96	101.96	→ 0.00	102.07	102.06	↓ -0.01	102.21	102.17	↓ -0.04	102.45	102.31	↓ -0.14	102.62	102.42	↓ -0.20	102.78	102.57	↓ -0.21	103.13	102.93	↓ -0.20	
NC0583_MC	101.67	101.60	↓ -0.07	101.89	101.65	↓ -0.24	102.14	101.78	↓ -0.36	102.43	102.06	↓ -0.37	102.61	102.30	↓ -0.31	102.78	102.50	↓ -0.28	103.14	102.91	↓ -0.23	
NC0585	101.26	100.50	↓ -0.76	101.52	100.68	↓ -0.84	101.75	100.86	↓ -0.89	102.03	101.08	↓ -0.95	102.20	101.21	↓ -0.99	102.36	101.32	↓ -1.04	102.70	101.56	↓ -1.14	
NC0586_MC	101.26	100.61	↓ -0.65	101.52	100.68	↓ -0.84	101.76	100.86	↓ -0.90	102.03	101.08	↓ -0.95	102.20	101.22	↓ -0.98	102.36	101.32	↓ -1.04	102.70	101.56	↓ -1.14	
NC0587_MC	101.54	101.06	↓ -0.48	101.81	101.29	↓ -0.52	102.07	101.57	↓ -0.50	102.37	101.95	↓ -0.42	102.56	102.21	↓ -0.35	102.73	102.41	↓ -0.32	103.09	102.83	↓ -0.26	
NC0588_MC	101.02	100.49	↓ -0.53	101.32	100.63	↓ -0.69	101.58	100.78	↓ -0.80	101.88	100.96	↓ -0.92	102.08	101.10	↓ -0.98	102.25	101.26	↓ -0.99	102.62	101.60	↓ -1.02	
NC0590_MC	100.46	97.87	↓ -2.59	100.71	98.37	↓ -2.34	100.93	98.90	↓ -2.03	101.21	99.52	↓ -1.69	101.38	99.98	↓ -1.40	101.53	100.34	↓ -1.19	101.86	100.88	↓ -0.98	
NC0594	102.51	102.51	→ 0.00	102.98	102.98	→ 0.00	103.54	103.54	→ 0.00	104.33	104.33	→ 0.00	104.92	104.92	→ 0.00	105.83	105.83	→ 0.00	106.26	106.26	→ 0.00	
NC0595_MC	106.06	106.06	→ 0.00	106.13	106.13	→ 0.00	106.19	106.19	→ 0.00	106.27	106.27	→ 0.00	106.32	106.32	→ 0.00	106.36	106.36	→ 0.00	106.45	106.45	→ 0.00	
NC0596_MC	109.60	109.60	→ 0.00	109.62	109.62	→ 0.00	109.63	109.63	→ 0.00	109.65	109.65	→ 0.00	109.66	109.66	→ 0.00	109.68	109.68	→ 0.00	109.71	109.71	→ 0.00	
NC0598_MC	100.48	100.35	↓ -0.13	100.84	100.82	↓ -0.02	100.95	100.89	↓ -0.06	101.17	100.96	↓ -0.21	101.32	101.02	↓ -0.30	101.45	101.06	↓ -0.39	101.74	101.19	↓ -0.55	
NC0599_MC	100.70	98.63	↓ -2.07	100.87	99.07	↓ -1.80	100.96	99.55	↓ -1.41	101.07	100.09	↓ -0.98	101.14	100.47	↓ -0.67	101.20	100.74	↓ -0.46	101.33	101.01	↓ -0.32	
NC0600_MC	96.20	95.44	↓ -0.76	96.43	95.90	↓ -0.53	96.73	96.37	↓ -0.36	97.13	97.07	↓ -0.06	97.40	97.44	↑ 0.04	97.63	97.64	↑ 0.01	98.06	97.95	↓ -0.11	
NC0601_MC	96.33	95.80	↓ -0.53	96.53	96.01	↓ -0.52	96.83	96.43	↓ -0.40	97.24	97.13	↓ -0.11	97.52	97.50	↓ -0.02	97.75	97.71	↓ -0.04	98.21	98.04	↓ -0.17	
NC0602_MC	96.36	95.78	↓ -0.58	96.55	96.19	↓ -0.36	96.83	96.64	↓ -0.19	97.23	97.25	↑ 0.02	97.51	97.65	↑ 0.14	97.74	97.89	↑ 0.15	98.19	98.22	↑ 0.03	
NC0603_MC	97.52	96.43	↓ -1.09	97.59	96.88	↓ -0.71	97.65	97.37	↓ -0.28	97.74	97.92	↑ 0.18	97.83	98.38	↑ 0.55	97.96	98.74	↑ 0.78	98.29	99.19	↑ 0.90	
NC0604_MC	99.92	97.34	↓ -2.58	100.09	97.84	↓ -2.25	100.21	98.34	↓ -1.87	100.36	98.87	↓ -1.49	100.44	99.30	↓ -1.14	100.52	99.65	↓ -0.87	100.68	100.11	↓ -0.57	
NC0605_MC	99.81	#N/A	→ 0.00	99.95	#N/A	→ 0.00	100.05	#N/A	→ 0.00	100.17	#N/A	→ 0.00	100.25	#N/A	→ 0.00	100.32	#N/A	→ 0.00	100.46	#N/A	→ 0.00	
NC0606_MC	97.42	#N/A	→ 0.00	97.48	#N/A	→ 0.00	97.53	#N/A	→ 0.00	97.62	#N/A	→ 0.00	97.72	#N/A	→ 0.00	97.87	#N/A	→ 0.00	98.26	#N/A	→ 0.00	
NC0607_MC	96.25	95.47	↓ -0.78	96.48	95.93	↓ -0.55	96.78	96.40	↓ -0.38	97.19	97.10	↓ -0.09	97.47	97.47	→ 0.00	97.70	97.68	↓ -0.02	98.15	98.00	↓ -0.15	
NC0610	93.82	93.82	→ 0.00	94.01	94.01	→ 0.00	94.03	94.03	→ 0.00	94.11	94.11	→ 0.00	94.18	94.18	→ 0.00	94.56	94.55	↓ -0.01	96.26	96.15	↓ -0.11	
NC0618_MC	96.12	95.34	↓ -0.78	96.34	95.81	↓ -0.53	96.62	96.28	↓ -0.34	97.00	96.98	↓ -0.02	97.25	97.31	↑ 0.06	97.45	97.49	↑ 0.04	97.84	97.76	↓ -0.08	
NC0619_MC	93.16	94.47	↑ 1.31	93.24	94.83	↑ 1.59	93.35	95.21	↑ 1.86	93.52	95.78	↑ 2.26	93.63	96.06	↑ 2.43	93.72	96.22	↑ 2.50	93.98	96.64	↑ 2.66	
NC0620_MC	92.32	92.33	↑ 0.01	92.50	92.51	↑ 0.01	92.72	92.71	↓ -0.01	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.75	→ 0.00	
NC0621_MC	#N/A	94.47	→ 0.00	#N/A	94.83	→ 0.00	#N/A	95.21	→ 0.00	#N/A	95.78	→ 0.00	#N/A	96.06	→ 0.00	#N/A	96.22	→ 0.00	#N/A	96.64	→ 0.00	
NC0622_MC	#N/A	93.41	→ 0.00	#N/A	93.54	→ 0.00	#N/A	93.66	→ 0.00	#N/A	93.84	→ 0.00	#N/A	93.94	→ 0.00	#N/A	93.99	→ 0.00	#N/A	94.14	→ 0.00	
NC0650_MC	92.33	92.33	→ 0.00	92.47	92.49	↑ 0.02	92.68	92.68	→ 0.00	93.04	93.08	↑ 0.04	93.38	93.41	↑ 0.03	93.71	93.72	↑ 0.01	94.61	94.60	↓ -0.01	
NC0651_MC	92.27	92.28	↑ 0.01	92.44	92.46	↑ 0.02	92.65	92.64	↓ -0.01	92.92	92.87	↓ -0.05	93.09	93.05	↓ -0.04	93.23	93.21	↓ -0.02	93.75	93.74	↓ -0.01	
NC0660	135.83	135.83	→ 0.00	136.28	136.28	→ 0.00	136.91	136.91	→ 0.00	137.87	137.87	→ 0.00	138.39	138.39	→ 0.00							

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC0695_MC	92.32	92.33	↑	0.01	92.50	92.51	↑	0.01	92.73	92.71	↓	-0.02	93.02	92.95	↓	-0.07	93.21	93.16	↓	-0.05	93.36	93.34	↓	-0.02	93.75	93.74	↓	-0.01	
NC0696_MC	94.11	94.47	↑	0.36	94.26	94.83	↑	0.57	94.47	95.21	↑	0.74	94.75	95.78	↑	1.03	94.93	96.06	↑	1.13	95.07	96.22	↑	1.15	95.50	96.65	↑	1.15	
NC0697_MC	92.29	92.30	↑	0.01	92.46	92.48	↑	0.02	92.67	92.67	→	0.00	92.95	92.90	↓	-0.05	93.14	93.10	↓	-0.04	93.28	93.25	↓	-0.03	93.75	93.74	↓	-0.01	
NC0698_MC	92.30	92.31	↑	0.01	92.47	92.49	↑	0.02	92.68	92.67	↓	-0.01	92.96	92.91	↓	-0.05	93.14	93.10	↓	-0.04	93.28	93.26	↓	-0.02	93.75	93.74	↓	-0.01	
NC0699_MC	92.29	92.30	↑	0.01	92.46	92.48	↑	0.02	92.67	92.67	→	0.00	92.95	92.90	↓	-0.05	93.13	93.09	↓	-0.04	93.27	93.25	↓	-0.02	93.75	93.74	↓	-0.01	
NC0700_MC	91.21	91.21	→	0.00	91.26	91.27	↑	0.01	91.33	91.33	→	0.00	91.43	91.41	↓	-0.02	91.50	91.48	↓	-0.02	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0701_MC	92.26	92.27	↑	0.01	92.43	92.44	↑	0.01	92.63	92.62	↓	-0.01	92.89	92.84	↓	-0.05	93.07	93.03	↓	-0.04	93.20	93.18	↓	-0.02	93.75	93.74	↓	-0.01	
NC0702_MC	92.31	92.32	↑	0.01	92.50	92.51	↑	0.01	92.71	92.71	→	0.00	93.00	92.95	↓	-0.05	93.19	93.15	↓	-0.04	93.34	93.32	↓	-0.02	93.75	93.74	↓	-0.01	
NC0703_MC	92.32	92.32	→	0.00	92.50	92.51	↑	0.01	92.72	92.71	↓	-0.01	93.02	92.95	↓	-0.07	93.21	93.16	↓	-0.05	93.36	93.34	↓	-0.02	93.76	93.75	↓	-0.01	
NC0710	141.66	141.66	→	0.00	141.75	141.75	→	0.00	141.86	141.86	→	0.00	142.04	142.04	→	0.00	142.19	142.19	→	0.00	142.44	142.44	→	0.00	143.56	143.56	→	0.00	
NC0720	88.87	88.87	→	0.00	89.36	89.36	→	0.00	89.89	89.89	→	0.00	90.44	90.44	→	0.00	91.16	91.15	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0730	152.64	152.64	→	0.00	152.69	152.69	→	0.00	152.78	152.78	→	0.00	152.89	152.89	→	0.00	152.96	152.96	→	0.00	153.02	153.02	→	0.00	153.11	153.11	→	0.00	
NC0748	110.43	110.43	→	0.00	110.49	110.49	→	0.00	110.56	110.56	→	0.00	110.64	110.64	→	0.00	110.69	110.69	→	0.00	110.74	110.74	→	0.00	110.85	110.85	→	0.00	
NC0780	192.68	192.68	→	0.00	192.79	192.79	→	0.00	192.92	192.92	→	0.00	193.25	193.25	→	0.00	193.70	193.70	→	0.00	193.81	193.81	→	0.00	194.03	194.03	→	0.00	
NC0790	185.89	185.89	→	0.00	185.93	185.93	→	0.00	185.97	185.97	→	0.00	186.08	186.08	→	0.00	186.24	186.24	→	0.00	186.41	186.41	→	0.00	187.35	187.35	→	0.00	
NC0791	183.49	183.49	→	0.00	183.51	183.51	→	0.00	183.53	183.53	→	0.00	183.58	183.58	→	0.00	183.66	183.66	→	0.00	183.73	183.73	→	0.00	184.03	184.03	→	0.00	
NC0800	216.47	216.47	→	0.00	217.04	217.04	→	0.00	217.73	217.73	→	0.00	217.95	217.95	→	0.00	218.01	218.01	→	0.00	218.06	218.06	→	0.00	218.18	218.18	→	0.00	
NC0815	158.52	158.52	→	0.00	158.73	158.73	→	0.00	159.17	159.17	→	0.00	159.90	159.90	→	0.00	160.51	160.51	→	0.00	161.21	161.21	→	0.00	163.33	163.33	→	0.00	
NC0816	153.86	153.86	→	0.00	153.93	153.93	→	0.00	154.06	154.06	→	0.00	154.26	154.26	→	0.00	154.40	154.40	→	0.00	154.55	154.55	→	0.00	154.90	154.90	→	0.00	
NC0817	139.09	139.09	→	0.00	139.17	139.17	→	0.00	139.33	139.33	→	0.00	139.55	139.55	→	0.00	139.71	139.71	→	0.00	139.87	139.87	→	0.00	140.24	140.24	→	0.00	
NC0818	128.08	128.08	→	0.00	128.16	128.16	→	0.00	128.32	128.32	→	0.00	128.55	128.55	→	0.00	128.72	128.72	→	0.00	128.90	128.90	→	0.00	129.32	129.32	→	0.00	
NC0820	120.79	120.79	→	0.00	121.48	121.48	→	0.00	122.32	122.32	→	0.00	122.99	122.99	→	0.00	123.15	123.15	→	0.00	123.26	123.26	→	0.00	123.44	123.44	→	0.00	
NC0830	101.97	101.97	→	0.00	101.98	101.98	→	0.00	102.49	102.48	↓	-0.01	103.09	103.09	→	0.00	103.50	103.50	→	0.00	103.97	103.97	→	0.00	105.35	105.35	→	0.00	
NC0835	117.94	117.94	→	0.00	117.97	117.97	→	0.00	118.00	118.00	→	0.00	118.05	118.05	→	0.00	118.08	118.08	→	0.00	118.12	118.12	→	0.00	118.22	118.22	→	0.00	
NC0840	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.08	103.08	→	0.00	103.49	103.49	→	0.00	103.96	103.96	→	0.00	105.34	105.34	→	0.00	
NC0845	114.61	114.61	→	0.00	114.88	114.88	→	0.00	115.14	115.14	→	0.00	115.36	115.36	→	0.00	115.44	115.44	→	0.00	115.49	115.49	→	0.00	115.60	115.60	→	0.00	
NC0850	103.37	103.37	→	0.00	103.44	103.44	→	0.00	103.52	103.52	→	0.00	103.62	103.62	→	0.00	103.70	103.70	→	0.00	103.93	103.93	→	0.00	105.34	105.34	→	0.00	
NC0855	109.96	109.96	→	0.00	110.44	110.44	→	0.00	111.13	111.13	→	0.00	112.65	112.65	→	0.00	113.71	113.71	→	0.00	113.81	113.81	→	0.00	113.98	113.98	→	0.00	
NC0858	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.07	103.07	→	0.00	103.42	103.42	→	0.00	103.92	103.92	→	0.00	105.33	105.33	→	0.00	
NC0860	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.06	103.06	→	0.00	103.40	103.40	→	0.00	103.88	103.88	→	0.00	105.28	105.28	→	0.00	
NC0862	100.73	100.73	→	0.00	100.73	100.73	→	0.00	102.20	102.20	→	0.00	102.77	102.77	→	0.00	103.14	103.14	→	0.00	103.75	103.75	→	0.00	105.23	105.23	→	0.00	
NC0900	142.88	142.88	→	0.00	143.14	143.14	→	0.00	143.56	143.56	→	0.00	144.45	144.45	→	0.00	145.87	145.87	→	0.00	147.99	147.99	→	0.00	151.91	151.91	→	0.00	
NC0910	102.28	102.28	→	0.00	102.30	102.30	→	0.00	102.33	102.33	→	0.00	102.37	102.37	→	0.00	102.40	102.40	→	0.00	102.43	102.43	→	0.00	102.49	102.49	→	0.00	
NC0920	100.49	100.49	→	0.00	100.71	100.71	→	0.00	100.96	100.96	→	0.00	101.86	101.86	→	0.00	102.95	102.95	→	0.00	103.70	103.70	→	0.00	105.22	105.22	→	0.00	
NC0921	99.90	99.90	→	0.00	100.12	100.12	→	0.00	100.37	100.37	→	0.00	101.18	101.18	→	0.00	102.17	102.17	→	0.00	102.86	102.86	→	0.00	104.26	104.26	→	0.00	
NC0922	98.97	98.97	→	0.00	99.18	99.18	→	0.00	99.42	99.42	→	0.00	100.11	100.11	→	0.00	100.96	100.96	→	0.00	101.56	101.56	→	0.00	102.80	102.80	→	0.00	
NC0924	96.44	96.44	→	0.00	96.63	96.63	→	0.00	96.84	96.84	→	0.00	97.51	97.51	→	0.00	98.34	98.34	→	0.00	98.81	98.81	→	0.00	99.89	99.89	→	0.00	
NC0930	95.41	95.41	→	0.00	95.79	95.79	→	0.00	96.24	96.24	→	0.00	96.73	96.73	→	0.00	96.86	96.86	→	0.00	96.99	96.99	→	0.00	97.33	97.33	→	0.00	
NC0935	93.92	93.92	→	0.00	94.13	94.13	→	0.00	94.38	94.38	→	0.00	94.82	94.82	→	0.00	95.17	95.17	→	0.00	95.49	95.49	→	0.00	96.15	96.15	→	0.00	
NC0937	90.38	90.37	↓	-0.01	90.56	90.56	→	0.00	90.77	90.77	→	0.00	91.08	91.08	→	0.00	91.63	91.63	→	0.00	92.34	92.34	→	0.00	94.04	94.03	↓	-0.01	
NC0940	88.95	88.95	→	0.00	89.26	89.26	→	0.00	89.81	89.80	↓	-0.01	90.39	90.38	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0950	88.75	88.75	→	0.00	89.26	89.26	→	0.00	89.81	89.80	↓	-0.01	90.38	90.38	→	0.00	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0960	89.58	89.58	→	0.00	89.82	89.82	→	0.00	90.05	90.05	→	0.00	90.40	90.40	→	0.00	91.15	91.15	→	0.00	91.92	91.92	→	0.00	93.75	93.74	↓	-0.01	
NC0970	124.50	124.50	→	0.00	124.53	124.53	→	0.00	124.																				

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1030	207.36	207.36	→ 0.00	207.72	207.72	→ 0.00	207.93	207.93	→ 0.00	208.26	208.26	→ 0.00	208.50	208.50	→ 0.00	208.73	208.73	→ 0.00	209.23	209.23	→ 0.00	
NC1045	107.08	107.08	→ 0.00	107.13	107.13	→ 0.00	107.19	107.19	→ 0.00	107.27	107.27	→ 0.00	107.35	107.35	→ 0.00	107.42	107.42	→ 0.00	107.59	107.59	→ 0.00	
NC1050	105.59	105.59	→ 0.00	105.66	105.66	→ 0.00	105.73	105.73	→ 0.00	105.85	105.85	→ 0.00	105.94	105.94	→ 0.00	106.04	106.04	→ 0.00	106.24	106.24	→ 0.00	
NC1052	92.56	92.56	→ 0.00	92.64	92.64	→ 0.00	92.74	92.74	→ 0.00	92.86	92.86	→ 0.00	92.95	92.95	→ 0.00	93.01	93.02	↑ 0.01	93.75	93.74	↓ -0.01	
NC1080	83.50	83.50	→ 0.00	84.18	84.18	→ 0.00	85.27	85.27	→ 0.00	88.07	88.07	→ 0.00	90.49	90.49	→ 0.00	92.41	92.41	→ 0.00	95.33	95.33	→ 0.00	
NC1082	82.11	82.11	→ 0.00	82.71	82.71	→ 0.00	83.67	83.67	→ 0.00	85.52	85.52	→ 0.00	87.24	87.24	→ 0.00	88.75	88.75	→ 0.00	91.41	91.41	→ 0.00	
NC1090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.26	95.26	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.00	97.00	→ 0.00	
NC1100	86.69	86.69	→ 0.00	88.11	88.11	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.68	88.68	→ 0.00	88.81	88.81	→ 0.00	
NC1105	92.46	92.46	→ 0.00	92.74	92.74	→ 0.00	92.82	92.82	→ 0.00	92.96	92.96	→ 0.00	93.03	93.03	→ 0.00	93.09	93.09	→ 0.00	93.20	93.20	→ 0.00	
NC1110	94.09	94.09	→ 0.00	94.31	94.31	→ 0.00	94.53	94.53	→ 0.00	94.80	94.80	→ 0.00	94.93	94.93	→ 0.00	95.04	95.04	→ 0.00	95.21	95.21	→ 0.00	
NC1120	86.39	86.39	→ 0.00	86.75	86.75	→ 0.00	87.21	87.21	→ 0.00	87.94	87.94	→ 0.00	88.50	88.50	→ 0.00	88.53	88.53	→ 0.00	88.70	88.70	→ 0.00	
NC1130	86.84	86.84	→ 0.00	86.89	86.89	→ 0.00	86.95	86.95	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.43	87.43	→ 0.00	87.78	87.78	→ 0.00	
NC1140	89.76	89.76	→ 0.00	89.81	89.81	→ 0.00	89.86	89.86	→ 0.00	89.93	89.93	→ 0.00	89.98	89.98	→ 0.00	90.03	90.03	→ 0.00	90.14	90.14	→ 0.00	
NC1153	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1155	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1160	86.14	86.14	→ 0.00	86.51	86.51	→ 0.00	86.95	86.95	→ 0.00	87.22	87.22	→ 0.00	87.47	87.47	→ 0.00	87.74	87.74	→ 0.00	88.36	88.36	→ 0.00	
NC1170	85.91	85.91	→ 0.00	86.51	86.51	→ 0.00	86.92	86.92	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.42	87.42	→ 0.00	87.77	87.77	→ 0.00	
NC1180	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.94	84.94	→ 0.00	85.12	85.12	→ 0.00	86.09	86.09	→ 0.00	
NC1210	111.53	111.53	→ 0.00	111.61	111.61	→ 0.00	111.70	111.70	→ 0.00	111.84	111.84	→ 0.00	111.95	111.95	→ 0.00	112.05	112.05	→ 0.00	112.26	112.26	→ 0.00	
NC1212	88.78	88.78	→ 0.00	89.29	89.29	→ 0.00	89.84	89.83	↓ -0.01	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC1215	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.37	↓ -0.01	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC1216	145.25	145.25	→ 0.00	145.65	145.65	→ 0.00	145.90	145.90	→ 0.00	146.23	146.23	→ 0.00	146.49	146.49	→ 0.00	146.76	146.76	→ 0.00	147.29	147.29	→ 0.00	
NC1217	137.71	137.71	→ 0.00	138.03	138.03	→ 0.00	138.48	138.48	→ 0.00	139.00	139.00	→ 0.00	139.41	139.41	→ 0.00	139.84	139.84	→ 0.00	140.71	140.71	→ 0.00	
NC1218	88.73	88.73	→ 0.00	89.23	89.23	→ 0.00	89.77	89.77	→ 0.00	90.35	90.35	→ 0.00	91.08	91.07	↓ -0.01	91.83	91.82	↓ -0.01	93.58	93.57	↓ -0.01	
NC1219	107.34	107.34	→ 0.00	107.65	107.65	→ 0.00	108.25	108.25	→ 0.00	108.93	108.93	→ 0.00	109.54	109.54	→ 0.00	110.07	110.07	→ 0.00	111.19	111.19	→ 0.00	
NC1220	88.57	88.57	→ 0.00	89.05	89.05	→ 0.00	89.59	89.59	→ 0.00	90.24	90.24	→ 0.00	90.80	90.79	↓ -0.01	91.50	91.50	→ 0.00	93.26	93.25	↓ -0.01	
NC1221	88.40	88.40	→ 0.00	88.85	88.85	→ 0.00	89.33	89.33	→ 0.00	90.00	90.00	→ 0.00	90.47	90.47	→ 0.00	91.12	91.12	→ 0.00	92.87	92.87	→ 0.00	
NC1380	87.64	87.64	→ 0.00	87.70	87.70	→ 0.00	87.77	87.77	→ 0.00	87.87	87.87	→ 0.00	87.94	87.94	→ 0.00	88.01	88.01	→ 0.00	88.16	88.16	→ 0.00	
NC1390	92.38	92.38	→ 0.00	92.43	92.43	→ 0.00	92.49	92.49	→ 0.00	92.56	92.56	→ 0.00	92.59	92.59	→ 0.00	92.63	92.63	→ 0.00	92.72	92.72	→ 0.00	
NC1400	83.88	83.88	→ 0.00	84.44	84.44	→ 0.00	85.20	85.20	→ 0.00	86.32	86.32	→ 0.00	87.04	87.04	→ 0.00	87.72	87.72	→ 0.00	89.12	89.12	→ 0.00	
NC1405	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.06	86.06	→ 0.00	
NC1410	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.95	83.95	→ 0.00	84.60	84.60	→ 0.00	85.02	85.02	→ 0.00	86.06	86.06	→ 0.00	
NC1420	81.98	81.98	→ 0.00	82.06	82.06	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.07	86.07	→ 0.00	
NC1440	57.28	57.28	→ 0.00	57.79	57.79	→ 0.00	58.40	58.40	→ 0.00	63.64	63.64	→ 0.00	71.34	71.34	→ 0.00	78.26	78.26	→ 0.00	85.56	85.56	→ 0.00	
NC1500	97.83	97.83	→ 0.00	98.11	98.11	→ 0.00	98.44	98.44	→ 0.00	98.71	98.71	→ 0.00	98.81	98.81	→ 0.00	98.98	98.98	→ 0.00	99.36	99.36	→ 0.00	
NC1600	134.13	134.13	→ 0.00	134.18	134.18	→ 0.00	134.23	134.23	→ 0.00	134.30	134.30	→ 0.00	134.33	134.33	→ 0.00	134.36	134.36	→ 0.00	134.40	134.40	→ 0.00	
NC1610	131.42	131.42	→ 0.00	131.43	131.43	→ 0.00	131.45	131.45	→ 0.00	131.48	131.48	→ 0.00	131.51	131.51	→ 0.00	131.53	131.53	→ 0.00	131.58	131.58	→ 0.00	
NC1620	130.92	130.92	→ 0.00	130.97	130.97	→ 0.00	131.02	131.02	→ 0.00	131.10	131.10	→ 0.00	131.16	131.16	→ 0.00	131.22	131.22	→ 0.00	131.37	131.37	→ 0.00	
NC1630	127.56	127.56	→ 0.00	127.59	127.59	→ 0.00	127.62	127.62	→ 0.00	127.66	127.66	→ 0.00	127.70	127.70	→ 0.00	127.73	127.73	→ 0.00	127.81	127.81	→ 0.00	
NC1640	146.52	146.52	→ 0.00	146.68	146.68	→ 0.00	146.87	146.87	→ 0.00	147.09	147.09	→ 0.00	147.15	147.15	→ 0.00	147.20	147.20	→ 0.00	147.27	147.27	→ 0.00	
NC1650	126.38	126.38	→ 0.00	126.41	126.41	→ 0.00	126.45	126.45	→ 0.00	126.50	126.50	→ 0.00	126.54	126.54	→ 0.00	126.58	126.58	→ 0.00	126.68	126.68	→ 0.00	
NC1700	115.77	115.77	→ 0.00	115.80	115.80	→ 0.00	115.83	115.83	→ 0.00	115.88	115.88	→ 0.00	115.92	115.92	→ 0.00	115.96	115.96	→ 0.00	116.05	116.05	→ 0.00	
NC1701_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.19	115.19	→ 0.00	115.30	115.30	→ 0.00	115.58	115.58	→ 0.00	
NC1702_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.43	116.43	→ 0.00	116.71	116.71	→ 0.00	
NC1703_MC	116.63	116.63	→ 0.00	116.74	116.74	→ 0.00	116.87	116.87	→ 0.00	117.08	117.08	→ 0.00	117.27	117.27	→ 0.00	117.46	117.46	→ 0.00	117.76	117.76	→ 0.00	
NC1704_MC	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	
NC1705_MC	125.38	125.38	→ 0.00	125.41	125.41	→ 0.00	125.45	125.45	→ 0.00	125.51	125.51	→ 0.00	125.55	125.55	→ 0.00	125.64	125.64	→ 0.00	126.33	126.33	→ 0.00	
NC1706_MC	129.34	129.34	→ 0.00	129.36	129.36	→ 0.00	129.39	129.39	→ 0.00	129.44	129.44	→ 0.00	129.48	129.48	→ 0.00	129.52	129.52	→ 0.00	129.75	129.75	→ 0.00	
NC1707_MC	128.53	128.53	→ 0.00	128.58	128.58	→ 0.00	128.62	128.62	→ 0.00	128.68	128.68	→ 0.00	128.71	128.71	→ 0.00	128.74	128.74	→ 0.00	128.80	128.80	→ 0.00	
NC1708_MC	130.37</																					

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES						
NC1711_MC	120.50	120.50	→	0.00	120.91	120.91	→	0.00	121.36	121.36	→	0.00	121.82	121.82	→	0.00	122.15	122.15	→	0.00	122.32	122.32	→	0.00				
NC1712_MC	126.26	126.26	→	0.00	126.58	126.58	→	0.00	126.92	126.92	→	0.00	127.26	127.26	→	0.00	127.53	127.53	→	0.00	127.62	127.62	→	0.00				
NC1713_MC	118.13	118.13	→	0.00	118.15	118.15	→	0.00	118.19	118.19	→	0.00	118.24	118.24	→	0.00	118.31	118.31	→	0.00	118.41	118.41	→	0.00				
NC1714_MC	115.92	115.93	↑	0.01	116.04	116.04	→	0.00	116.35	116.35	→	0.00	116.78	116.78	→	0.00	117.24	117.24	→	0.00	117.71	117.71	→	0.00				
NC1800	99.54	99.54	→	0.00	99.71	99.71	→	0.00	99.92	99.92	→	0.00	100.20	100.20	→	0.00	100.25	100.25	→	0.00	100.27	100.27	→	0.00				
NC1900	146.95	146.95	→	0.00	147.09	147.09	→	0.00	147.18	147.18	→	0.00	147.30	147.30	→	0.00	147.38	147.38	→	0.00	147.45	147.45	→	0.00				
NC1910	125.89	125.89	→	0.00	125.95	125.95	→	0.00	126.00	126.00	→	0.00	126.05	126.05	→	0.00	126.16	126.16	→	0.00	126.28	126.28	→	0.00				
NC1920	137.03	137.03	→	0.00	137.46	137.46	→	0.00	138.16	138.16	→	0.00	139.33	139.33	→	0.00	139.85	139.85	→	0.00	140.13	140.13	→	0.00				
NC2000	84.30	84.30	→	0.00	84.36	84.36	→	0.00	84.48	84.48	→	0.00	84.78	84.78	→	0.00	84.95	84.95	→	0.00	85.12	85.12	→	0.00				
NC2010	86.79	86.79	→	0.00	87.00	87.00	→	0.00	87.24	87.24	→	0.00	87.63	87.63	→	0.00	87.95	87.95	→	0.00	88.30	88.30	→	0.00				
NC2020	83.39	83.39	→	0.00	83.75	83.75	→	0.00	84.49	84.49	→	0.00	84.78	84.78	→	0.00	84.95	84.95	→	0.00	85.13	85.13	→	0.00				
NC2030	84.94	84.94	→	0.00	85.00	85.00	→	0.00	85.06	85.06	→	0.00	85.15	85.15	→	0.00	85.22	85.22	→	0.00	85.29	85.29	→	0.00				
NC2100	108.92	108.92	→	0.00	109.02	109.02	→	0.00	109.16	109.16	→	0.00	109.30	109.30	→	0.00	109.39	109.39	→	0.00	109.45	109.45	→	0.00				
NC2110	108.91	108.91	→	0.00	109.02	109.02	→	0.00	109.15	109.15	→	0.00	109.28	109.28	→	0.00	109.36	109.36	→	0.00	109.41	109.41	→	0.00				
NC2200	114.77	114.77	→	0.00	114.89	114.89	→	0.00	115.01	115.01	→	0.00	115.18	115.18	→	0.00	115.30	115.30	→	0.00	115.42	115.42	→	0.00				
NC2210	115.63	115.63	→	0.00	115.70	115.70	→	0.00	115.77	115.77	→	0.00	115.85	115.85	→	0.00	115.91	115.91	→	0.00	115.96	115.96	→	0.00				
NC2220	140.35	140.35	→	0.00	140.39	140.39	→	0.00	140.45	140.45	→	0.00	140.52	140.52	→	0.00	140.58	140.58	→	0.00	140.64	140.64	→	0.00				
NC2230	122.44	122.44	→	0.00	122.47	122.47	→	0.00	122.50	122.50	→	0.00	122.54	122.54	→	0.00	122.57	122.57	→	0.00	122.61	122.61	→	0.00				
NC2240	121.46	121.46	→	0.00	121.50	121.50	→	0.00	121.54	121.54	→	0.00	121.60	121.60	→	0.00	121.64	121.64	→	0.00	121.69	121.69	→	0.00				
NC2250	110.17	110.17	→	0.00	110.68	110.68	→	0.00	111.27	111.27	→	0.00	112.10	112.10	→	0.00	112.75	112.75	→	0.00	113.43	113.43	→	0.00				
NC2260	107.81	107.81	→	0.00	107.86	107.86	→	0.00	107.91	107.91	→	0.00	107.96	107.96	→	0.00	107.99	107.99	→	0.00	108.02	108.02	→	0.00				
NC2300	125.68	125.68	→	0.00	126.17	126.17	→	0.00	126.77	126.77	→	0.00	127.65	127.65	→	0.00	128.17	128.17	→	0.00	128.23	128.23	→	0.00				
NC2310	124.10	124.10	→	0.00	124.12	124.12	→	0.00	124.14	124.14	→	0.00	124.17	124.17	→	0.00	124.19	124.19	→	0.00	124.21	124.21	→	0.00				
NC2400	137.48	137.48	→	0.00	137.51	137.51	→	0.00	137.54	137.54	→	0.00	137.58	137.58	→	0.00	137.61	137.61	→	0.00	137.63	137.63	→	0.00				
NC2500	127.16	127.16	→	0.00	127.22	127.22	→	0.00	127.28	127.28	→	0.00	127.35	127.35	→	0.00	127.41	127.41	→	0.00	127.46	127.46	→	0.00				
NC2510	125.92	125.92	→	0.00	126.08	126.08	→	0.00	126.20	126.20	→	0.00	126.42	126.42	→	0.00	126.55	126.55	→	0.00	126.65	126.65	→	0.00				
NC2600	93.67	93.67	→	0.00	93.71	93.71	→	0.00	93.77	93.77	→	0.00	93.85	93.85	→	0.00	93.91	93.91	→	0.00	93.95	93.95	→	0.00				
NC2610	82.32	82.32	→	0.00	83.00	83.00	→	0.00	83.78	83.78	→	0.00	84.92	84.92	→	0.00	85.86	85.86	→	0.00	86.81	86.81	→	0.00				
NC2700_MC	100.98	98.41	↓	-2.57	101.26	98.91	↓	-2.35	101.51	99.44	↓	-2.07	101.81	100.10	↓	-1.71	101.99	100.54	↓	-1.45	102.16	100.86	↓	-1.30	102.51	101.32	↓	-1.19
NC2701_MC	100.99	100.96	↓	-0.03	101.28	101.02	↓	-0.26	101.53	101.07	↓	-0.46	101.83	101.14	↓	-0.69	102.03	101.18	↓	-0.85	102.20	101.36	↓	-0.84	102.58	101.58	↓	-1.00
NC2702_MC	100.72	98.45	↓	-2.27	100.90	98.92	↓	-1.98	101.00	99.46	↓	-1.54	101.12	100.10	↓	-1.02	101.20	100.48	↓	-0.72	101.27	100.76	↓	-0.51	101.41	101.05	↓	-0.36
NC2710_MC	100.97	98.15	↓	-2.82	101.26	98.65	↓	-2.61	101.51	99.19	↓	-2.32	101.80	99.85	↓	-1.95	101.99	100.32	↓	-1.67	102.15	100.68	↓	-1.47	102.51	101.22	↓	-1.29
NC2711_MC	100.97	99.06	↓	-1.91	101.26	99.14	↓	-2.12	101.51	99.23	↓	-2.28	101.81	99.86	↓	-1.95	102.00	100.33	↓	-1.67	102.17	100.70	↓	-1.47	102.53	101.25	↓	-1.28
NC2712_MC	101.00	100.40	↓	-0.60	101.30	100.56	↓	-0.74	101.55	100.71	↓	-0.84	101.84	100.89	↓	-0.95	102.03	101.03	↓	-1.00	102.19	101.19	↓	-1.00	102.54	101.51	↓	-1.03
NC2713_MC	101.21	98.29	↓	-2.92	101.48	98.77	↓	-2.71	101.73	99.30	↓	-2.43	102.00	99.94	↓	-2.06	102.18	100.41	↓	-1.77	102.34	100.77	↓	-1.57	102.68	101.34	↓	-1.34
NC2800	88.10	88.10	→	0.00	88.17	88.17	→	0.00	88.31	88.31	→	0.00	88.49	88.49	→	0.00	88.60	88.60	→	0.00	88.67	88.67	→	0.00	88.81	88.81	→	0.00
NC2810	91.76	91.76	→	0.00	92.11	92.11	→	0.00	92.34	92.34	→	0.00	92.38	92.38	→	0.00	92.42	92.42	→	0.00	92.46	92.46	→	0.00	92.55	92.55	→	0.00
NC2820	92.79	92.79	→	0.00	92.84	92.84	→	0.00	92.91	92.91	→	0.00	92.99	92.99	→	0.00	93.06	93.06	→	0.00	93.13	93.13	→	0.00	93.23	93.23	→	0.00
NC2830	93.70	93.70	→	0.00	93.77	93.77	→	0.00	93.84	93.84	→	0.00	93.94	93.94	→	0.00	94.01	94.01	→	0.00	94.07	94.07	→	0.00	94.21	94.21	→	0.00
NC2900	88.74	88.74	→	0.00	89.25	89.25	→	0.00	89.80	89.80	→	0.00	90.38	90.38	→	0.00	91.14	91.14	→	0.00	91.91	91.91	→	0.00	93.74	93.73	↓	-0.01
NC2910	94.25	94.25	→	0.00	94.61	94.61	→	0.00	94.74	94.74	→	0.00	95.03	95.03	→	0.00	95.32	95.32	→	0.00	95.61	95.61	→	0.00	96.34	96.34	→	0.00
NC2950	91.40	91.40	→	0.00	91.60	91.60	→	0.00	91.85	91.85	→	0.00	92.25	92.25	→	0.00	92.58	92.58	→	0.00	92.94	92.94	→	0.00	93.82	93.82	→	0.00
NC2960	86.59	86.59	→	0.00	86.66	86.66	→	0.00	86.95	86.95	→	0.00	87.23	87.23	→	0.00	87.47	87.47	→	0.00	87.75	87.75	→	0.00	88.37	88.37	→	0.00
NC3100_MC	92.27	92.28	↑	0.01	92.44	92.45	↑	0.01	92.64	92.63	↓	-0.01	92.91	92.86	↓	-0.05	93.08	93.04	↓	-0.04	93.21	93.19	↓	-0.02	93.75	93.74	↓	-0.01
NC3110	88.97	88.98	↑	0.01	89.06	89.06	→	0.00	89.31	89.30	↓	-0.01	90.35	90.34	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01
NC3120	88.97	88.97	→	0.00	89.06	89.06	→	0.00	89.31	89.30	↓	-0.01	90.35	90.34	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01
NC3130	93.56	93.56	→	0.00	94.52	94.52	→	0.00	95.27	95.27	→	0.00	95.74	95.74	→	0.00	96.05	96.05	→	0.00	96.37	96.37	→	0.00	97.01	97.01	→	0.00
NC3200	97.66	97.66	→	0.00	97.84	97.76	↓	-0.08	98.07	97.85	↓																	

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G9. Results Tables – BMP 11, 2AB, 3, 4, & 12

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES	
GWSINK	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	
NC0000	192.48	192.48	→	192.87	192.87	→	193.32	193.32	→	193.99	193.99	→	194.50	194.50	→	195.02	195.02	→	195.05	195.05	→	0.00	
NC0001	149.57	149.57	→	149.69	149.69	→	149.81	149.81	→	150.06	150.06	→	150.20	150.20	→	150.31	150.31	→	150.51	150.51	→	0.00	
NC0005	145.57	145.57	→	145.59	145.59	→	145.61	145.61	→	145.67	145.67	→	145.72	145.72	→	145.76	145.76	→	145.86	145.86	→	0.00	
NC0010	134.89	134.89	→	135.80	135.80	→	136.81	136.81	→	138.29	138.29	→	139.39	139.39	→	140.36	140.36	→	140.88	140.88	→	0.00	
NC0020	134.64	134.64	→	135.47	135.47	→	136.23	136.23	→	137.32	137.32	→	138.13	138.13	→	138.87	138.87	→	139.68	139.68	→	0.00	
NC0023	132.21	132.21	→	132.39	132.39	→	132.60	132.60	→	132.90	132.90	→	133.09	133.09	→	133.19	133.19	→	133.94	133.94	→	0.00	
NC0026	119.75	119.75	→	120.21	120.21	→	120.80	120.80	→	121.69	121.69	→	122.39	122.39	→	123.05	123.05	→	125.26	125.26	→	0.00	
NC0028	118.83	118.83	→	119.00	119.00	→	119.21	119.21	→	119.52	119.52	→	119.77	119.77	→	120.01	120.01	→	120.89	120.89	→	0.00	
NC0029	112.24	112.24	→	112.67	112.67	→	113.23	113.23	→	114.05	114.05	→	114.33	114.33	→	114.54	114.54	→	115.17	115.17	→	0.00	
NC0030	110.29	110.29	→	111.30	111.30	→	112.37	112.37	→	113.31	113.31	→	113.43	113.43	→	113.51	113.51	→	113.67	113.67	→	0.00	
NC0032	106.72	106.72	→	106.84	106.84	→	106.93	106.93	→	107.23	107.23	→	107.42	107.42	→	107.55	107.55	→	107.85	107.85	→	0.00	
NC0040	97.79	97.79	→	97.83	97.83	→	97.87	97.87	→	97.94	97.94	→	97.99	97.99	→	98.03	98.03	→	98.15	98.15	→	0.00	
NC0050	102.31	102.31	→	102.38	102.38	→	102.50	102.50	→	102.76	102.76	→	102.96	102.96	→	103.16	103.16	→	103.45	103.45	→	0.00	
NC0055	96.74	96.74	→	97.28	97.28	→	97.86	97.86	→	98.68	98.68	→	98.81	98.81	→	99.05	99.05	→	99.48	99.48	→	0.00	
NC0060	98.15	98.15	→	98.25	98.25	→	98.35	98.35	→	98.49	98.49	→	98.63	98.63	→	98.74	98.74	→	99.17	99.17	→	0.00	
NC0065	95.62	95.62	→	95.94	95.94	→	96.28	96.28	→	96.74	96.74	→	97.13	97.13	→	97.48	97.48	→	98.87	98.87	→	0.00	
NC0067	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.75	95.75	→	96.07	96.07	→	96.42	96.42	→	97.23	97.23	→	0.00	
NC0070	98.88	98.88	→	99.10	99.10	→	99.33	99.33	→	99.63	99.63	→	99.69	99.69	→	99.73	99.73	→	99.79	99.79	→	0.00	
NC0080	98.38	98.38	→	98.50	98.50	→	98.61	98.61	→	98.77	98.77	→	98.92	98.92	→	99.04	99.04	→	99.47	99.47	→	0.00	
NC0090	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.75	95.75	→	96.07	96.07	→	96.41	96.41	→	97.17	97.17	→	0.00	
NC0092	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.74	95.74	→	96.06	96.06	→	96.38	96.38	→	97.02	97.02	→	0.00	
NC0100	188.12	188.12	→	188.47	188.47	→	188.84	188.84	→	189.34	189.34	→	189.74	189.74	→	190.16	190.16	→	191.20	191.20	→	0.00	
NC0101	186.71	186.71	→	186.77	186.77	→	186.84	186.84	→	186.92	186.92	→	186.97	186.97	→	187.03	187.03	→	187.14	187.14	→	0.00	
NC0103	157.31	157.31	→	157.39	157.39	→	157.48	157.48	→	157.59	157.59	→	157.66	157.66	→	157.73	157.73	→	157.86	157.86	→	0.00	
NC0105	140.34	140.34	→	140.40	140.40	→	140.47	140.47	→	140.56	140.56	→	140.63	140.63	→	140.70	140.70	→	140.87	140.87	→	0.00	
NC0107	120.91	120.91	→	121.00	121.00	→	121.10	121.10	→	121.23	121.23	→	121.34	121.34	→	121.44	121.44	→	121.68	121.68	→	0.00	
NC0109	110.46	110.46	→	110.53	110.53	→	110.61	110.61	→	110.72	110.72	→	110.81	110.81	→	110.90	110.90	→	111.12	111.12	→	0.00	
NC0110	95.82	95.82	→	96.49	96.49	→	96.98	96.98	→	97.50	97.50	→	97.93	97.93	→	98.46	98.46	→	99.09	99.09	→	0.00	
NC0120	108.49	108.49	→	108.64	108.64	→	108.81	108.81	→	109.04	109.04	→	109.20	109.20	→	109.34	109.34	→	109.62	109.62	→	0.00	
NC0130	113.39	113.39	→	113.56	113.56	→	113.79	113.79	→	114.35	114.35	→	114.80	114.80	→	115.20	115.20	→	120.92	120.92	→	0.00	
NC0140	117.49	117.49	→	117.58	117.58	→	117.67	117.67	→	117.78	117.78	→	117.84	117.84	→	117.91	117.91	→	118.05	118.05	→	0.00	
NC0146	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0150	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0160	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0165	101.52	101.52	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0170	111.44	111.44	→	111.60	111.60	→	111.79	111.79	→	112.10	112.10	→	112.35	112.35	→	112.62	112.62	→	113.21	113.21	→	0.00	
NC0180	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0190	110.63	110.63	→	110.71	110.71	→	110.80	110.80	→	110.93	110.93	→	111.02	111.02	→	111.11	111.11	→	111.28	111.28	→	0.00	
NC0210	167.20	167.20	→	167.23	167.23	→	167.27	167.27	→	167.33	167.33	→	167.38	167.38	→	167.44	167.44	→	167.56	167.56	→	0.00	
NC0220	114.62	114.62	→	114.65	114.65	→	114.68	114.68	→	114.73	114.73	→	114.77	114.77	→	114.81	114.81	→	114.91	114.91	→	0.00	
NC0240	102.34	102.34	→	102.37	102.37	→	102.48	102.48	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0250	101.38	101.38	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0255	101.38	101.38	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0265	101.43	101.43	→	101.93	101.93	→	102.48	102.48	→	103.10	103.10	→	103.50	103.50	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0315	132.97	132.97	→	133.02	133.02	→	133.09	133.09	→	133.19	133.19	→	133.26	133.26	→	133.32	133.32	→	133.48	133.48	→	0.00	
NC0320	123.87	123.87	→	124.13	124.13	→	124.50	124.50	→	125.78	125.78	→	126.39	126.39	→	126.47	126.47	→	126.57	126.57	→	0.00	
NC0330	111.11	111.11	→	111.50	111.50	→	112.08	112.08	→	112.71	112.71	→	112.97	112.97	→	113.44	113.44	→	115.05	115.05	→	0.00	
NC0335	100.83	100.83	→	101.19	101.19	→	101.62	101.62	→	102.27	102.27	→	102.80	102.80	→	103.37	103.37	→	104.80	104.80	→	0.00	
NC0337	111.97	111.97	→	112.18	112.18	→	112.52	112.52	→	113.17	113.17	→	113.88	113.88	→	114.62	114.62	→	115.13	115.13	→	0.00	
NC0340	110.15	110.15	→	110.52	110.52	→	110.94	110.94	→	111.87	111.87	→	112.76	112.76	→	113.40	113.40	→	115.04	115.04	→	0.00	
NC0345	103.12	103.12	→	103.50	103.51	↑	103.91	103.95	↑	104.73	104.78	↑	105.15	105.17	↑	105.34	105.35	↑	105.65	105.67	↑	0.02	

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC0355	104.82	104.82	→	0.00	104.90	104.90	→	0.00	104.98	104.98	→	0.00	105.07	105.07	→	0.00	105.13	105.13	→	0.00	105.20	105.21	↑	0.01	105.50	105.52	↑	0.02	
NC0360	110.74	110.74	→	0.00	110.82	110.82	→	0.00	111.28	111.28	→	0.00	112.10	112.10	→	0.00	112.75	112.74	↓	-0.01	113.43	113.42	↓	-0.01	115.18	115.16	↓	-0.02	
NC0369_MC	131.63	131.63	→	0.00	131.73	131.73	→	0.00	131.79	131.79	→	0.00	131.86	131.86	→	0.00	131.91	131.91	→	0.00	131.94	131.94	→	0.00	132.01	132.01	→	0.00	
NC0370_MC	114.68	114.68	→	0.00	114.79	114.79	→	0.00	114.91	114.91	→	0.00	115.07	115.07	→	0.00	115.18	115.18	→	0.00	115.30	115.30	→	0.00	115.57	115.57	→	0.00	
NC0371_MC	114.74	114.74	→	0.00	114.86	114.86	→	0.00	114.99	114.99	→	0.00	115.16	115.16	→	0.00	115.28	115.28	→	0.00	115.41	115.41	→	0.00	115.70	115.70	→	0.00	
NC0372_MC	115.34	115.34	→	0.00	115.43	115.43	→	0.00	115.53	115.53	→	0.00	115.69	115.69	→	0.00	115.81	115.81	→	0.00	115.92	115.92	→	0.00	116.19	116.19	→	0.00	
NC0373_MC	115.88	115.88	→	0.00	115.96	115.96	→	0.00	116.06	116.06	→	0.00	116.21	116.21	→	0.00	116.32	116.32	→	0.00	116.42	116.42	→	0.00	116.71	116.71	→	0.00	
NC0374_MC	135.03	135.03	→	0.00	135.14	135.14	→	0.00	135.24	135.24	→	0.00	135.37	135.37	→	0.00	135.47	135.47	→	0.00	135.57	135.57	→	0.00	135.80	135.80	→	0.00	
NC0375	96.31	96.31	→	0.00	96.33	96.33	→	0.00	96.68	96.55	↓	-0.13	97.20	97.13	↓	-0.07	97.87	97.84	↓	-0.03	99.63	99.65	↑	0.02	100.06	100.07	↑	0.01	
NC0376	96.02	96.02	→	0.00	96.32	96.25	↓	-0.07	96.68	96.55	↓	-0.13	97.20	97.13	↓	-0.07	97.87	97.84	↓	-0.03	99.63	99.65	↑	0.02	100.06	100.07	↑	0.01	
NC0377_MC	116.06	116.06	→	0.00	116.17	116.17	→	0.00	116.29	116.29	→	0.00	116.48	116.48	→	0.00	116.62	116.62	→	0.00	116.76	116.76	→	0.00	117.13	117.13	→	0.00	
NC0378	96.61	95.96	↓	-0.65	97.18	96.79	↓	-0.39	97.82	97.60	↓	-0.22	98.74	98.64	↓	-0.10	99.41	99.37	↓	-0.04	99.65	99.65	→	0.00	100.06	100.06	→	0.00	
NC0379_MC	99.07	99.07	→	0.00	99.20	99.20	→	0.00	99.36	99.36	→	0.00	99.64	99.64	→	0.00	99.90	99.90	→	0.00	100.16	100.16	→	0.00	100.72	100.72	→	0.00	
NC0380	109.85	109.85	→	0.00	110.68	110.68	→	0.00	111.27	111.27	→	0.00	112.10	112.10	→	0.00	112.75	112.74	↓	-0.01	113.43	113.42	↓	-0.01	115.17	115.15	↓	-0.02	
NC0381_MC	#N/A	95.56	→	0.00	#N/A	95.66	→	0.00	#N/A	95.79	→	0.00	#N/A	96.00	→	0.00	#N/A	96.20	→	0.00	#N/A	96.55	→	0.00	#N/A	98.43	→	0.00	
NC0382_MC	#N/A	95.51	→	0.00	#N/A	95.62	→	0.00	#N/A	96.25	→	0.00	#N/A	98.49	→	0.00	#N/A	99.09	→	0.00	#N/A	99.45	→	0.00	#N/A	99.90	→	0.00	
NC0385	129.23	129.23	→	0.00	129.51	129.51	→	0.00	129.84	129.84	→	0.00	130.28	130.28	→	0.00	130.55	130.55	→	0.00	130.78	130.78	→	0.00	131.33	131.33	→	0.00	
NC0390	125.97	125.97	→	0.00	126.47	126.47	→	0.00	127.06	127.06	→	0.00	127.77	127.77	→	0.00	128.03	128.03	→	0.00	128.22	128.22	→	0.00	128.57	128.57	→	0.00	
NC0391_MC	111.56	111.56	→	0.00	111.66	111.66	→	0.00	111.77	111.77	→	0.00	112.73	112.73	→	0.00	113.90	113.90	→	0.00	114.40	114.40	→	0.00	115.00	115.00	→	0.00	
NC0392_MC	111.17	111.17	→	0.00	111.26	111.26	→	0.00	111.35	111.35	→	0.00	112.32	112.32	→	0.00	113.45	113.45	→	0.00	113.92	113.92	→	0.00	114.45	114.45	→	0.00	
NC0393	124.11	124.11	→	0.00	124.52	124.52	→	0.00	125.01	125.01	→	0.00	125.86	125.86	→	0.00	126.44	126.44	→	0.00	126.93	126.93	→	0.00	127.72	127.72	→	0.00	
NC0394	122.78	122.78	→	0.00	123.08	123.08	→	0.00	123.44	123.44	→	0.00	123.95	123.95	→	0.00	124.29	124.29	→	0.00	124.61	124.61	→	0.00	125.59	125.59	→	0.00	
NC0395_MC	122.33	122.33	→	0.00	122.54	122.54	→	0.00	122.75	122.75	→	0.00	123.08	123.08	→	0.00	123.35	123.35	→	0.00	123.60	123.60	→	0.00	124.13	124.13	→	0.00	
NC0396_MC	110.16	110.16	→	0.00	110.17	110.16	↓	-0.01	110.18	110.16	↓	-0.02	111.70	111.70	→	0.00	112.78	112.78	→	0.00	113.21	113.21	→	0.00	113.62	113.62	→	0.00	
NC0397_MC	108.00	108.00	→	0.00	108.88	108.88	→	0.00	109.82	109.82	→	0.00	111.04	111.04	→	0.00	112.06	112.06	→	0.00	112.45	112.45	→	0.00	112.88	112.88	→	0.00	
NC0398_MC	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	
NC0399	122.24	122.24	→	0.00	122.43	122.43	→	0.00	122.63	122.63	→	0.00	122.93	122.93	→	0.00	123.16	123.16	→	0.00	123.38	123.38	→	0.00	123.84	123.84	→	0.00	
NC0400	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.56	113.56	→	0.00	
NC0401	107.30	107.30	→	0.00	108.03	108.03	→	0.00	108.89	108.89	→	0.00	110.07	110.07	→	0.00	111.09	111.09	→	0.00	111.45	111.45	→	0.00	111.89	111.89	→	0.00	
NC0403_MC	107.46	107.46	→	0.00	108.21	108.21	→	0.00	109.09	109.09	→	0.00	110.22	110.22	→	0.00	111.17	111.17	→	0.00	111.52	111.52	→	0.00	111.96	111.96	→	0.00	
NC0404	105.02	104.55	↓	-0.47	105.25	104.74	↓	-0.51	105.52	105.10	↓	-0.42	105.93	105.54	↓	-0.39	106.28	105.85	↓	-0.43	106.60	106.12	↓	-0.48	107.39	106.74	↓	-0.65	
NC0405_MC	104.61	102.11	↓	-2.50	104.78	103.22	↓	-1.56	104.99	104.07	↓	-0.92	105.32	104.41	↓	-0.91	105.60	104.59	↓	-1.01	105.88	104.73	↓	-1.15	106.63	105.06	↓	-1.57	
NC0406_MC	110.69	110.69	→	0.00	110.70	110.70	→	0.00	110.72	110.72	→	0.00	110.73	110.73	→	0.00	110.75	110.75	→	0.00	110.82	110.82	→	0.00	110.96	110.96	→	0.00	
NC0410	157.96	157.96	→	0.00	158.32	158.32	→	0.00	158.75	158.75	→	0.00	159.40	159.40	→	0.00	159.90	159.90	→	0.00	160.67	160.67	→	0.00	162.05	162.05	→	0.00	
NC0420	149.96	149.96	→	0.00	150.28	150.28	→	0.00	150.64	150.64	→	0.00	151.19	151.19	→	0.00	151.63	151.63	→	0.00	152.16	152.16	→	0.00	153.51	153.51	→	0.00	
NC0425	147.93	147.93	→	0.00	148.44	148.44	→	0.00	149.25	149.25	→	0.00	149.68	149.68	→	0.00	149.83	149.83	→	0.00	149.97	149.97	→	0.00	150.24	150.24	→	0.00	
NC0428	142.61	142.61	→	0.00	143.16	143.16	→	0.00	143.80	143.80	→	0.00	144.83	144.83	→	0.00	145.02	145.02	→	0.00	145.18	145.18	→	0.00	145.50	145.50	→	0.00	
NC0429	141.55	141.55	→	0.00	141.77	141.77	→	0.00	141.97	141.97	→	0.00	142.32	142.32	→	0.00	142.61	142.61	→	0.00	142.91	142.91	→	0.00	143.65	143.65	→	0.00	
NC0430	129.81	129.81	→	0.00	131.14	131.14	→	0.00	132.13	132.13	→	0.00	132.53	132.53	→	0.00	132.69	132.69	→	0.00	132.83	132.83	→	0.00	133.12	133.12	→	0.00	
NC0431	133.39	133.39	→	0.00	133.80	133.80	→	0.00	134.27	134.27	→	0.00	134.77	134.77	→	0.00	135.09	135.09	→	0.00	135.37	135.37	→	0.00	136.01	136.01	→	0.00	
NC0434	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	
NC0435	110.30	110.30	→	0.00	111.31	111.31	→	0.00	112.37	112.37	→	0.00	113.32	113.32	→	0.00	113.43	113.43	→	0.00	113.51	113.51	→	0.00	113.68	113.68	→	0.00	
NC0438	127.01	127.01	→	0.00	127.26	127.26	→	0.00	127.51	127.51	→	0.00	128.14	128.14	→	0.00	128.59	128.59	→	0.00	129.01	129.01	→	0.00	130.05	130.05	→	0.00	
NC0440	125.99	1																											

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0485_MC	106.80	104.89	↓ -1.91	107.15	105.06	↓ -2.09	107.53	105.05	↓ -2.48	108.17	105.67	↓ -2.50	108.60	107.60	↓ -1.00	108.98	108.59	↓ -0.39	109.73	110.13	↑ 0.40	
NC0490	95.22	95.22	→ 0.00	95.42	95.42	→ 0.00	95.66	95.66	→ 0.00	96.01	96.01	→ 0.00	96.18	96.18	→ 0.00	96.25	96.25	→ 0.00	96.39	96.39	→ 0.00	
NC0500	95.02	95.02	→ 0.00	95.25	95.25	→ 0.00	95.50	95.50	→ 0.00	95.86	95.86	→ 0.00	96.10	96.10	→ 0.00	96.25	96.25	→ 0.00	96.56	96.56	→ 0.00	
NC0510	92.67	92.67	→ 0.00	92.89	92.89	→ 0.00	93.18	93.18	→ 0.00	93.64	93.64	→ 0.00	94.02	94.02	→ 0.00	94.42	94.42	→ 0.00	95.36	95.36	→ 0.00	
NC0520	89.02	89.02	→ 0.00	89.17	89.17	→ 0.00	89.34	89.34	→ 0.00	90.34	90.34	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0530	91.74	91.72	↓ -0.02	92.10	92.08	↓ -0.02	92.60	92.59	↓ -0.01	93.35	93.34	↓ -0.01	93.94	93.94	→ 0.00	94.56	94.55	↓ -0.01	96.25	96.15	↓ -0.10	
NC0535	105.85	105.85	→ 0.00	105.87	105.87	→ 0.00	105.92	105.92	→ 0.00	106.03	105.98	↓ -0.05	106.33	106.02	↓ -0.31	106.64	106.20	↓ -0.44	107.43	106.79	↓ -0.64	
NC0540	105.03	104.57	↓ -0.46	105.26	104.75	↓ -0.51	105.53	105.11	↓ -0.42	105.94	105.55	↓ -0.39	106.29	105.86	↓ -0.43	106.61	106.13	↓ -0.48	107.40	106.75	↓ -0.65	
NC0550_MC	96.27	95.50	↓ -0.77	96.51	95.95	↓ -0.56	96.81	96.40	↓ -0.41	97.22	97.10	↓ -0.12	97.49	97.48	↓ -0.01	97.73	97.70	↓ -0.03	98.18	98.05	↓ -0.13	
NC0555	98.12	98.12	→ 0.00	98.35	98.35	→ 0.00	98.61	98.61	→ 0.00	98.98	98.98	→ 0.00	99.23	99.23	→ 0.00	99.41	99.41	→ 0.00	99.44	99.44	→ 0.00	
NC0560_MC	104.15	101.78	↓ -2.37	104.29	102.30	↓ -1.99	104.41	102.75	↓ -1.66	104.57	103.66	↓ -0.91	104.67	104.32	↓ -0.35	104.79	104.56	↓ -0.23	105.02	104.81	↓ -0.21	
NC0561_MC	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.43	102.43	→ 0.00	102.56	102.48	↓ -0.08	102.64	102.51	↓ -0.13	102.71	102.58	↓ -0.13	102.86	102.74	↓ -0.12	
NC0562_MC	104.11	104.10	↓ -0.01	104.23	104.14	↓ -0.09	104.32	104.17	↓ -0.15	104.45	104.21	↓ -0.24	104.53	104.29	↓ -0.24	104.61	104.47	↓ -0.14	104.78	104.64	↓ -0.14	
NC0563_MC	105.51	105.51	→ 0.00	105.55	105.55	→ 0.00	105.59	105.59	→ 0.00	105.63	105.63	→ 0.00	105.66	105.66	→ 0.00	105.69	105.69	→ 0.00	105.75	105.75	→ 0.00	
NC0565_MC	103.25	100.48	↓ -2.77	103.58	100.88	↓ -2.70	103.89	101.37	↓ -2.52	104.30	102.31	↓ -1.99	104.53	103.43	↓ -1.10	104.68	104.16	↓ -0.52	104.93	104.70	↓ -0.23	
NC0570_MC	104.34	101.96	↓ -2.38	104.43	103.16	↓ -1.27	104.53	104.03	↓ -0.50	104.65	104.35	↓ -0.30	104.75	104.51	↓ -0.24	104.83	104.63	↓ -0.20	105.06	104.89	↓ -0.17	
NC0571_MC	105.17	105.17	→ 0.00	105.18	105.18	→ 0.00	105.19	105.19	→ 0.00	105.21	105.21	→ 0.00	105.23	105.23	→ 0.00	105.24	105.24	→ 0.00	105.28	105.28	→ 0.00	
NC0572_MC	104.33	104.02	↓ -0.31	104.42	104.04	↓ -0.38	104.52	104.06	↓ -0.46	104.65	104.36	↓ -0.29	104.74	104.50	↓ -0.24	104.82	104.63	↓ -0.19	105.05	104.89	↓ -0.16	
NC0580_MC	101.66	100.15	↓ -1.51	101.89	101.07	↓ -0.82	102.14	101.46	↓ -0.68	102.42	101.73	↓ -0.69	102.61	101.88	↓ -0.73	102.78	102.00	↓ -0.78	103.14	102.30	↓ -0.84	
NC0581_MC	103.09	100.57	↓ -2.52	103.32	101.33	↓ -1.99	103.58	101.71	↓ -1.87	103.91	102.01	↓ -1.90	104.16	102.19	↓ -1.97	104.40	102.35	↓ -2.05	104.89	102.76	↓ -2.13	
NC0582_MC	101.96	101.65	↓ -0.31	102.07	101.69	↓ -0.38	102.21	101.75	↓ -0.46	102.45	102.04	↓ -0.41	102.62	102.20	↓ -0.42	102.78	102.32	↓ -0.46	103.13	102.58	↓ -0.55	
NC0583_MC	101.67	101.60	↓ -0.07	101.89	101.64	↓ -0.25	102.14	101.67	↓ -0.47	102.43	101.75	↓ -0.68	102.61	101.89	↓ -0.72	102.78	102.01	↓ -0.77	103.14	102.31	↓ -0.83	
NC0585	101.26	99.24	↓ -2.02	101.52	100.03	↓ -1.49	101.75	100.59	↓ -1.16	102.03	100.99	↓ -1.04	102.20	101.20	↓ -1.00	102.36	101.35	↓ -1.01	102.70	101.71	↓ -0.99	
NC0586_MC	101.26	100.61	↓ -0.65	101.52	100.63	↓ -0.89	101.76	100.66	↓ -1.10	102.03	100.99	↓ -1.04	102.20	101.20	↓ -1.00	102.36	101.36	↓ -1.00	102.70	101.71	↓ -0.99	
NC0587_MC	101.54	99.33	↓ -2.21	101.81	100.09	↓ -1.72	102.07	100.65	↓ -1.42	102.37	101.06	↓ -1.31	102.56	101.28	↓ -1.28	102.73	101.46	↓ -1.27	103.09	101.87	↓ -1.22	
NC0588_MC	101.02	100.27	↓ -0.75	101.32	100.32	↓ -1.00	101.58	100.38	↓ -1.20	101.88	100.70	↓ -1.18	102.08	100.89	↓ -1.19	102.25	101.06	↓ -1.19	102.62	101.55	↓ -1.07	
NC0590_MC	100.46	97.95	↓ -2.51	100.71	98.42	↓ -2.29	100.93	98.88	↓ -2.05	101.21	99.54	↓ -1.67	101.38	100.03	↓ -1.35	101.53	100.40	↓ -1.13	101.86	100.99	↓ -0.87	
NC0594	102.51	102.51	→ 0.00	102.98	102.98	→ 0.00	103.54	103.54	→ 0.00	104.33	104.33	→ 0.00	104.92	104.92	→ 0.00	105.83	105.83	→ 0.00	106.26	106.26	→ 0.00	
NC0595_MC	106.06	106.06	→ 0.00	106.13	106.13	→ 0.00	106.19	106.19	→ 0.00	106.27	106.27	→ 0.00	106.32	106.32	→ 0.00	106.36	106.36	→ 0.00	106.45	106.45	→ 0.00	
NC0596_MC	109.60	109.60	→ 0.00	109.62	109.62	→ 0.00	109.63	109.63	→ 0.00	109.65	109.65	→ 0.00	109.66	109.66	→ 0.00	109.68	109.68	→ 0.00	109.71	109.71	→ 0.00	
NC0598_MC	100.48	100.35	↓ -0.13	100.84	100.82	↓ -0.02	100.95	100.89	↓ -0.06	101.17	100.96	↓ -0.21	101.32	101.02	↓ -0.30	101.45	101.06	↓ -0.39	101.74	101.19	↓ -0.55	
NC0599_MC	100.70	98.62	↓ -2.08	100.87	99.09	↓ -1.78	100.96	99.55	↓ -1.41	101.07	100.11	↓ -0.96	101.14	100.50	↓ -0.64	101.20	100.78	↓ -0.42	101.33	101.04	↓ -0.29	
NC0600_MC	96.20	95.50	↓ -0.70	96.43	95.95	↓ -0.48	96.73	96.39	↓ -0.34	97.13	97.08	↓ -0.05	97.40	97.44	↑ 0.04	97.63	97.65	↑ 0.02	98.06	97.98	↓ -0.08	
NC0601_MC	96.33	95.81	↓ -0.52	96.53	96.04	↓ -0.49	96.83	96.45	↓ -0.38	97.24	97.13	↓ -0.11	97.52	97.50	↓ -0.02	97.75	97.72	↓ -0.03	98.21	98.06	↓ -0.15	
NC0602_MC	96.36	95.83	↓ -0.53	96.55	96.23	↓ -0.32	96.83	96.65	↓ -0.18	97.23	97.26	↑ 0.03	97.51	97.65	↑ 0.14	97.74	97.90	↑ 0.16	98.19	98.26	↑ 0.07	
NC0603_MC	97.52	96.49	↓ -1.03	97.59	96.92	↓ -0.67	97.65	97.37	↓ -0.28	97.74	97.93	↑ 0.19	97.83	98.40	↑ 0.57	97.96	98.77	↑ 0.81	98.29	99.26	↑ 0.97	
NC0604_MC	99.92	97.41	↓ -2.51	100.09	97.91	↓ -2.18	100.21	98.33	↓ -1.88	100.36	98.89	↓ -1.47	100.44	99.34	↓ -1.10	100.52	99.69	↓ -0.83	100.68	100.19	↓ -0.49	
NC0605_MC	99.81	#N/A	→ 0.00	99.95	#N/A	→ 0.00	100.05	#N/A	→ 0.00	100.17	#N/A	→ 0.00	100.25	#N/A	→ 0.00	100.32	#N/A	→ 0.00	100.46	#N/A	→ 0.00	
NC0606_MC	97.42	#N/A	→ 0.00	97.48	#N/A	→ 0.00	97.53	#N/A	→ 0.00	97.62	#N/A	→ 0.00	97.72	#N/A	→ 0.00	97.87	#N/A	→ 0.00	98.26	#N/A	→ 0.00	
NC0607_MC	96.25	95.52	↓ -0.73	96.48	95.97	↓ -0.51	96.78	96.41	↓ -0.37	97.19	97.11	↓ -0.08	97.47	97.48	↑ 0.01	97.70	97.69	↓ -0.01	98.15	98.02	↓ -0.13	
NC0610	93.82	93.82	→ 0.00	94.01	94.01	→ 0.00	94.03	94.03	→ 0.00	94.11	94.11	→ 0.00	94.18	94.18	→ 0.00	94.56	94.55	↓ -0.01	96.26	96.15	↓ -0.11	
NC0618_MC	96.12	95.40	↓ -0.72	96.34	95.85	↓ -0.49	96.62	96.30	↓ -0.32	97.00	96.98	↓ -0.02	97.25	97.32	↑ 0.07	97.45	97.50	↑ 0.05	97.84	97.78	↓ -0.06	
NC0619_MC	93.16	94.51	↑ 1.35	93.24	94.87	↑ 1.63	93.35	95.22	↑ 1.87	93.52	95.78	↑ 2.26	93.63	96.07	↑ 2.44	93.72	96.22	↑ 2.50	93.98	96.64	↑ 2.66	
NC0620_MC	92.32	92.34	↑ 0.02	92.50	92.53	↑ 0.03	92.72	92.72	→ 0.00	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.74	↓ -0.01	
NC0621_MC	#N/A	94.51	→ 0.00	#N/A	94.87	→ 0.00	#N/A	95.22	→ 0.00	#N/A	95.78	→ 0.00	#N/A	96.07	→ 0.00	#N/A	96.23	→ 0.00	#N/A	96.65	→ 0.00	
NC0622_MC	#N/A	93.42	→ 0.00	#N/A	93.55	→ 0.00	#N/A	93.66	→ 0.00	#N/A	93.85	→ 0.00	#N/A	93.94	→ 0.00	#N/A	93.99	→ 0.00	#N/A	94.14	→ 0.00	
NC0650_MC	92.33	92.33	→ 0.00	92.47	92.50	↑ 0.03	92.68	92.70	↑ 0.02	93.04	93.09	↑ 0.05	93.38	93.41	↑ 0.03	93.71	93.72	↑ 0.01	94.61	94.61	→ 0.00	
NC0651_MC	92.27	92.29	↑ 0.02	92.44	92.47	↑ 0.03	92.65	92.65	→ 0.00	92.92	92.87	↓ -0.05	93.09	93.06	↓ -0.03	93.23	93.21	↓ -0.02	93.75	93.74	↓ -0.01	
NC0660	135.83	135.83	→ 0.00	136.28	136.28	→ 0.00	136.91	136.91	→ 0.00	137.87	137.87	→ 0.00	138.39	138.39	→ 0							

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC0695_MC	92.32	92.34	↑	0.02	92.50	92.53	↑	0.03	92.73	92.72	↓	-0.01	93.02	92.96	↓	-0.06	93.21	93.16	↓	-0.05	93.36	93.34	↓	-0.02	93.75	93.74	↓	-0.01	
NC0696_MC	94.11	94.51	↑	0.40	94.26	94.87	↑	0.61	94.47	95.22	↑	0.75	94.75	95.78	↑	1.03	94.93	96.07	↑	1.14	95.07	96.23	↑	1.16	95.50	96.65	↑	1.15	
NC0697_MC	92.29	92.31	↑	0.02	92.46	92.49	↑	0.03	92.67	92.68	↑	0.01	92.95	92.90	↓	-0.05	93.14	93.10	↓	-0.04	93.28	93.26	↓	-0.02	93.75	93.74	↓	-0.01	
NC0698_MC	92.30	92.32	↑	0.02	92.47	92.50	↑	0.03	92.68	92.69	↑	0.01	92.96	92.91	↓	-0.05	93.14	93.10	↓	-0.04	93.28	93.26	↓	-0.02	93.75	93.74	↓	-0.01	
NC0699_MC	92.29	92.31	↑	0.02	92.46	92.49	↑	0.03	92.67	92.68	↑	0.01	92.95	92.90	↓	-0.05	93.13	93.10	↓	-0.03	93.27	93.26	↓	-0.01	93.75	93.74	↓	-0.01	
NC0700_MC	91.21	91.22	↑	0.01	91.26	91.28	↑	0.02	91.33	91.34	↑	0.01	91.43	91.41	↓	-0.02	91.50	91.49	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0701_MC	92.26	92.28	↑	0.02	92.43	92.45	↑	0.02	92.63	92.63	→	0.00	92.89	92.85	↓	-0.04	93.07	93.03	↓	-0.04	93.20	93.18	↓	-0.02	93.75	93.74	↓	-0.01	
NC0702_MC	92.31	92.33	↑	0.02	92.50	92.52	↑	0.02	92.71	92.72	↑	0.01	93.00	92.95	↓	-0.05	93.19	93.15	↓	-0.04	93.34	93.33	↓	-0.01	93.75	93.74	↓	-0.01	
NC0703_MC	92.32	92.33	↑	0.01	92.50	92.52	↑	0.02	92.72	92.72	→	0.00	93.02	92.95	↓	-0.07	93.21	93.16	↓	-0.05	93.36	93.34	↓	-0.02	93.76	93.74	↓	-0.02	
NC0710	141.66	141.66	→	0.00	141.75	141.75	→	0.00	141.86	141.86	→	0.00	142.04	142.04	→	0.00	142.19	142.19	→	0.00	142.44	142.44	→	0.00	143.56	143.56	→	0.00	
NC0720	88.87	88.87	→	0.00	89.36	89.36	→	0.00	89.89	89.89	→	0.00	90.44	90.44	→	0.00	91.16	91.15	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0730	152.64	152.64	→	0.00	152.69	152.69	→	0.00	152.78	152.78	→	0.00	152.89	152.89	→	0.00	152.96	152.96	→	0.00	153.02	153.02	→	0.00	153.11	153.11	→	0.00	
NC0748	110.43	110.43	→	0.00	110.49	110.49	→	0.00	110.56	110.56	→	0.00	110.64	110.64	→	0.00	110.69	110.69	→	0.00	110.74	110.74	→	0.00	110.85	110.85	→	0.00	
NC0780	192.68	192.68	→	0.00	192.79	192.79	→	0.00	192.92	192.92	→	0.00	193.25	193.25	→	0.00	193.70	193.70	→	0.00	193.81	193.81	→	0.00	194.03	194.03	→	0.00	
NC0790	185.89	185.89	→	0.00	185.93	185.93	→	0.00	185.97	185.97	→	0.00	186.08	186.08	→	0.00	186.24	186.24	→	0.00	186.41	186.41	→	0.00	187.35	187.35	→	0.00	
NC0791	183.49	183.49	→	0.00	183.51	183.51	→	0.00	183.53	183.53	→	0.00	183.58	183.58	→	0.00	183.66	183.66	→	0.00	183.73	183.73	→	0.00	184.03	184.03	→	0.00	
NC0800	216.47	216.47	→	0.00	217.04	217.04	→	0.00	217.73	217.73	→	0.00	217.95	217.95	→	0.00	218.01	218.01	→	0.00	218.06	218.06	→	0.00	218.18	218.18	→	0.00	
NC0815	158.52	158.52	→	0.00	158.73	158.73	→	0.00	159.17	159.17	→	0.00	159.90	159.90	→	0.00	160.51	160.51	→	0.00	161.21	161.21	→	0.00	163.33	163.33	→	0.00	
NC0816	153.86	153.86	→	0.00	153.93	153.93	→	0.00	154.06	154.06	→	0.00	154.26	154.26	→	0.00	154.40	154.40	→	0.00	154.55	154.55	→	0.00	154.90	154.90	→	0.00	
NC0817	139.09	139.09	→	0.00	139.17	139.17	→	0.00	139.33	139.33	→	0.00	139.55	139.55	→	0.00	139.71	139.71	→	0.00	139.87	139.87	→	0.00	140.24	140.24	→	0.00	
NC0818	128.08	128.08	→	0.00	128.16	128.16	→	0.00	128.32	128.32	→	0.00	128.55	128.55	→	0.00	128.72	128.72	→	0.00	128.90	128.90	→	0.00	129.32	129.32	→	0.00	
NC0820	120.79	120.79	→	0.00	121.48	121.48	→	0.00	122.32	122.32	→	0.00	122.99	122.99	→	0.00	123.15	123.15	→	0.00	123.26	123.26	→	0.00	123.44	123.44	→	0.00	
NC0830	101.97	101.97	→	0.00	101.98	101.98	→	0.00	102.49	102.48	↓	-0.01	103.09	103.09	→	0.00	103.50	103.50	→	0.00	103.97	103.97	→	0.00	105.35	105.35	→	0.00	
NC0835	117.94	117.94	→	0.00	117.97	117.97	→	0.00	118.00	118.00	→	0.00	118.05	118.05	→	0.00	118.08	118.08	→	0.00	118.12	118.12	→	0.00	118.22	118.22	→	0.00	
NC0840	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.08	103.08	→	0.00	103.49	103.49	→	0.00	103.96	103.96	→	0.00	105.34	105.34	→	0.00	
NC0845	114.61	114.61	→	0.00	114.88	114.88	→	0.00	115.14	115.14	→	0.00	115.36	115.36	→	0.00	115.44	115.44	→	0.00	115.49	115.49	→	0.00	115.60	115.60	→	0.00	
NC0850	103.37	103.37	→	0.00	103.44	103.44	→	0.00	103.52	103.52	→	0.00	103.62	103.62	→	0.00	103.70	103.70	→	0.00	103.93	103.93	→	0.00	105.34	105.34	→	0.00	
NC0855	109.96	109.96	→	0.00	110.44	110.44	→	0.00	111.13	111.13	→	0.00	112.65	112.65	→	0.00	113.71	113.71	→	0.00	113.81	113.81	→	0.00	113.98	113.98	→	0.00	
NC0858	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.07	103.07	→	0.00	103.42	103.43	↑	0.01	103.92	103.92	→	0.00	105.33	105.33	→	0.00	
NC0860	101.43	101.43	→	0.00	101.93	101.93	→	0.00	102.48	102.48	→	0.00	103.06	103.06	→	0.00	103.40	103.40	→	0.00	103.88	103.88	→	0.00	105.28	105.28	→	0.00	
NC0862	100.73	100.73	→	0.00	100.73	100.73	→	0.00	102.20	102.20	→	0.00	102.77	102.77	→	0.00	103.14	103.14	→	0.00	103.75	103.75	→	0.00	105.23	105.23	→	0.00	
NC0900	142.88	142.88	→	0.00	143.14	143.14	→	0.00	143.56	143.56	→	0.00	144.45	144.45	→	0.00	145.87	145.87	→	0.00	147.99	147.99	→	0.00	151.91	151.91	→	0.00	
NC0910	102.28	102.28	→	0.00	102.30	102.30	→	0.00	102.33	102.33	→	0.00	102.37	102.37	→	0.00	102.40	102.40	→	0.00	102.43	102.43	→	0.00	102.49	102.49	→	0.00	
NC0920	100.49	100.49	→	0.00	100.71	100.71	→	0.00	100.96	100.96	→	0.00	101.86	101.86	→	0.00	102.95	102.95	→	0.00	103.70	103.70	→	0.00	105.22	105.22	→	0.00	
NC0921	99.90	99.90	→	0.00	100.12	100.12	→	0.00	100.37	100.37	→	0.00	101.18	101.18	→	0.00	102.17	102.17	→	0.00	102.86	102.86	→	0.00	104.26	104.26	→	0.00	
NC0922	98.97	98.97	→	0.00	99.18	99.18	→	0.00	99.42	99.42	→	0.00	100.11	100.11	→	0.00	100.96	100.96	→	0.00	101.56	101.56	→	0.00	102.80	102.80	→	0.00	
NC0924	96.44	96.44	→	0.00	96.63	96.63	→	0.00	96.84	96.84	→	0.00	97.51	97.51	→	0.00	98.34	98.34	→	0.00	98.81	98.81	→	0.00	99.89	99.89	→	0.00	
NC0930	95.41	95.41	→	0.00	95.79	95.79	→	0.00	96.24	96.24	→	0.00	96.73	96.73	→	0.00	96.86	96.86	→	0.00	96.99	96.99	→	0.00	97.33	97.33	→	0.00	
NC0935	93.92	93.92	→	0.00	94.13	94.13	→	0.00	94.38	94.38	→	0.00	94.82	94.82	→	0.00	95.17	95.17	→	0.00	95.49	95.49	→	0.00	96.15	96.15	→	0.00	
NC0937	90.38	90.37	↓	-0.01	90.56	90.56	→	0.00	90.77	90.77	→	0.00	91.08	91.08	→	0.00	91.63	91.63	→	0.00	92.34	92.34	→	0.00	94.04	94.03	↓	-0.01	
NC0940	88.95	88.95	→	0.00	89.26	89.26	→	0.00	89.81	89.81	→	0.00	90.39	90.38	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0950	88.75	88.75	→	0.00	89.26	89.26	→	0.00	89.81	89.80	↓	-0.01	90.38	90.38	→	0.00	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	93.75	93.74	↓	-0.01	
NC0960	89.58	89.58	→	0.00	89.82	89.82	→	0.00	90.05	90.05	→	0.00	90.40	90.40	→	0.00	91.15	91.15	→	0.00	91.92	91.92	→	0.00	93.75	93.74	↓	-0.01	
NC0970	124.50	124.50	→	0.00	124.53	124.53	→	0.00	124.56	124.56	→	0.00	124.60	124.60	→	0.00	124.												

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC1030	207.36	207.36	→	0.00	207.72	207.72	→	0.00	207.93	207.93	→	0.00	208.26	208.26	→	0.00	208.50	208.50	→	0.00	208.73	208.73	→	0.00	209.23	209.23	→	0.00	
NC1045	107.08	107.08	→	0.00	107.13	107.13	→	0.00	107.19	107.19	→	0.00	107.27	107.27	→	0.00	107.35	107.35	→	0.00	107.42	107.42	→	0.00	107.59	107.59	→	0.00	
NC1050	105.59	105.59	→	0.00	105.66	105.66	→	0.00	105.73	105.73	→	0.00	105.85	105.85	→	0.00	105.94	105.94	→	0.00	106.04	106.04	→	0.00	106.24	106.24	→	0.00	
NC1052	92.56	92.56	→	0.00	92.64	92.64	→	0.00	92.74	92.74	→	0.00	92.86	92.86	→	0.00	92.95	92.95	→	0.00	93.01	93.02	↑	0.01	93.75	93.74	↓	-0.01	
NC1080	83.50	83.50	→	0.00	84.18	84.18	→	0.00	85.27	85.27	→	0.00	88.07	88.07	→	0.00	90.49	90.49	→	0.00	92.41	92.41	→	0.00	95.33	95.33	→	0.00	
NC1082	82.11	82.11	→	0.00	82.71	82.71	→	0.00	83.67	83.67	→	0.00	85.52	85.52	→	0.00	87.24	87.24	→	0.00	88.75	88.75	→	0.00	91.41	91.41	→	0.00	
NC1090	93.56	93.56	→	0.00	94.52	94.52	→	0.00	95.26	95.26	→	0.00	95.74	95.74	→	0.00	96.05	96.05	→	0.00	96.37	96.37	→	0.00	97.00	97.00	→	0.00	
NC1100	86.69	86.69	→	0.00	88.11	88.11	→	0.00	88.31	88.31	→	0.00	88.49	88.49	→	0.00	88.60	88.60	→	0.00	88.68	88.68	→	0.00	88.81	88.81	→	0.00	
NC1105	92.46	92.46	→	0.00	92.74	92.74	→	0.00	92.82	92.82	→	0.00	92.96	92.96	→	0.00	93.03	93.03	→	0.00	93.09	93.09	→	0.00	93.20	93.20	→	0.00	
NC1110	94.09	94.09	→	0.00	94.31	94.31	→	0.00	94.53	94.53	→	0.00	94.80	94.80	→	0.00	94.93	94.93	→	0.00	95.04	95.04	→	0.00	95.21	95.21	→	0.00	
NC1120	86.39	86.39	→	0.00	86.75	86.75	→	0.00	87.21	87.21	→	0.00	87.94	87.94	→	0.00	88.50	88.50	→	0.00	88.53	88.53	→	0.00	88.70	88.70	→	0.00	
NC1130	86.84	86.84	→	0.00	86.89	86.89	→	0.00	86.95	86.95	→	0.00	87.12	87.12	→	0.00	87.27	87.27	→	0.00	87.43	87.43	→	0.00	87.78	87.78	→	0.00	
NC1140	89.76	89.76	→	0.00	89.81	89.81	→	0.00	89.86	89.86	→	0.00	89.93	89.93	→	0.00	89.98	89.98	→	0.00	90.03	90.03	→	0.00	90.14	90.14	→	0.00	
NC1153	82.32	82.32	→	0.00	83.00	83.00	→	0.00	83.78	83.78	→	0.00	84.92	84.92	→	0.00	85.86	85.86	→	0.00	86.81	86.81	→	0.00	89.05	89.05	→	0.00	
NC1155	82.32	82.32	→	0.00	83.00	83.00	→	0.00	83.78	83.78	→	0.00	84.92	84.92	→	0.00	85.86	85.86	→	0.00	86.81	86.81	→	0.00	89.05	89.05	→	0.00	
NC1160	86.14	86.14	→	0.00	86.51	86.51	→	0.00	86.95	86.95	→	0.00	87.22	87.22	→	0.00	87.47	87.47	→	0.00	87.74	87.74	→	0.00	88.36	88.36	→	0.00	
NC1170	85.91	85.91	→	0.00	86.51	86.51	→	0.00	86.92	86.92	→	0.00	87.12	87.12	→	0.00	87.27	87.27	→	0.00	87.42	87.42	→	0.00	87.77	87.77	→	0.00	
NC1180	83.39	83.39	→	0.00	83.75	83.75	→	0.00	84.48	84.48	→	0.00	84.78	84.78	→	0.00	84.94	84.94	→	0.00	85.12	85.12	→	0.00	86.09	86.09	→	0.00	
NC1210	111.53	111.53	→	0.00	111.61	111.61	→	0.00	111.70	111.70	→	0.00	111.84	111.84	→	0.00	111.95	111.95	→	0.00	112.05	112.05	→	0.00	112.26	112.26	→	0.00	
NC1212	88.78	88.78	→	0.00	89.29	89.29	→	0.00	89.84	89.83	↓	-0.01	90.40	90.40	→	0.00	91.15	91.15	→	0.00	91.92	91.92	→	0.00	93.75	93.74	↓	-0.01	
NC1215	88.74	88.74	→	0.00	89.25	89.25	→	0.00	89.80	89.80	→	0.00	90.38	90.37	↓	-0.01	91.14	91.14	→	0.00	91.91	91.91	→	0.00	93.74	93.73	↓	-0.01	
NC1216	145.25	145.25	→	0.00	145.65	145.65	→	0.00	145.90	145.90	→	0.00	146.23	146.23	→	0.00	146.49	146.49	→	0.00	146.76	146.76	→	0.00	147.29	147.29	→	0.00	
NC1217	137.71	137.71	→	0.00	138.03	138.03	→	0.00	138.48	138.48	→	0.00	139.00	139.00	→	0.00	139.41	139.41	→	0.00	139.84	139.84	→	0.00	140.71	140.71	→	0.00	
NC1218	88.73	88.73	→	0.00	89.23	89.23	→	0.00	89.77	89.77	→	0.00	90.35	90.35	→	0.00	91.08	91.07	↓	-0.01	91.83	91.82	↓	-0.01	93.58	93.57	↓	-0.01	
NC1219	107.34	107.34	→	0.00	107.65	107.65	→	0.00	108.25	108.25	→	0.00	108.93	108.93	→	0.00	109.54	109.54	→	0.00	110.07	110.07	→	0.00	111.19	111.19	→	0.00	
NC1220	88.57	88.57	→	0.00	89.05	89.05	→	0.00	89.59	89.59	→	0.00	90.24	90.24	→	0.00	90.80	90.79	↓	-0.01	91.50	91.50	→	0.00	93.26	93.25	↓	-0.01	
NC1221	88.40	88.40	→	0.00	88.85	88.85	→	0.00	89.33	89.33	→	0.00	90.00	90.00	→	0.00	90.47	90.47	→	0.00	91.12	91.12	→	0.00	92.87	92.87	→	0.00	
NC1380	87.64	87.64	→	0.00	87.70	87.70	→	0.00	87.77	87.77	→	0.00	87.87	87.87	→	0.00	87.94	87.94	→	0.00	88.01	88.01	→	0.00	88.16	88.16	→	0.00	
NC1390	92.38	92.38	→	0.00	92.43	92.43	→	0.00	92.49	92.49	→	0.00	92.56	92.56	→	0.00	92.59	92.59	→	0.00	92.63	92.63	→	0.00	92.72	92.72	→	0.00	
NC1400	83.88	83.88	→	0.00	84.44	84.44	→	0.00	85.20	85.20	→	0.00	86.32	86.32	→	0.00	87.04	87.04	→	0.00	87.72	87.72	→	0.00	89.12	89.12	→	0.00	
NC1405	81.49	81.49	→	0.00	81.96	81.96	→	0.00	82.74	82.74	→	0.00	83.96	83.96	→	0.00	84.60	84.60	→	0.00	85.03	85.03	→	0.00	86.06	86.06	→	0.00	
NC1410	81.49	81.49	→	0.00	81.96	81.96	→	0.00	82.74	82.74	→	0.00	83.95	83.95	→	0.00	84.60	84.60	→	0.00	85.02	85.02	→	0.00	86.06	86.06	→	0.00	
NC1420	81.98	81.98	→	0.00	82.06	82.06	→	0.00	82.74	82.74	→	0.00	83.96	83.96	→	0.00	84.60	84.60	→	0.00	85.03	85.03	→	0.00	86.07	86.07	→	0.00	
NC1440	57.28	57.28	→	0.00	57.79	57.79	→	0.00	58.40	58.40	→	0.00	63.64	63.64	→	0.00	71.34	71.34	→	0.00	78.26	78.26	→	0.00	85.56	85.56	→	0.00	
NC1500	97.83	97.83	→	0.00	98.11	98.11	→	0.00	98.44	98.44	→	0.00	98.71	98.71	→	0.00	98.81	98.81	→	0.00	98.98	98.98	→	0.00	99.36	99.36	→	0.00	
NC1600	134.13	134.13	→	0.00	134.18	134.18	→	0.00	134.23	134.23	→	0.00	134.30	134.30	→	0.00	134.33	134.33	→	0.00	134.36	134.36	→	0.00	134.40	134.40	→	0.00	
NC1610	131.42	131.42	→	0.00	131.43	131.43	→	0.00	131.45	131.45	→	0.00	131.48	131.48	→	0.00	131.51	131.51	→	0.00	131.53	131.53	→	0.00	131.58	131.58	→	0.00	
NC1620	130.92	130.92	→	0.00	130.97	130.97	→	0.00	131.02	131.02	→	0.00	131.10	131.10	→	0.00	131.16	131.16	→	0.00	131.22	131.22	→	0.00	131.37	131.37	→	0.00	
NC1630	127.56	127.56	→	0.00	127.59	127.59	→	0.00	127.62	127.62	→	0.00	127.66	127.66	→	0.00	127.70	127.70	→	0.00	127.73	127.73	→	0.00	127.81	127.81	→	0.00	
NC1640	146.52	146.52	→	0.00	146.68	146.68	→	0.00	146.87	146.87	→	0.00	147.09	147.09	→	0.00	147.15	147.15	→	0.00	147.20	147.20	→	0.00	147.27	147.27	→	0.00	
NC1650	126.38	126.38	→	0.00	126.41	126.41	→	0.00	126.45	126.45	→	0.00	126.50	126.50	→	0.00	126.54	126.54	→	0.00	126.58	126.58	→	0.00	126.68	126.68	→	0.00	
NC1700	115.77	115.77	→	0.00	115.80	115.80	→	0.00	115.83	115.83	→	0.00	115.88	115.88	→	0.00	115.92	115.92	→	0.00	115.96	115.96	→	0.00	116.05	116.05	→	0.00	
NC1701_MC	114.68	114.68	→	0.00	114.79	114.79	→	0.00	114.91	114.91	→	0.00	115.07	115.07	→	0.00	115.19	115.19	→	0.00	115.30	115.30	→	0.00	115.58	115.58	→	0.00	
NC1702_MC	115.88	115.88	→	0.00	115.96	115.96	→	0.00	116.06	116.06	→	0.00	116.21	116.21	→	0.00	116.32	116.32	→	0.00	116.43	116.43	→	0.00	116.71	116.71	→	0.00	
NC1703_MC	116.63	116.63	→	0																									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1711_MC	120.50	120.50	→ 0.00	120.91	120.91	→ 0.00	121.36	121.36	→ 0.00	121.82	121.82	→ 0.00	122.15	122.15	→ 0.00	122.32	122.32	→ 0.00	123.22	123.22	→ 0.00	
NC1712_MC	126.26	126.26	→ 0.00	126.58	126.58	→ 0.00	126.92	126.92	→ 0.00	127.26	127.26	→ 0.00	127.53	127.53	→ 0.00	127.62	127.62	→ 0.00	127.72	127.72	→ 0.00	
NC1713_MC	118.13	118.13	→ 0.00	118.15	118.15	→ 0.00	118.19	118.19	→ 0.00	118.24	118.24	→ 0.00	118.31	118.31	→ 0.00	118.41	118.41	→ 0.00	119.88	119.88	→ 0.00	
NC1714_MC	115.92	115.92	→ 0.00	116.04	116.04	→ 0.00	116.35	116.35	→ 0.00	116.78	116.78	→ 0.00	117.24	117.24	→ 0.00	117.71	117.71	→ 0.00	119.18	119.18	→ 0.00	
NC1800	99.54	99.54	→ 0.00	99.71	99.71	→ 0.00	99.92	99.92	→ 0.00	100.20	100.20	→ 0.00	100.25	100.25	→ 0.00	100.27	100.27	→ 0.00	100.33	100.33	→ 0.00	
NC1900	146.95	146.95	→ 0.00	147.09	147.09	→ 0.00	147.18	147.18	→ 0.00	147.30	147.30	→ 0.00	147.38	147.38	→ 0.00	147.45	147.45	→ 0.00	147.57	147.57	→ 0.00	
NC1910	125.89	125.89	→ 0.00	125.95	125.95	→ 0.00	126.00	126.00	→ 0.00	126.05	126.05	→ 0.00	126.16	126.16	→ 0.00	126.28	126.28	→ 0.00	126.49	126.49	→ 0.00	
NC1920	137.03	137.03	→ 0.00	137.46	137.46	→ 0.00	138.16	138.16	→ 0.00	139.33	139.33	→ 0.00	139.85	139.85	→ 0.00	140.13	140.13	→ 0.00	140.80	140.80	→ 0.00	
NC2000	84.30	84.30	→ 0.00	84.36	84.36	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.12	85.12	→ 0.00	86.10	86.10	→ 0.00	
NC2010	86.79	86.79	→ 0.00	87.00	87.00	→ 0.00	87.24	87.24	→ 0.00	87.63	87.63	→ 0.00	87.95	87.95	→ 0.00	88.30	88.30	→ 0.00	89.24	89.24	→ 0.00	
NC2020	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.49	84.49	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.13	85.13	→ 0.00	86.10	86.10	→ 0.00	
NC2030	84.94	84.94	→ 0.00	85.00	85.00	→ 0.00	85.06	85.06	→ 0.00	85.15	85.15	→ 0.00	85.22	85.22	→ 0.00	85.29	85.29	→ 0.00	86.10	86.10	→ 0.00	
NC2100	108.92	108.92	→ 0.00	109.02	109.02	→ 0.00	109.16	109.16	→ 0.00	109.30	109.30	→ 0.00	109.39	109.39	→ 0.00	109.45	109.45	→ 0.00	109.58	109.58	→ 0.00	
NC2110	108.91	108.91	→ 0.00	109.02	109.02	→ 0.00	109.15	109.15	→ 0.00	109.28	109.28	→ 0.00	109.36	109.36	→ 0.00	109.41	109.41	→ 0.00	109.52	109.52	→ 0.00	
NC2200	114.77	114.77	→ 0.00	114.89	114.89	→ 0.00	115.01	115.01	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.42	115.42	→ 0.00	115.73	115.73	→ 0.00	
NC2210	115.63	115.63	→ 0.00	115.70	115.70	→ 0.00	115.77	115.77	→ 0.00	115.85	115.85	→ 0.00	115.91	115.91	→ 0.00	115.96	115.96	→ 0.00	116.10	116.10	→ 0.00	
NC2220	140.35	140.35	→ 0.00	140.39	140.39	→ 0.00	140.45	140.45	→ 0.00	140.52	140.52	→ 0.00	140.58	140.58	→ 0.00	140.64	140.64	→ 0.00	140.77	140.77	→ 0.00	
NC2230	122.44	122.44	→ 0.00	122.47	122.47	→ 0.00	122.50	122.50	→ 0.00	122.54	122.54	→ 0.00	122.57	122.57	→ 0.00	122.61	122.61	→ 0.00	122.70	122.70	→ 0.00	
NC2240	121.46	121.46	→ 0.00	121.50	121.50	→ 0.00	121.54	121.54	→ 0.00	121.60	121.60	→ 0.00	121.64	121.64	→ 0.00	121.69	121.69	→ 0.00	121.79	121.79	→ 0.00	
NC2250	110.17	110.17	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.74	↓ -0.01	113.43	113.42	↓ -0.01	115.17	115.16	↓ -0.01	
NC2260	107.81	107.81	→ 0.00	107.86	107.86	→ 0.00	107.91	107.91	→ 0.00	107.96	107.96	→ 0.00	107.99	107.99	→ 0.00	108.02	108.02	→ 0.00	108.08	108.08	→ 0.00	
NC2300	125.68	125.68	→ 0.00	126.17	126.17	→ 0.00	126.77	126.77	→ 0.00	127.65	127.65	→ 0.00	128.17	128.17	→ 0.00	128.23	128.23	→ 0.00	128.49	128.49	→ 0.00	
NC2310	124.10	124.10	→ 0.00	124.12	124.12	→ 0.00	124.14	124.14	→ 0.00	124.17	124.17	→ 0.00	124.19	124.19	→ 0.00	124.21	124.21	→ 0.00	124.26	124.26	→ 0.00	
NC2400	137.48	137.48	→ 0.00	137.51	137.51	→ 0.00	137.54	137.54	→ 0.00	137.58	137.58	→ 0.00	137.61	137.61	→ 0.00	137.63	137.63	→ 0.00	137.71	137.71	→ 0.00	
NC2500	127.16	127.16	→ 0.00	127.22	127.22	→ 0.00	127.28	127.28	→ 0.00	127.35	127.35	→ 0.00	127.41	127.41	→ 0.00	127.46	127.46	→ 0.00	127.60	127.60	→ 0.00	
NC2510	125.92	125.92	→ 0.00	126.08	126.08	→ 0.00	126.20	126.20	→ 0.00	126.42	126.42	→ 0.00	126.55	126.55	→ 0.00	126.65	126.65	→ 0.00	126.82	126.82	→ 0.00	
NC2600	93.67	93.67	→ 0.00	93.71	93.71	→ 0.00	93.77	93.77	→ 0.00	93.85	93.85	→ 0.00	93.91	93.91	→ 0.00	93.95	93.95	→ 0.00	94.04	94.04	→ 0.00	
NC2610	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC2700_MC	100.98	98.48	↓ -2.50	101.26	98.94	↓ -2.32	101.51	99.42	↓ -2.09	101.81	100.11	↓ -1.70	101.99	100.58	↓ -1.41	102.16	100.90	↓ -1.26	102.51	101.41	↓ -1.10	
NC2701_MC	100.99	100.96	↓ -0.03	101.28	101.02	↓ -0.26	101.53	101.07	↓ -0.46	101.83	101.14	↓ -0.69	102.03	101.18	↓ -0.85	102.20	101.36	↓ -0.84	102.58	101.60	↓ -0.98	
NC2702_MC	100.72	98.51	↓ -2.21	100.90	98.96	↓ -1.94	101.00	99.44	↓ -1.56	101.12	100.11	↓ -1.01	101.20	100.51	↓ -0.69	101.27	100.80	↓ -0.47	101.41	101.08	↓ -0.33	
NC2710_MC	100.97	98.23	↓ -2.74	101.26	98.70	↓ -2.56	101.51	99.17	↓ -2.34	101.80	99.87	↓ -1.93	101.99	100.37	↓ -1.62	102.15	100.74	↓ -1.41	102.51	101.34	↓ -1.17	
NC2711_MC	100.97	99.06	↓ -1.91	101.26	99.14	↓ -2.12	101.51	99.22	↓ -2.29	101.81	99.88	↓ -1.93	102.00	100.38	↓ -1.62	102.17	100.76	↓ -1.41	102.53	101.36	↓ -1.17	
NC2712_MC	101.00	100.07	↓ -0.93	101.30	100.15	↓ -1.15	101.55	100.26	↓ -1.29	101.84	100.63	↓ -1.21	102.03	100.83	↓ -1.20	102.19	101.00	↓ -1.19	102.54	101.49	↓ -1.05	
NC2713_MC	101.21	98.41	↓ -2.80	101.48	98.87	↓ -2.61	101.73	99.33	↓ -2.40	102.00	100.00	↓ -2.00	102.18	100.50	↓ -1.68	102.34	100.88	↓ -1.46	102.68	101.51	↓ -1.17	
NC2800	88.10	88.10	→ 0.00	88.17	88.17	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.67	88.67	→ 0.00	88.81	88.81	→ 0.00	
NC2810	91.76	91.76	→ 0.00	92.11	92.11	→ 0.00	92.34	92.34	→ 0.00	92.38	92.38	→ 0.00	92.42	92.42	→ 0.00	92.46	92.46	→ 0.00	92.55	92.55	→ 0.00	
NC2820	92.79	92.79	→ 0.00	92.84	92.84	→ 0.00	92.91	92.91	→ 0.00	92.99	92.99	→ 0.00	93.06	93.06	→ 0.00	93.13	93.13	→ 0.00	93.23	93.23	→ 0.00	
NC2830	93.70	93.70	→ 0.00	93.77	93.77	→ 0.00	93.84	93.84	→ 0.00	93.94	93.94	→ 0.00	94.01	94.01	→ 0.00	94.07	94.07	→ 0.00	94.21	94.21	→ 0.00	
NC2900	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.38	→ 0.00	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC2910	94.25	94.25	→ 0.00	94.61	94.61	→ 0.00	94.74	94.74	→ 0.00	95.03	95.03	→ 0.00	95.32	95.32	→ 0.00	95.61	95.61	→ 0.00	96.34	96.34	→ 0.00	
NC2950	91.40	91.40	→ 0.00	91.60	91.60	→ 0.00	91.85	91.85	→ 0.00	92.25	92.25	→ 0.00	92.58	92.58	→ 0.00	92.94	92.94	→ 0.00	93.82	93.82	→ 0.00	
NC2960	86.59	86.59	→ 0.00	86.66	86.66	→ 0.00	86.95	86.95	→ 0.00	87.23	87.23	→ 0.00	87.47	87.47	→ 0.00	87.75	87.75	→ 0.00	88.37	88.37	→ 0.00	
NC3100_MC	92.27	92.29	↑ 0.02	92.44	92.46	↑ 0.02	92.64	92.64	→ 0.00	92.91	92.86	↓ -0.05	93.08	93.04	↓ -0.04	93.21	93.19	↓ -0.02	93.75	93.74	↓ -0.01	
NC3110	88.97	88.98	↑ 0.01	89.06	89.07	↑ 0.01	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3120	88.97	88.98	↑ 0.01	89.06	89.07	↑ 0.01	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3130	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.01	97.01	→ 0.00	
NC3200	97.66	97.66	→ 0.00	97.84	97.76	↓ -0.08	98.07	97.85	↓ -0.22	98.29	97.95	↓ -0.34	98.41	98.02	↓ -0.39	98.52	98.10	↓ -0.42	98.72	98.41	↓ -0.31	
NC3300	138.17	138.17	→ 0.00	138.23	138.23	→ 0.00	13															

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G10. Results Tables – BMP 11, 2AB, 3, 4, & 8

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
GWSINK	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	
NC0000	192.48	192.48	→ 0.00	192.87	192.87	→ 0.00	193.32	193.32	→ 0.00	193.99	193.99	→ 0.00	194.50	194.50	→ 0.00	195.02	195.02	→ 0.00	195.05	195.05	→ 0.00	
NC0001	149.57	149.57	→ 0.00	149.69	149.69	→ 0.00	149.81	149.81	→ 0.00	150.06	150.06	→ 0.00	150.20	150.20	→ 0.00	150.31	150.31	→ 0.00	150.51	150.51	→ 0.00	
NC0005	145.57	145.57	→ 0.00	145.59	145.59	→ 0.00	145.61	145.61	→ 0.00	145.67	145.67	→ 0.00	145.72	145.72	→ 0.00	145.76	145.76	→ 0.00	145.86	145.86	→ 0.00	
NC0010	134.89	134.89	→ 0.00	135.80	135.80	→ 0.00	136.81	136.81	→ 0.00	138.29	138.29	→ 0.00	139.39	139.39	→ 0.00	140.36	140.36	→ 0.00	140.88	140.88	→ 0.00	
NC0020	134.64	134.64	→ 0.00	135.47	135.47	→ 0.00	136.23	136.23	→ 0.00	137.32	137.32	→ 0.00	138.13	138.13	→ 0.00	138.87	138.87	→ 0.00	139.68	139.68	→ 0.00	
NC0023	132.21	132.21	→ 0.00	132.39	132.39	→ 0.00	132.60	132.60	→ 0.00	132.90	132.90	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.94	133.94	→ 0.00	
NC0026	119.75	119.75	→ 0.00	120.21	120.21	→ 0.00	120.80	120.80	→ 0.00	121.69	121.69	→ 0.00	122.39	122.39	→ 0.00	123.05	123.05	→ 0.00	125.26	125.26	→ 0.00	
NC0028	118.83	118.83	→ 0.00	119.00	119.00	→ 0.00	119.21	119.21	→ 0.00	119.52	119.52	→ 0.00	119.77	119.77	→ 0.00	120.01	120.01	→ 0.00	120.89	120.89	→ 0.00	
NC0029	112.24	112.24	→ 0.00	112.67	112.67	→ 0.00	113.23	113.23	→ 0.00	114.05	114.05	→ 0.00	114.33	114.33	→ 0.00	114.54	114.54	→ 0.00	115.17	115.17	→ 0.00	
NC0030	110.29	110.29	→ 0.00	111.30	111.30	→ 0.00	112.37	112.37	→ 0.00	113.31	113.31	→ 0.00	113.43	113.43	→ 0.00	113.51	113.51	→ 0.00	113.67	113.67	→ 0.00	
NC0032	106.72	106.72	→ 0.00	106.84	106.84	→ 0.00	106.93	106.93	→ 0.00	107.23	107.23	→ 0.00	107.42	107.42	→ 0.00	107.55	107.55	→ 0.00	107.85	107.85	→ 0.00	
NC0040	97.79	97.79	→ 0.00	97.83	97.83	→ 0.00	97.87	97.87	→ 0.00	97.94	97.94	→ 0.00	97.99	97.99	→ 0.00	98.03	98.03	→ 0.00	98.15	98.15	→ 0.00	
NC0050	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.50	102.50	→ 0.00	102.76	102.76	→ 0.00	102.96	102.96	→ 0.00	103.16	103.16	→ 0.00	103.45	103.45	→ 0.00	
NC0055	96.74	96.74	→ 0.00	97.28	97.28	→ 0.00	97.86	97.86	→ 0.00	98.68	98.68	→ 0.00	98.81	98.81	→ 0.00	99.05	99.05	→ 0.00	99.48	99.48	→ 0.00	
NC0060	98.15	98.15	→ 0.00	98.25	98.25	→ 0.00	98.35	98.35	→ 0.00	98.49	98.49	→ 0.00	98.63	98.63	→ 0.00	98.74	98.74	→ 0.00	99.17	99.17	→ 0.00	
NC0065	95.62	95.62	→ 0.00	95.94	95.94	→ 0.00	96.28	96.28	→ 0.00	96.74	96.74	→ 0.00	97.13	97.13	→ 0.00	97.48	97.48	→ 0.00	98.87	98.87	→ 0.00	
NC0067	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.42	96.42	→ 0.00	97.23	97.23	→ 0.00	
NC0070	98.88	98.88	→ 0.00	99.10	99.10	→ 0.00	99.33	99.33	→ 0.00	99.63	99.63	→ 0.00	99.69	99.69	→ 0.00	99.73	99.73	→ 0.00	99.79	99.79	→ 0.00	
NC0080	98.38	98.38	→ 0.00	98.50	98.50	→ 0.00	98.61	98.61	→ 0.00	98.77	98.77	→ 0.00	98.92	98.92	→ 0.00	99.04	99.04	→ 0.00	99.47	99.47	→ 0.00	
NC0090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.41	96.41	→ 0.00	97.17	97.17	→ 0.00	
NC0092	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.06	96.06	→ 0.00	96.38	96.38	→ 0.00	97.02	97.02	→ 0.00	
NC0100	188.12	188.12	→ 0.00	188.47	188.47	→ 0.00	188.84	188.84	→ 0.00	189.34	189.34	→ 0.00	189.74	189.74	→ 0.00	190.16	190.16	→ 0.00	191.20	191.20	→ 0.00	
NC0101	186.71	186.71	→ 0.00	186.77	186.77	→ 0.00	186.84	186.84	→ 0.00	186.92	186.92	→ 0.00	186.97	186.97	→ 0.00	187.03	187.03	→ 0.00	187.14	187.14	→ 0.00	
NC0103	157.31	157.31	→ 0.00	157.39	157.39	→ 0.00	157.48	157.48	→ 0.00	157.59	157.59	→ 0.00	157.66	157.66	→ 0.00	157.73	157.73	→ 0.00	157.86	157.86	→ 0.00	
NC0105	140.34	140.34	→ 0.00	140.40	140.40	→ 0.00	140.47	140.47	→ 0.00	140.56	140.56	→ 0.00	140.63	140.63	→ 0.00	140.70	140.70	→ 0.00	140.87	140.87	→ 0.00	
NC0107	120.91	120.91	→ 0.00	121.00	121.00	→ 0.00	121.10	121.10	→ 0.00	121.23	121.23	→ 0.00	121.34	121.34	→ 0.00	121.44	121.44	→ 0.00	121.68	121.68	→ 0.00	
NC0109	110.46	110.46	→ 0.00	110.53	110.53	→ 0.00	110.61	110.61	→ 0.00	110.72	110.72	→ 0.00	110.81	110.81	→ 0.00	110.90	110.90	→ 0.00	111.12	111.12	→ 0.00	
NC0110	95.82	95.82	→ 0.00	96.49	96.49	→ 0.00	96.98	96.98	→ 0.00	97.50	97.50	→ 0.00	97.93	97.93	→ 0.00	98.46	98.46	→ 0.00	99.09	99.09	→ 0.00	
NC0120	108.49	108.49	→ 0.00	108.64	108.64	→ 0.00	108.81	108.81	→ 0.00	109.04	109.04	→ 0.00	109.20	109.20	→ 0.00	109.34	109.34	→ 0.00	109.62	109.62	→ 0.00	
NC0130	113.39	113.39	→ 0.00	113.56	113.56	→ 0.00	113.79	113.79	→ 0.00	114.35	114.35	→ 0.00	114.80	114.80	→ 0.00	115.20	115.20	→ 0.00	120.92	120.92	→ 0.00	
NC0140	117.49	117.49	→ 0.00	117.58	117.58	→ 0.00	117.67	117.67	→ 0.00	117.78	117.78	→ 0.00	117.84	117.84	→ 0.00	117.91	117.91	→ 0.00	118.05	118.05	→ 0.00	
NC0146	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0150	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0160	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0165	101.52	101.52	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0170	111.44	111.44	→ 0.00	111.60	111.60	→ 0.00	111.79	111.79	→ 0.00	112.10	112.10	→ 0.00	112.35	112.35	→ 0.00	112.62	112.62	→ 0.00	113.21	113.21	→ 0.00	
NC0180	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0190	110.63	110.63	→ 0.00	110.71	110.71	→ 0.00	110.80	110.80	→ 0.00	110.93	110.93	→ 0.00	111.02	111.02	→ 0.00	111.11	111.11	→ 0.00	111.28	111.28	→ 0.00	
NC0210	167.20	167.20	→ 0.00	167.23	167.23	→ 0.00	167.27	167.27	→ 0.00	167.33	167.33	→ 0.00	167.38	167.38	→ 0.00	167.44	167.44	→ 0.00	167.56	167.56	→ 0.00	
NC0220	114.62	114.62	→ 0.00	114.65	114.65	→ 0.00	114.68	114.68	→ 0.00	114.73	114.73	→ 0.00	114.77	114.77	→ 0.00	114.81	114.81	→ 0.00	114.91	114.91	→ 0.00	
NC0240	102.34	102.34	→ 0.00	102.37	102.37	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0250	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0255	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0265	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0315	132.97	132.97	→ 0.00	133.02	133.02	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.26	133.26	→ 0.00	133.32	133.32	→ 0.00	133.48	133.48	→ 0.00	
NC0320	123.87	123.87	→ 0.00	124.13	124.13	→ 0.00	124.50	124.50	→ 0.00	125.78	125.78	→ 0.00	126.39	126.39	→ 0.00	126.47	126.47	→ 0.00	126.57	126.57	→ 0.00	
NC0330	111.11	111.11	→ 0.00	111.50	111.50	→ 0.00	112.08	112.08	→ 0.00	112.71	112.71	→ 0.00	112.97	112.97	→ 0.00	113.44	113.44	→ 0.00	115.05	115.05	→ 0.00	
NC0335	100.83	100.83	→ 0.00	101.19																		

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0355	104.82	104.82	→ 0.00	104.90	104.90	→ 0.00	104.98	104.98	→ 0.00	105.07	105.07	→ 0.00	105.13	105.13	→ 0.00	105.20	105.21	↑ 0.01	105.50	105.52	↑ 0.02	
NC0360	110.74	110.74	→ 0.00	110.82	110.82	→ 0.00	111.28	111.28	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.44	↑ 0.01	115.18	115.18	→ 0.00	
NC0369_MC	131.63	131.63	→ 0.00	131.73	131.73	→ 0.00	131.79	131.79	→ 0.00	131.86	131.86	→ 0.00	131.91	131.91	→ 0.00	131.94	131.94	→ 0.00	132.01	132.01	→ 0.00	
NC0370_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.57	115.57	→ 0.00	
NC0371_MC	114.74	114.74	→ 0.00	114.86	114.86	→ 0.00	114.99	114.99	→ 0.00	115.16	115.16	→ 0.00	115.28	115.28	→ 0.00	115.41	115.41	→ 0.00	115.70	115.70	→ 0.00	
NC0372_MC	115.34	115.34	→ 0.00	115.43	115.43	→ 0.00	115.53	115.53	→ 0.00	115.69	115.69	→ 0.00	115.81	115.81	→ 0.00	115.92	115.92	→ 0.00	116.19	116.19	→ 0.00	
NC0373_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.42	116.42	→ 0.00	116.71	116.71	→ 0.00	
NC0374_MC	135.03	135.03	→ 0.00	135.14	135.14	→ 0.00	135.24	135.24	→ 0.00	135.37	135.37	→ 0.00	135.47	135.47	→ 0.00	135.57	135.57	→ 0.00	135.80	135.80	→ 0.00	
NC0375	96.31	96.31	→ 0.00	96.33	96.33	→ 0.00	96.68	96.54	↓ -0.14	97.20	97.12	↓ -0.08	97.87	97.83	↓ -0.04	99.63	99.64	↑ 0.01	100.06	100.07	↑ 0.01	
NC0376	96.02	96.02	→ 0.00	96.32	96.25	↓ -0.07	96.68	96.54	↓ -0.14	97.20	97.12	↓ -0.08	97.87	97.83	↓ -0.04	99.63	99.64	↑ 0.01	100.06	100.07	↑ 0.01	
NC0377_MC	116.06	116.06	→ 0.00	116.17	116.17	→ 0.00	116.29	116.29	→ 0.00	116.48	116.48	→ 0.00	116.62	116.62	→ 0.00	116.76	116.76	→ 0.00	117.13	117.13	→ 0.00	
NC0378	96.61	95.88	↓ -0.73	97.18	96.73	↓ -0.45	97.82	97.58	↓ -0.24	98.74	98.63	↓ -0.11	99.41	99.36	↓ -0.05	99.65	99.64	↓ -0.01	100.06	100.06	→ 0.00	
NC0379_MC	99.07	99.07	→ 0.00	99.20	99.20	→ 0.00	99.36	99.36	→ 0.00	99.64	99.64	→ 0.00	99.90	99.90	→ 0.00	100.16	100.16	→ 0.00	100.72	100.72	→ 0.00	
NC0380	109.85	109.85	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.43	→ 0.00	115.17	115.17	→ 0.00	
NC0381_MC	#N/A	95.56	→ 0.00	#N/A	95.66	→ 0.00	#N/A	95.79	→ 0.00	#N/A	96.00	→ 0.00	#N/A	96.20	→ 0.00	#N/A	96.50	→ 0.00	#N/A	98.30	→ 0.00	
NC0382_MC	#N/A	95.51	→ 0.00	#N/A	95.62	→ 0.00	#N/A	96.24	→ 0.00	#N/A	98.50	→ 0.00	#N/A	99.08	→ 0.00	#N/A	99.43	→ 0.00	#N/A	99.83	→ 0.00	
NC0385	129.23	129.23	→ 0.00	129.51	129.51	→ 0.00	129.84	129.84	→ 0.00	130.28	130.28	→ 0.00	130.55	130.55	→ 0.00	130.78	130.78	→ 0.00	131.33	131.33	→ 0.00	
NC0390	125.97	125.97	→ 0.00	126.47	126.47	→ 0.00	127.06	127.07	↑ 0.01	127.77	127.77	→ 0.00	128.03	128.03	→ 0.00	128.22	128.22	→ 0.00	128.57	128.57	→ 0.00	
NC0391_MC	111.56	111.59	↑ 0.03	111.66	111.69	↑ 0.03	111.77	111.78	↑ 0.01	112.73	112.85	↑ 0.12	113.90	113.98	↑ 0.08	114.40	114.42	↑ 0.02	115.00	115.02	↑ 0.02	
NC0392_MC	111.17	111.20	↑ 0.03	111.26	111.29	↑ 0.03	111.35	111.37	↑ 0.02	112.32	112.43	↑ 0.11	113.45	113.53	↑ 0.08	113.92	113.94	↑ 0.02	114.45	114.47	↑ 0.02	
NC0393	124.11	124.12	↑ 0.01	124.52	124.53	↑ 0.01	125.01	125.03	↑ 0.02	125.86	125.87	↑ 0.01	126.44	126.44	→ 0.00	126.93	126.93	→ 0.00	127.72	127.72	→ 0.00	
NC0394	122.78	122.82	↑ 0.04	123.08	123.11	↑ 0.03	123.44	123.48	↑ 0.04	123.95	123.95	→ 0.00	124.29	124.29	→ 0.00	124.61	124.61	→ 0.00	125.59	125.59	→ 0.00	
NC0395_MC	122.33	122.39	↑ 0.06	122.54	122.58	↑ 0.04	122.75	122.79	↑ 0.04	123.08	123.11	↑ 0.03	123.35	123.37	↑ 0.02	123.60	123.62	↑ 0.02	124.13	124.15	↑ 0.02	
NC0396_MC	110.16	110.17	↑ 0.01	110.17	110.17	→ 0.00	110.18	110.27	↑ 0.09	111.70	111.80	↑ 0.10	112.78	112.85	↑ 0.07	113.21	113.22	↑ 0.01	113.62	113.63	↑ 0.01	
NC0397_MC	108.00	108.26	↑ 0.26	108.88	109.07	↑ 0.19	109.82	109.96	↑ 0.14	111.04	111.13	↑ 0.09	112.06	112.13	↑ 0.07	112.45	112.47	↑ 0.02	112.88	112.89	↑ 0.01	
NC0398_MC	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	115.80	115.80	→ 0.00	
NC0399	122.24	122.30	↑ 0.06	122.43	122.48	↑ 0.05	122.63	122.67	↑ 0.04	122.93	122.96	↑ 0.03	123.16	123.18	↑ 0.02	123.38	123.40	↑ 0.02	123.84	123.85	↑ 0.01	
NC0400	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.22	113.22	→ 0.00	113.56	113.57	↑ 0.01	
NC0401	107.30	107.51	↑ 0.21	108.03	108.20	↑ 0.17	108.89	109.02	↑ 0.13	110.07	110.17	↑ 0.10	111.09	111.15	↑ 0.06	111.45	111.47	↑ 0.02	111.89	111.90	↑ 0.01	
NC0403_MC	107.46	107.67	↑ 0.21	108.21	108.38	↑ 0.17	109.09	109.23	↑ 0.14	110.22	110.31	↑ 0.09	111.17	111.23	↑ 0.06	111.52	111.54	↑ 0.02	111.96	111.97	↑ 0.01	
NC0404	105.02	105.06	↑ 0.04	105.25	105.29	↑ 0.04	105.52	105.56	↑ 0.04	105.93	105.97	↑ 0.04	106.28	106.30	↑ 0.02	106.60	106.62	↑ 0.02	107.39	107.41	↑ 0.02	
NC0405_MC	104.61	104.64	↑ 0.03	104.78	104.81	↑ 0.03	104.99	105.01	↑ 0.02	105.32	105.34	↑ 0.02	105.60	105.62	↑ 0.02	105.88	105.90	↑ 0.02	106.63	106.65	↑ 0.02	
NC0406_MC	110.69	110.69	→ 0.00	110.70	110.70	→ 0.00	110.72	110.72	→ 0.00	110.73	110.73	→ 0.00	110.75	110.75	→ 0.00	110.82	110.83	↑ 0.01	110.96	110.96	→ 0.00	
NC0410	157.96	157.96	→ 0.00	158.32	158.32	→ 0.00	158.75	158.75	→ 0.00	159.40	159.40	→ 0.00	159.90	159.90	→ 0.00	160.67	160.67	→ 0.00	162.05	162.05	→ 0.00	
NC0420	149.96	149.96	→ 0.00	150.28	150.28	→ 0.00	150.64	150.64	→ 0.00	151.19	151.19	→ 0.00	151.63	151.63	→ 0.00	152.16	152.16	→ 0.00	153.51	153.51	→ 0.00	
NC0425	147.93	147.93	→ 0.00	148.44	148.44	→ 0.00	149.25	149.25	→ 0.00	149.68	149.68	→ 0.00	149.83	149.83	→ 0.00	149.97	149.97	→ 0.00	150.24	150.24	→ 0.00	
NC0428	142.61	142.61	→ 0.00	143.16	143.16	→ 0.00	143.80	143.80	→ 0.00	144.83	144.83	→ 0.00	145.02	145.02	→ 0.00	145.18	145.18	→ 0.00	145.50	145.50	→ 0.00	
NC0429	141.55	141.55	→ 0.00	141.77	141.77	→ 0.00	141.97	141.97	→ 0.00	142.32	142.32	→ 0.00	142.61	142.61	→ 0.00	142.91	142.91	→ 0.00	143.65	143.65	→ 0.00	
NC0430	129.81	129.80	↓ -0.01	131.14	131.13	↓ -0.01	132.13	132.13	→ 0.00	132.53	132.53	→ 0.00	132.69	132.69	→ 0.00	132.83	132.83	→ 0.00	133.12	133.12	→ 0.00	
NC0431	133.39	133.39	→ 0.00	133.80	133.80	→ 0.00	134.27	134.27	→ 0.00	134.77	134.77	→ 0.00	135.09	135.09	→ 0.00	135.37	135.37	→ 0.00	136.01	136.01	→ 0.00	
NC0434	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	127.70	127.70	→ 0.00	
NC0435	110.30	110.30	→ 0.00	111.31	111.31	→ 0.00	112.37	112.37	→ 0.00	113.32	113.32	→ 0.00	113.43	113.43	→ 0.00	113.51	113.51	→ 0.00	113.68	113.68	→ 0.00	
NC0438	127.01	126.99	↓ -0.02	127.26	127.25	↓ -0.01	127.51	127.51	→ 0.00	128.14	128.13	↓ -0.01	128.59	128.58	↓ -0.01	129.01	129.01	→ 0.00	130.05	130.05	→ 0.00	
NC0440	125.99	125.94	↓ -0.05	126.14	126.10	↓ -0.04	126.26	126.23	↓ -0.03	126.48	126.47	↓ -0.01	126.62	126.61	↓ -0.01	126.74	126.74	→ 0.00	127.01	127.01	→ 0.00	
NC0450	122.93	120.48	↓ -2.45	123.07	121.14	↓ -1.93	123.19	122.25	↓ -0.94	123.41	123.13	↓ -0.28	123.55	123.41	↓ -0.14	123.67	123.49	↓ -0.18	123.92	123.79	↓ -0.13	
NC0455	118.09	117.05	↓ -1.04	118.23	117.32	↓ -0.91	118.36	117.54	↓ -0.82	118.65	117.84	↓ -0.81	118.86	117.93	↓ -0.93	119.05	118.19	↓ -0.86	119.51	118.69	↓ -0.82	
NC0458	120.70	120.63	↓ -0.07	120.79	120.65	↓ -0.14	120.87	120.67	↓ -0.20	121.03	120.86	↓ -0.17	121.14	121.05	↓ -0.09	121.24	121.13	↓ -0.11	121.45	121.37	↓ -0.08	
NC0460	116.52	116.30	↓ -0.22	116.61	116.50	↓ -0.11	116.69	116.60	↓ -0.09	116.85	116.78	↓ -0.07	1									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC0485_MC	106.80	104.81	↓ -1.99	107.15	105.06	↓ -2.09	107.53	105.05	↓ -2.48	108.17	105.53	↓ -2.64	108.60	106.91	↓ -1.69	108.98	108.52	↓ -0.46	109.73	110.07	↑ 0.34	
NC0490	95.22	95.22	→ 0.00	95.42	95.42	→ 0.00	95.66	95.66	→ 0.00	96.01	96.01	→ 0.00	96.18	96.18	→ 0.00	96.25	96.25	→ 0.00	96.39	96.39	→ 0.00	
NC0500	95.02	95.02	→ 0.00	95.25	95.25	→ 0.00	95.50	95.50	→ 0.00	95.86	95.86	→ 0.00	96.10	96.10	→ 0.00	96.25	96.25	→ 0.00	96.56	96.56	→ 0.00	
NC0510	92.67	92.67	→ 0.00	92.89	92.89	→ 0.00	93.18	93.18	→ 0.00	93.64	93.64	→ 0.00	94.02	94.02	→ 0.00	94.42	94.42	→ 0.00	95.36	95.36	→ 0.00	
NC0520	89.02	89.02	→ 0.00	89.17	89.17	→ 0.00	89.34	89.34	→ 0.00	90.34	90.34	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0530	91.74	91.72	↓ -0.02	92.10	92.09	↓ -0.01	92.60	92.59	↓ -0.01	93.35	93.34	↓ -0.01	93.94	93.94	→ 0.00	94.56	94.54	↓ -0.02	96.25	96.15	↓ -0.10	
NC0535	105.85	105.85	→ 0.00	105.87	105.87	→ 0.00	105.92	105.92	→ 0.00	106.03	106.06	↑ 0.03	106.33	106.36	↑ 0.03	106.64	106.67	↑ 0.03	107.43	107.45	↑ 0.02	
NC0540	105.03	105.07	↑ 0.04	105.26	105.30	↑ 0.04	105.53	105.57	↑ 0.04	105.94	105.98	↑ 0.04	106.29	106.32	↑ 0.03	106.61	106.63	↑ 0.02	107.40	107.42	↑ 0.02	
NC0550_MC	96.27	95.46	↓ -0.81	96.51	95.92	↓ -0.59	96.81	96.39	↓ -0.42	97.22	97.10	↓ -0.12	97.49	97.48	↓ -0.01	97.73	97.69	↓ -0.04	98.18	98.02	↓ -0.16	
NC0555	98.12	98.12	→ 0.00	98.35	98.35	→ 0.00	98.61	98.61	→ 0.00	98.98	98.98	→ 0.00	99.23	99.23	→ 0.00	99.41	99.41	→ 0.00	99.44	99.44	→ 0.00	
NC0560_MC	104.15	101.69	↓ -2.46	104.29	102.30	↓ -1.99	104.41	102.66	↓ -1.75	104.57	103.57	↓ -1.00	104.67	104.24	↓ -0.43	104.79	104.54	↓ -0.25	105.02	104.80	↓ -0.22	
NC0561_MC	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.43	102.43	→ 0.00	102.56	102.48	↓ -0.08	102.64	102.51	↓ -0.13	102.71	102.56	↓ -0.15	102.86	102.73	↓ -0.13	
NC0562_MC	104.11	104.10	↓ -0.01	104.23	104.14	↓ -0.09	104.32	104.17	↓ -0.15	104.45	104.21	↓ -0.24	104.53	104.24	↓ -0.29	104.61	104.46	↓ -0.15	104.78	104.63	↓ -0.15	
NC0563_MC	105.51	105.51	→ 0.00	105.55	105.55	→ 0.00	105.59	105.59	→ 0.00	105.63	105.63	→ 0.00	105.66	105.66	→ 0.00	105.69	105.69	→ 0.00	105.75	105.75	→ 0.00	
NC0565_MC	103.25	100.60	↓ -2.65	103.58	100.87	↓ -2.71	103.89	101.27	↓ -2.62	104.30	102.21	↓ -2.09	104.53	103.27	↓ -1.26	104.68	104.11	↓ -0.57	104.93	104.68	↓ -0.25	
NC0570_MC	104.34	104.35	↑ 0.01	104.43	104.44	↑ 0.01	104.53	104.53	→ 0.00	104.65	104.66	↑ 0.01	104.75	104.75	→ 0.00	104.83	104.84	↑ 0.01	105.06	105.06	→ 0.00	
NC0571_MC	105.17	105.17	→ 0.00	105.18	105.18	→ 0.00	105.19	105.19	→ 0.00	105.21	105.21	→ 0.00	105.23	105.23	→ 0.00	105.24	105.24	→ 0.00	105.28	105.28	→ 0.00	
NC0572_MC	104.33	104.35	↑ 0.02	104.42	104.44	↑ 0.02	104.52	104.53	↑ 0.01	104.65	104.65	→ 0.00	104.74	104.74	→ 0.00	104.82	104.83	↑ 0.01	105.05	105.05	→ 0.00	
NC0580_MC	101.66	101.52	↓ -0.14	101.89	101.64	↓ -0.25	102.14	101.79	↓ -0.35	102.42	102.08	↓ -0.34	102.61	102.31	↓ -0.30	102.78	102.51	↓ -0.27	103.14	102.91	↓ -0.23	
NC0581_MC	103.09	103.11	↑ 0.02	103.32	103.32	→ 0.00	103.58	103.55	↓ -0.03	103.91	103.88	↓ -0.03	104.16	104.13	↓ -0.03	104.40	104.37	↓ -0.03	104.89	104.89	→ 0.00	
NC0582_MC	101.96	101.97	↑ 0.01	102.07	102.08	↑ 0.01	102.21	102.18	↓ -0.03	102.45	102.31	↓ -0.14	102.62	102.43	↓ -0.19	102.78	102.58	↓ -0.20	103.13	102.93	↓ -0.20	
NC0583_MC	101.67	101.60	↓ -0.07	101.89	101.66	↓ -0.23	102.14	101.80	↓ -0.34	102.43	102.08	↓ -0.35	102.61	102.32	↓ -0.29	102.78	102.51	↓ -0.27	103.14	102.91	↓ -0.23	
NC0585	101.26	100.53	↓ -0.73	101.52	100.70	↓ -0.82	101.75	100.87	↓ -0.88	102.03	101.09	↓ -0.94	102.20	101.22	↓ -0.98	102.36	101.33	↓ -1.03	102.70	101.56	↓ -1.14	
NC0586_MC	101.26	100.61	↓ -0.65	101.52	100.70	↓ -0.82	101.76	100.88	↓ -0.88	102.03	101.09	↓ -0.94	102.20	101.22	↓ -0.98	102.36	101.33	↓ -1.03	102.70	101.57	↓ -1.13	
NC0587_MC	101.54	101.10	↓ -0.44	101.81	101.33	↓ -0.48	102.07	101.60	↓ -0.47	102.37	101.97	↓ -0.40	102.56	102.22	↓ -0.34	102.73	102.43	↓ -0.30	103.09	102.84	↓ -0.25	
NC0588_MC	101.02	100.51	↓ -0.51	101.32	100.64	↓ -0.68	101.58	100.79	↓ -0.79	101.88	100.97	↓ -0.91	102.08	101.11	↓ -0.97	102.25	101.27	↓ -0.98	102.62	101.61	↓ -1.01	
NC0590_MC	100.46	97.89	↓ -2.57	100.71	98.38	↓ -2.33	100.93	98.90	↓ -2.03	101.21	99.52	↓ -1.69	101.38	99.97	↓ -1.41	101.53	100.35	↓ -1.18	101.86	100.89	↓ -0.97	
NC0594	102.51	102.51	→ 0.00	102.98	102.98	→ 0.00	103.54	103.54	→ 0.00	104.33	104.33	→ 0.00	104.92	104.92	→ 0.00	105.83	105.83	→ 0.00	106.26	106.26	→ 0.00	
NC0595_MC	106.06	106.06	→ 0.00	106.13	106.13	→ 0.00	106.19	106.19	→ 0.00	106.27	106.27	→ 0.00	106.32	106.32	→ 0.00	106.36	106.36	→ 0.00	106.45	106.45	→ 0.00	
NC0596_MC	109.60	109.60	→ 0.00	109.62	109.62	→ 0.00	109.63	109.63	→ 0.00	109.65	109.65	→ 0.00	109.66	109.66	→ 0.00	109.68	109.68	→ 0.00	109.71	109.71	→ 0.00	
NC0598_MC	100.48	100.35	↓ -0.13	100.84	100.82	↓ -0.02	100.95	100.89	↓ -0.06	101.17	100.96	↓ -0.21	101.32	101.02	↓ -0.30	101.45	101.06	↓ -0.39	101.74	101.20	↓ -0.54	
NC0599_MC	100.70	98.63	↓ -2.07	100.87	99.07	↓ -1.80	100.96	99.55	↓ -1.41	101.07	100.09	↓ -0.98	101.14	100.45	↓ -0.69	101.20	100.75	↓ -0.45	101.33	101.01	↓ -0.32	
NC0600_MC	96.20	95.45	↓ -0.75	96.43	95.91	↓ -0.52	96.73	96.38	↓ -0.35	97.13	97.08	↓ -0.05	97.40	97.44	↑ 0.04	97.63	97.65	↑ 0.02	98.06	97.96	↓ -0.10	
NC0601_MC	96.33	95.80	↓ -0.53	96.53	96.01	↓ -0.52	96.83	96.44	↓ -0.39	97.24	97.13	↓ -0.11	97.52	97.50	↓ -0.02	97.75	97.71	↓ -0.04	98.21	98.04	↓ -0.17	
NC0602_MC	96.36	95.79	↓ -0.57	96.55	96.19	↓ -0.36	96.83	96.64	↓ -0.19	97.23	97.26	↑ 0.03	97.51	97.65	↑ 0.14	97.74	97.89	↑ 0.15	98.19	98.23	↑ 0.04	
NC0603_MC	97.52	96.45	↓ -1.07	97.59	96.89	↓ -0.70	97.65	97.37	↓ -0.28	97.74	97.92	↑ 0.18	97.83	98.38	↑ 0.55	97.96	98.75	↑ 0.79	98.29	99.20	↑ 0.91	
NC0604_MC	99.92	97.36	↓ -2.56	100.09	97.85	↓ -2.24	100.21	98.35	↓ -1.86	100.36	98.88	↓ -1.48	100.44	99.29	↓ -1.15	100.52	99.66	↓ -0.86	100.68	100.11	↓ -0.57	
NC0605_MC	99.81	#N/A	→ 0.00	99.95	#N/A	→ 0.00	100.05	#N/A	→ 0.00	100.17	#N/A	→ 0.00	100.25	#N/A	→ 0.00	100.32	#N/A	→ 0.00	100.46	#N/A	→ 0.00	
NC0606_MC	97.42	#N/A	→ 0.00	97.48	#N/A	→ 0.00	97.53	#N/A	→ 0.00	97.62	#N/A	→ 0.00	97.72	#N/A	→ 0.00	97.87	#N/A	→ 0.00	98.26	#N/A	→ 0.00	
NC0607_MC	96.25	95.47	↓ -0.78	96.48	95.94	↓ -0.54	96.78	96.40	↓ -0.38	97.19	97.11	↓ -0.08	97.47	97.47	→ 0.00	97.70	97.68	↓ -0.02	98.15	98.01	↓ -0.14	
NC0610	93.82	93.82	→ 0.00	94.01	94.01	→ 0.00	94.03	94.03	→ 0.00	94.11	94.11	→ 0.00	94.18	94.18	→ 0.00	94.56	94.55	↓ -0.01	96.26	96.15	↓ -0.11	
NC0618_MC	96.12	95.35	↓ -0.77	96.34	95.82	↓ -0.52	96.62	96.29	↓ -0.33	97.00	96.98	↓ -0.02	97.25	97.31	↑ 0.06	97.45	97.49	↑ 0.04	97.84	97.76	↓ -0.08	
NC0619_MC	93.16	94.47	↑ 1.31	93.24	94.84	↑ 1.60	93.35	95.21	↑ 1.86	93.52	95.78	↑ 2.26	93.63	96.06	↑ 2.43	93.72	96.22	↑ 2.50	93.98	96.64	↑ 2.66	
NC0620_MC	92.32	92.32	→ 0.00	92.50	92.51	↑ 0.01	92.72	92.71	↓ -0.01	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.75	→ 0.00	
NC0621_MC	#N/A	94.48	→ 0.00	#N/A	94.84	→ 0.00	#N/A	95.21	→ 0.00	#N/A	95.78	→ 0.00	#N/A	96.06	→ 0.00	#N/A	96.22	→ 0.00	#N/A	96.64	→ 0.00	
NC0622_MC	#N/A	93.41	→ 0.00	#N/A	93.54	→ 0.00	#N/A	93.66	→ 0.00	#N/A	93.85	→ 0.00	#N/A	93.94	→ 0.00	#N/A	93.99	→ 0.00	#N/A	94.14	→ 0.00	
NC0650_MC	92.33	92.33	→ 0.00	92.47	92.49	↑ 0.02	92.68	92.69	↑ 0.01	93.04	93.08	↑ 0.04	93.38	93.41	↑ 0.03	93.71	93.72	↑ 0.01	94.61	94.60	↓ -0.01	
NC0651_MC	92.27	92.28	↑ 0.01	92.44	92.46	↑ 0.02	92.65	92.64	↓ -0.01	92.92	92.87	↓ -0.05	93.09	93.06	↓ -0.03	93.23	93.21	↓ -0.02	93.75	93.74	↓ -0.01	
NC0660	135.83	135.83	→ 0.00	136.28	136.28	→ 0.00	136.91	136.91	→ 0.00	137.87	137.87	→ 0.00	138.39	138.39	→ 0.00							

NODE	2.33Y/1D			5Y/1D			10Y/1D			25Y/1D			50Y/1D			100Y/1D			500Y/1D			NOTES
	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	EXST (ft, NAVD)	PROP (ft, NAVD)	DIFF (ft)	
NC0695_MC	92.32	92.33	↑ 0.01	92.50	92.51	↑ 0.01	92.73	92.71	↓ -0.02	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.74	↓ -0.01	
NC0696_MC	94.11	94.48	↑ 0.37	94.26	94.84	↑ 0.58	94.47	95.21	↑ 0.74	94.75	95.78	↑ 1.03	94.93	96.06	↑ 1.13	95.07	96.22	↑ 1.15	95.50	96.65	↑ 1.15	
NC0697_MC	92.29	92.30	↑ 0.01	92.46	92.48	↑ 0.02	92.67	92.67	→ 0.00	92.95	92.90	↓ -0.05	93.14	93.10	↓ -0.04	93.28	93.25	↓ -0.03	93.75	93.74	↓ -0.01	
NC0698_MC	92.30	92.31	↑ 0.01	92.47	92.49	↑ 0.02	92.68	92.67	↓ -0.01	92.96	92.91	↓ -0.05	93.14	93.10	↓ -0.04	93.28	93.26	↓ -0.02	93.75	93.74	↓ -0.01	
NC0699_MC	92.29	92.30	↑ 0.01	92.46	92.48	↑ 0.02	92.67	92.67	→ 0.00	92.95	92.90	↓ -0.05	93.13	93.10	↓ -0.03	93.27	93.25	↓ -0.02	93.75	93.74	↓ -0.01	
NC0700_MC	91.21	91.21	→ 0.00	91.26	91.27	↑ 0.01	91.33	91.34	↑ 0.01	91.43	91.41	↓ -0.02	91.50	91.49	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0701_MC	92.26	92.27	↑ 0.01	92.43	92.44	↑ 0.01	92.63	92.62	↓ -0.01	92.89	92.84	↓ -0.05	93.07	93.03	↓ -0.04	93.20	93.18	↓ -0.02	93.75	93.74	↓ -0.01	
NC0702_MC	92.31	92.32	↑ 0.01	92.50	92.51	↑ 0.01	92.71	92.71	→ 0.00	93.00	92.95	↓ -0.05	93.19	93.15	↓ -0.04	93.34	93.32	↓ -0.02	93.75	93.74	↓ -0.01	
NC0703_MC	92.32	92.32	→ 0.00	92.50	92.51	↑ 0.01	92.72	92.71	↓ -0.01	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.76	93.75	↓ -0.01	
NC0710	141.66	141.66	→ 0.00	141.75	141.75	→ 0.00	141.86	141.86	→ 0.00	142.04	142.04	→ 0.00	142.19	142.19	→ 0.00	142.44	142.44	→ 0.00	143.56	143.56	→ 0.00	
NC0720	88.87	88.87	→ 0.00	89.36	89.36	→ 0.00	89.89	89.89	→ 0.00	90.44	90.44	→ 0.00	91.16	91.15	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0730	152.64	152.64	→ 0.00	152.69	152.69	→ 0.00	152.78	152.78	→ 0.00	152.89	152.89	→ 0.00	152.96	152.96	→ 0.00	153.02	153.02	→ 0.00	153.11	153.11	→ 0.00	
NC0748	110.43	110.43	→ 0.00	110.49	110.49	→ 0.00	110.56	110.56	→ 0.00	110.64	110.64	→ 0.00	110.69	110.69	→ 0.00	110.74	110.74	→ 0.00	110.85	110.85	→ 0.00	
NC0780	192.68	192.68	→ 0.00	192.79	192.79	→ 0.00	192.92	192.92	→ 0.00	193.25	193.25	→ 0.00	193.70	193.70	→ 0.00	193.81	193.81	→ 0.00	194.03	194.03	→ 0.00	
NC0790	185.89	185.89	→ 0.00	185.93	185.93	→ 0.00	185.97	185.97	→ 0.00	186.08	186.08	→ 0.00	186.24	186.24	→ 0.00	186.41	186.41	→ 0.00	187.35	187.35	→ 0.00	
NC0791	183.49	183.49	→ 0.00	183.51	183.51	→ 0.00	183.53	183.53	→ 0.00	183.58	183.58	→ 0.00	183.66	183.66	→ 0.00	183.73	183.73	→ 0.00	184.03	184.03	→ 0.00	
NC0800	216.47	216.47	→ 0.00	217.04	217.04	→ 0.00	217.73	217.73	→ 0.00	217.95	217.95	→ 0.00	218.01	218.01	→ 0.00	218.06	218.06	→ 0.00	218.18	218.18	→ 0.00	
NC0815	158.52	158.52	→ 0.00	158.73	158.73	→ 0.00	159.17	159.17	→ 0.00	159.90	159.90	→ 0.00	160.51	160.51	→ 0.00	161.21	161.21	→ 0.00	163.33	163.33	→ 0.00	
NC0816	153.86	153.86	→ 0.00	153.93	153.93	→ 0.00	154.06	154.06	→ 0.00	154.26	154.26	→ 0.00	154.40	154.40	→ 0.00	154.55	154.55	→ 0.00	154.90	154.90	→ 0.00	
NC0817	139.09	139.09	→ 0.00	139.17	139.17	→ 0.00	139.33	139.33	→ 0.00	139.55	139.55	→ 0.00	139.71	139.71	→ 0.00	139.87	139.87	→ 0.00	140.24	140.24	→ 0.00	
NC0818	128.08	128.08	→ 0.00	128.16	128.16	→ 0.00	128.32	128.32	→ 0.00	128.55	128.55	→ 0.00	128.72	128.72	→ 0.00	128.90	128.90	→ 0.00	129.32	129.32	→ 0.00	
NC0820	120.79	120.79	→ 0.00	121.48	121.48	→ 0.00	122.32	122.32	→ 0.00	122.99	122.99	→ 0.00	123.15	123.15	→ 0.00	123.26	123.26	→ 0.00	123.44	123.44	→ 0.00	
NC0830	101.97	101.97	→ 0.00	101.98	101.98	→ 0.00	102.49	102.48	↓ -0.01	103.09	103.09	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0835	117.94	117.94	→ 0.00	117.97	117.97	→ 0.00	118.00	118.00	→ 0.00	118.05	118.05	→ 0.00	118.08	118.08	→ 0.00	118.12	118.12	→ 0.00	118.22	118.22	→ 0.00	
NC0840	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.08	103.08	→ 0.00	103.49	103.49	→ 0.00	103.96	103.96	→ 0.00	105.34	105.34	→ 0.00	
NC0845	114.61	114.61	→ 0.00	114.88	114.88	→ 0.00	115.14	115.14	→ 0.00	115.36	115.36	→ 0.00	115.44	115.44	→ 0.00	115.49	115.49	→ 0.00	115.60	115.60	→ 0.00	
NC0850	103.37	103.37	→ 0.00	103.44	103.44	→ 0.00	103.52	103.52	→ 0.00	103.62	103.62	→ 0.00	103.70	103.70	→ 0.00	103.93	103.93	→ 0.00	105.34	105.34	→ 0.00	
NC0855	109.96	109.96	→ 0.00	110.44	110.44	→ 0.00	111.13	111.13	→ 0.00	112.65	112.65	→ 0.00	113.71	113.71	→ 0.00	113.81	113.81	→ 0.00	113.98	113.98	→ 0.00	
NC0858	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.07	103.07	→ 0.00	103.42	103.43	↑ 0.01	103.92	103.92	→ 0.00	105.33	105.33	→ 0.00	
NC0860	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.06	103.06	→ 0.00	103.40	103.40	→ 0.00	103.88	103.88	→ 0.00	105.28	105.28	→ 0.00	
NC0862	100.73	100.73	→ 0.00	100.73	100.73	→ 0.00	102.20	102.20	→ 0.00	102.77	102.77	→ 0.00	103.14	103.14	→ 0.00	103.75	103.75	→ 0.00	105.23	105.23	→ 0.00	
NC0900	142.88	142.88	→ 0.00	143.14	143.14	→ 0.00	143.56	143.56	→ 0.00	144.45	144.45	→ 0.00	145.87	145.87	→ 0.00	147.99	147.99	→ 0.00	151.91	151.91	→ 0.00	
NC0910	102.28	102.28	→ 0.00	102.30	102.30	→ 0.00	102.33	102.33	→ 0.00	102.37	102.37	→ 0.00	102.40	102.40	→ 0.00	102.43	102.43	→ 0.00	102.49	102.49	→ 0.00	
NC0920	100.49	100.49	→ 0.00	100.71	100.71	→ 0.00	100.96	100.96	→ 0.00	101.86	101.86	→ 0.00	102.95	102.95	→ 0.00	103.70	103.70	→ 0.00	105.22	105.22	→ 0.00	
NC0921	99.90	99.90	→ 0.00	100.12	100.12	→ 0.00	100.37	100.37	→ 0.00	101.18	101.18	→ 0.00	102.17	102.17	→ 0.00	102.86	102.86	→ 0.00	104.26	104.26	→ 0.00	
NC0922	98.97	98.97	→ 0.00	99.18	99.18	→ 0.00	99.42	99.42	→ 0.00	100.11	100.11	→ 0.00	100.96	100.96	→ 0.00	101.56	101.56	→ 0.00	102.80	102.80	→ 0.00	
NC0924	96.44	96.44	→ 0.00	96.63	96.63	→ 0.00	96.84	96.84	→ 0.00	97.51	97.51	→ 0.00	98.34	98.34	→ 0.00	98.81	98.81	→ 0.00	99.89	99.89	→ 0.00	
NC0930	95.41	95.41	→ 0.00	95.79	95.79	→ 0.00	96.24	96.24	→ 0.00	96.73	96.73	→ 0.00	96.86	96.86	→ 0.00	96.99	96.99	→ 0.00	97.33	97.33	→ 0.00	
NC0935	93.92	93.92	→ 0.00	94.13	94.13	→ 0.00	94.38	94.38	→ 0.00	94.82	94.82	→ 0.00	95.17	95.17	→ 0.00	95.49	95.49	→ 0.00	96.15	96.15	→ 0.00	
NC0937	90.38	90.37	↓ -0.01	90.56	90.56	→ 0.00	90.77	90.77	→ 0.00	91.08	91.08	→ 0.00	91.63	91.63	→ 0.00	92.34	92.34	→ 0.00	94.04	94.03	↓ -0.01	
NC0940	88.95	88.95	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.39	90.38	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0950	88.75	88.75	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.38	90.38	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0960	89.58	89.58	→ 0.00	89.82	89.82	→ 0.00	90.05	90.05	→ 0.00	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC0970	124.50	124.50	→ 0.00	124.53	124.53	→ 0.00	124.56	124.56	→ 0.00	124.60	124.60	→ 0.00	124.63	124.63	→ 0.00	124.66	124.66	→ 0.00	124.74	124.74	→ 0.00	
NC0980	104.51	104.51	→ 0.00	104.58	104.58	→ 0.00	104.67	104.67	→ 0.00	104.78	104.78	→ 0.00	104.87	104.87	→ 0.00	104.95	104.95	→ 0.00	105.13	105.13	→ 0.00	
NC0981	100.58	100.58	→ 0.00	100.80	100.80	→ 0.00	101.07	101.07	→ 0.00	101.45	101.45	→ 0.00	101.73	101.73	→ 0.00	102.03	102.03	→ 0.00	102.70	102.70	→ 0.00	
NC0982	98.19	98.19	→ 0.00	98.44	98.44	→ 0.00	98.74	98.74	→ 0.00	99.15	99.15	→ 0.00	99.46	99.46	→ 0.00	99.76	99.76	→ 0.00	100.42	100.42	→ 0.00	
NC0983	94.99	94.99	→ 0.00	95.06	95.06	→ 0.00	95.14	95.14	→ 0.00	95.25	95.25	→ 0.00	95.34	95.34	→ 0.00	95.43	95.43	→ 0.00	95.64	95.64	→ 0.00	
NC0984	94.97	94.97	→ 0.00	95.04	95.04	→ 0.00	95.12	95.12	→ 0.00	95.24	95											

NODE	2.33Y/1D	2.33Y/1D	2.33Y/1D	5Y/1D	5Y/1D	5Y/1D	10Y/1D	10Y/1D	10Y/1D	25Y/1D	25Y/1D	25Y/1D	50Y/1D	50Y/1D	50Y/1D	100Y/1D	100Y/1D	100Y/1D	500Y/1D	500Y/1D	500Y/1D	NOTES
	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	
NC1030	207.36	207.36	→ 0.00	207.72	207.72	→ 0.00	207.93	207.93	→ 0.00	208.26	208.26	→ 0.00	208.50	208.50	→ 0.00	208.73	208.73	→ 0.00	209.23	209.23	→ 0.00	
NC1045	107.08	107.08	→ 0.00	107.13	107.13	→ 0.00	107.19	107.19	→ 0.00	107.27	107.27	→ 0.00	107.35	107.35	→ 0.00	107.42	107.42	→ 0.00	107.59	107.59	→ 0.00	
NC1050	105.59	105.59	→ 0.00	105.66	105.66	→ 0.00	105.73	105.73	→ 0.00	105.85	105.85	→ 0.00	105.94	105.94	→ 0.00	106.04	106.04	→ 0.00	106.24	106.24	→ 0.00	
NC1052	92.56	92.56	→ 0.00	92.64	92.64	→ 0.00	92.74	92.74	→ 0.00	92.86	92.86	→ 0.00	92.95	92.95	→ 0.00	93.01	93.02	↑ 0.01	93.75	93.74	↓ -0.01	
NC1080	83.50	83.50	→ 0.00	84.18	84.18	→ 0.00	85.27	85.27	→ 0.00	88.07	88.07	→ 0.00	90.49	90.49	→ 0.00	92.41	92.41	→ 0.00	95.33	95.33	→ 0.00	
NC1082	82.11	82.11	→ 0.00	82.71	82.71	→ 0.00	83.67	83.67	→ 0.00	85.52	85.52	→ 0.00	87.24	87.24	→ 0.00	88.75	88.75	→ 0.00	91.41	91.41	→ 0.00	
NC1090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.26	95.26	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.00	97.00	→ 0.00	
NC1100	86.69	86.69	→ 0.00	88.11	88.11	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.68	88.68	→ 0.00	88.81	88.81	→ 0.00	
NC1105	92.46	92.46	→ 0.00	92.74	92.74	→ 0.00	92.82	92.82	→ 0.00	92.96	92.96	→ 0.00	93.03	93.03	→ 0.00	93.09	93.09	→ 0.00	93.20	93.20	→ 0.00	
NC1110	94.09	94.09	→ 0.00	94.31	94.31	→ 0.00	94.53	94.53	→ 0.00	94.80	94.80	→ 0.00	94.93	94.93	→ 0.00	95.04	95.04	→ 0.00	95.21	95.21	→ 0.00	
NC1120	86.39	86.39	→ 0.00	86.75	86.75	→ 0.00	87.21	87.21	→ 0.00	87.94	87.94	→ 0.00	88.50	88.50	→ 0.00	88.53	88.53	→ 0.00	88.70	88.70	→ 0.00	
NC1130	86.84	86.84	→ 0.00	86.89	86.89	→ 0.00	86.95	86.95	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.43	87.43	→ 0.00	87.78	87.78	→ 0.00	
NC1140	89.76	89.76	→ 0.00	89.81	89.81	→ 0.00	89.86	89.86	→ 0.00	89.93	89.93	→ 0.00	89.98	89.98	→ 0.00	90.03	90.03	→ 0.00	90.14	90.14	→ 0.00	
NC1153	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1155	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1160	86.14	86.14	→ 0.00	86.51	86.51	→ 0.00	86.95	86.95	→ 0.00	87.22	87.22	→ 0.00	87.47	87.47	→ 0.00	87.74	87.74	→ 0.00	88.36	88.36	→ 0.00	
NC1170	85.91	85.91	→ 0.00	86.51	86.51	→ 0.00	86.92	86.92	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.42	87.42	→ 0.00	87.77	87.77	→ 0.00	
NC1180	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.94	84.94	→ 0.00	85.12	85.12	→ 0.00	86.09	86.09	→ 0.00	
NC1210	111.53	111.53	→ 0.00	111.61	111.61	→ 0.00	111.70	111.70	→ 0.00	111.84	111.84	→ 0.00	111.95	111.95	→ 0.00	112.05	112.05	→ 0.00	112.26	112.26	→ 0.00	
NC1212	88.78	88.78	→ 0.00	89.29	89.29	→ 0.00	89.84	89.83	↓ -0.01	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC1215	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.37	↓ -0.01	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC1216	145.25	145.25	→ 0.00	145.65	145.65	→ 0.00	145.90	145.90	→ 0.00	146.23	146.23	→ 0.00	146.49	146.49	→ 0.00	146.76	146.76	→ 0.00	147.29	147.29	→ 0.00	
NC1217	137.71	137.71	→ 0.00	138.03	138.03	→ 0.00	138.48	138.48	→ 0.00	139.00	139.00	→ 0.00	139.41	139.41	→ 0.00	139.84	139.84	→ 0.00	140.71	140.71	→ 0.00	
NC1218	88.73	88.73	→ 0.00	89.23	89.23	→ 0.00	89.77	89.77	→ 0.00	90.35	90.35	→ 0.00	91.08	91.07	↓ -0.01	91.83	91.82	↓ -0.01	93.58	93.57	↓ -0.01	
NC1219	107.34	107.34	→ 0.00	107.65	107.65	→ 0.00	108.25	108.25	→ 0.00	108.93	108.93	→ 0.00	109.54	109.54	→ 0.00	110.07	110.07	→ 0.00	111.19	111.19	→ 0.00	
NC1220	88.57	88.57	→ 0.00	89.05	89.05	→ 0.00	89.59	89.59	→ 0.00	90.24	90.24	→ 0.00	90.80	90.79	↓ -0.01	91.50	91.50	→ 0.00	93.26	93.25	↓ -0.01	
NC1221	88.40	88.40	→ 0.00	88.85	88.85	→ 0.00	89.33	89.33	→ 0.00	90.00	90.00	→ 0.00	90.47	90.47	→ 0.00	91.12	91.12	→ 0.00	92.87	92.87	→ 0.00	
NC1380	87.64	87.64	→ 0.00	87.70	87.70	→ 0.00	87.77	87.77	→ 0.00	87.87	87.87	→ 0.00	87.94	87.94	→ 0.00	88.01	88.01	→ 0.00	88.16	88.16	→ 0.00	
NC1390	92.38	92.38	→ 0.00	92.43	92.43	→ 0.00	92.49	92.49	→ 0.00	92.56	92.56	→ 0.00	92.59	92.59	→ 0.00	92.63	92.63	→ 0.00	92.72	92.72	→ 0.00	
NC1400	83.88	83.88	→ 0.00	84.44	84.44	→ 0.00	85.20	85.20	→ 0.00	86.32	86.32	→ 0.00	87.04	87.04	→ 0.00	87.72	87.72	→ 0.00	89.12	89.12	→ 0.00	
NC1405	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.06	86.06	→ 0.00	
NC1410	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.95	83.95	→ 0.00	84.60	84.60	→ 0.00	85.02	85.02	→ 0.00	86.06	86.06	→ 0.00	
NC1420	81.98	81.98	→ 0.00	82.06	82.06	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.07	86.07	→ 0.00	
NC1440	57.28	57.28	→ 0.00	57.79	57.79	→ 0.00	58.40	58.40	→ 0.00	63.64	63.64	→ 0.00	71.34	71.34	→ 0.00	78.26	78.26	→ 0.00	85.56	85.56	→ 0.00	
NC1500	97.83	97.83	→ 0.00	98.11	98.11	→ 0.00	98.44	98.44	→ 0.00	98.71	98.71	→ 0.00	98.81	98.81	→ 0.00	98.98	98.98	→ 0.00	99.36	99.36	→ 0.00	
NC1600	134.13	134.13	→ 0.00	134.18	134.18	→ 0.00	134.23	134.23	→ 0.00	134.30	134.30	→ 0.00	134.33	134.33	→ 0.00	134.36	134.36	→ 0.00	134.40	134.40	→ 0.00	
NC1610	131.42	131.42	→ 0.00	131.43	131.43	→ 0.00	131.45	131.45	→ 0.00	131.48	131.48	→ 0.00	131.51	131.51	→ 0.00	131.53	131.53	→ 0.00	131.58	131.58	→ 0.00	
NC1620	130.92	130.92	→ 0.00	130.97	130.97	→ 0.00	131.02	131.02	→ 0.00	131.10	131.10	→ 0.00	131.16	131.16	→ 0.00	131.22	131.22	→ 0.00	131.37	131.37	→ 0.00	
NC1630	127.56	127.56	→ 0.00	127.59	127.59	→ 0.00	127.62	127.62	→ 0.00	127.66	127.66	→ 0.00	127.70	127.70	→ 0.00	127.73	127.73	→ 0.00	127.81	127.81	→ 0.00	
NC1640	146.52	146.52	→ 0.00	146.68	146.68	→ 0.00	146.87	146.87	→ 0.00	147.09	147.09	→ 0.00	147.15	147.15	→ 0.00	147.20	147.20	→ 0.00	147.27	147.27	→ 0.00	
NC1650	126.38	126.38	→ 0.00	126.41	126.41	→ 0.00	126.45	126.45	→ 0.00	126.50	126.50	→ 0.00	126.54	126.54	→ 0.00	126.58	126.58	→ 0.00	126.68	126.68	→ 0.00	
NC1700	115.77	115.77	→ 0.00	115.80	115.80	→ 0.00	115.83	115.83	→ 0.00	115.88	115.88	→ 0.00	115.92	115.92	→ 0.00	115.96	115.96	→ 0.00	116.05	116.05	→ 0.00	
NC1701_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.19	115.19	→ 0.00	115.30	115.30	→ 0.00	115.58	115.58	→ 0.00	
NC1702_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.43	116.43	→ 0.00	116.71	116.71	→ 0.00	
NC1703_MC	116.63	116.63	→ 0.00	116.74	116.74	→ 0.00	116.87	116.87	→ 0.00	117.08	117.08	→ 0.00	117.27	117.27	→ 0.00	117.46	117.46	→ 0.00	117.76	117.76	→ 0.00	
NC1704_MC	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	
NC1705_MC	125.38	125.38	→ 0.00	125.41	125.41	→ 0.00	125.45	125.45	→ 0.00	125.51	125.51	→ 0.00	125.55	125.55	→ 0.00	125.64	125.64	→ 0.00	126.33	126.33	→ 0.00	
NC1706_MC	129.34	129.34	→ 0.00	129.36	129.36	→ 0.00	129.39	129.39	→ 0.00	129.44	129.44	→ 0.00	129.48	129.48	→ 0.00	129.52	129.52	→ 0.00	129.75	129.75	→ 0.00	
NC1707_MC	128.53	128.53	→ 0.00	128.58	128.58	→ 0.00	128.62															

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES			
NC1711_MC	120.50	120.50	→	0.00	120.91	120.91	→	0.00	121.36	121.36	→	0.00	121.82	121.82	→	0.00	122.15	122.15	→	0.00	122.32	122.32	→	0.00	
NC1712_MC	126.26	126.26	→	0.00	126.58	126.58	→	0.00	126.92	126.92	→	0.00	127.26	127.26	→	0.00	127.53	127.53	→	0.00	127.62	127.62	→	0.00	
NC1713_MC	118.13	118.13	→	0.00	118.15	118.15	→	0.00	118.19	118.19	→	0.00	118.24	118.24	→	0.00	118.31	118.31	→	0.00	118.41	118.41	→	0.00	
NC1714_MC	115.92	115.92	→	0.00	116.04	116.04	→	0.00	116.35	116.35	→	0.00	116.78	116.78	→	0.00	117.24	117.24	→	0.00	117.71	117.71	→	0.00	
NC1800	99.54	99.54	→	0.00	99.71	99.71	→	0.00	99.92	99.92	→	0.00	100.20	100.20	→	0.00	100.25	100.25	→	0.00	100.27	100.27	→	0.00	
NC1900	146.95	146.95	→	0.00	147.09	147.09	→	0.00	147.18	147.18	→	0.00	147.30	147.30	→	0.00	147.38	147.38	→	0.00	147.45	147.45	→	0.00	
NC1910	125.89	125.89	→	0.00	125.95	125.95	→	0.00	126.00	126.00	→	0.00	126.05	126.05	→	0.00	126.16	126.16	→	0.00	126.28	126.28	→	0.00	
NC1920	137.03	137.03	→	0.00	137.46	137.46	→	0.00	138.16	138.16	→	0.00	139.33	139.33	→	0.00	139.85	139.85	→	0.00	140.13	140.13	→	0.00	
NC2000	84.30	84.30	→	0.00	84.36	84.36	→	0.00	84.48	84.48	→	0.00	84.78	84.78	→	0.00	84.95	84.95	→	0.00	85.12	85.12	→	0.00	
NC2010	86.79	86.79	→	0.00	87.00	87.00	→	0.00	87.24	87.24	→	0.00	87.63	87.63	→	0.00	87.95	87.95	→	0.00	88.30	88.30	→	0.00	
NC2020	83.39	83.39	→	0.00	83.75	83.75	→	0.00	84.49	84.49	→	0.00	84.78	84.78	→	0.00	84.95	84.95	→	0.00	85.13	85.13	→	0.00	
NC2030	84.94	84.94	→	0.00	85.00	85.00	→	0.00	85.06	85.06	→	0.00	85.15	85.15	→	0.00	85.22	85.22	→	0.00	85.29	85.29	→	0.00	
NC2100	108.92	108.92	→	0.00	109.02	109.03	↑	0.01	109.16	109.16	→	0.00	109.30	109.30	→	0.00	109.39	109.39	→	0.00	109.45	109.45	→	0.00	
NC2110	108.91	108.91	→	0.00	109.02	109.02	→	0.00	109.15	109.15	→	0.00	109.28	109.28	→	0.00	109.36	109.36	→	0.00	109.41	109.41	→	0.00	
NC2200	114.77	114.77	→	0.00	114.89	114.89	→	0.00	115.01	115.01	→	0.00	115.18	115.18	→	0.00	115.30	115.30	→	0.00	115.42	115.42	→	0.00	
NC2210	115.63	115.63	→	0.00	115.70	115.70	→	0.00	115.77	115.77	→	0.00	115.85	115.85	→	0.00	115.91	115.91	→	0.00	115.96	115.96	→	0.00	
NC2220	140.35	140.35	→	0.00	140.39	140.39	→	0.00	140.45	140.45	→	0.00	140.52	140.52	→	0.00	140.58	140.58	→	0.00	140.64	140.64	→	0.00	
NC2230	122.44	122.44	→	0.00	122.47	122.47	→	0.00	122.50	122.50	→	0.00	122.54	122.54	→	0.00	122.57	122.57	→	0.00	122.61	122.61	→	0.00	
NC2240	121.46	121.46	→	0.00	121.50	121.50	→	0.00	121.54	121.54	→	0.00	121.60	121.60	→	0.00	121.64	121.64	→	0.00	121.69	121.69	→	0.00	
NC2250	110.17	110.17	→	0.00	110.68	110.68	→	0.00	111.27	111.27	→	0.00	112.10	112.10	→	0.00	112.75	112.75	→	0.00	113.43	113.43	→	0.00	
NC2260	107.81	107.81	→	0.00	107.86	107.86	→	0.00	107.91	107.91	→	0.00	107.96	107.96	→	0.00	107.99	107.99	→	0.00	108.02	108.02	→	0.00	
NC2300	125.68	125.68	→	0.00	126.17	126.17	→	0.00	126.77	126.77	→	0.00	127.65	127.65	→	0.00	128.17	128.17	→	0.00	128.23	128.23	→	0.00	
NC2310	124.10	124.10	→	0.00	124.12	124.12	→	0.00	124.14	124.14	→	0.00	124.17	124.17	→	0.00	124.19	124.19	→	0.00	124.21	124.21	→	0.00	
NC2400	137.48	137.48	→	0.00	137.51	137.51	→	0.00	137.54	137.54	→	0.00	137.58	137.58	→	0.00	137.61	137.61	→	0.00	137.63	137.63	→	0.00	
NC2500	127.16	127.16	→	0.00	127.22	127.22	→	0.00	127.28	127.28	→	0.00	127.35	127.35	→	0.00	127.41	127.41	→	0.00	127.46	127.46	→	0.00	
NC2510	125.92	125.80	↓	-0.12	126.08	125.99	↓	-0.09	126.20	126.14	↓	-0.06	126.42	126.38	↓	-0.04	126.55	126.52	↓	-0.03	126.65	126.63	↓	-0.02	
NC2600	93.67	93.67	→	0.00	93.71	93.71	→	0.00	93.77	93.77	→	0.00	93.85	93.85	→	0.00	93.91	93.91	→	0.00	93.95	93.95	→	0.00	
NC2610	82.32	82.32	→	0.00	83.00	83.00	→	0.00	83.78	83.78	→	0.00	84.92	84.92	→	0.00	85.86	85.86	→	0.00	86.81	86.81	→	0.00	
NC2700_MC	100.98	98.41	↓	-2.57	101.26	98.90	↓	-2.36	101.51	99.43	↓	-2.08	101.81	100.09	↓	-1.72	101.99	100.52	↓	-1.47	102.16	100.86	↓	-1.30	
NC2701_MC	100.99	100.96	↓	-0.03	101.28	101.02	↓	-0.26	101.53	101.07	↓	-0.46	101.83	101.14	↓	-0.69	102.03	101.18	↓	-0.85	102.20	101.35	↓	-0.85	
NC2702_MC	100.72	98.45	↓	-2.27	100.90	98.92	↓	-1.98	101.00	99.45	↓	-1.55	101.12	100.09	↓	-1.03	101.20	100.46	↓	-0.74	101.27	100.76	↓	-0.51	
NC2710_MC	100.97	98.17	↓	-2.80	101.26	98.67	↓	-2.59	101.51	99.20	↓	-2.31	101.80	99.85	↓	-1.95	101.99	100.30	↓	-1.69	102.15	100.69	↓	-1.46	
NC2711_MC	100.97	99.06	↓	-1.91	101.26	99.14	↓	-2.12	101.51	99.23	↓	-2.28	101.81	99.86	↓	-1.95	102.00	100.31	↓	-1.69	102.17	100.70	↓	-1.47	
NC2712_MC	101.00	100.43	↓	-0.57	101.30	100.58	↓	-0.72	101.55	100.72	↓	-0.83	101.84	100.90	↓	-0.94	102.03	101.04	↓	-0.99	102.19	101.20	↓	-0.99	
NC2713_MC	101.21	98.31	↓	-2.90	101.48	98.79	↓	-2.69	101.73	99.31	↓	-2.42	102.00	99.95	↓	-2.05	102.18	100.40	↓	-1.78	102.34	100.78	↓	-1.56	
NC2800	88.10	88.10	→	0.00	88.17	88.17	→	0.00	88.31	88.31	→	0.00	88.49	88.49	→	0.00	88.60	88.60	→	0.00	88.67	88.67	→	0.00	
NC2810	91.76	91.76	→	0.00	92.11	92.11	→	0.00	92.34	92.34	→	0.00	92.38	92.38	→	0.00	92.42	92.42	→	0.00	92.46	92.46	→	0.00	
NC2820	92.79	92.79	→	0.00	92.84	92.84	→	0.00	92.91	92.91	→	0.00	92.99	92.99	→	0.00	93.06	93.06	→	0.00	93.13	93.13	→	0.00	
NC2830	93.70	93.70	→	0.00	93.77	93.77	→	0.00	93.84	93.84	→	0.00	93.94	93.94	→	0.00	94.01	94.01	→	0.00	94.07	94.07	→	0.00	
NC2900	88.74	88.74	→	0.00	89.25	89.25	→	0.00	89.80	89.80	→	0.00	90.38	90.38	→	0.00	91.14	91.14	→	0.00	91.91	91.91	→	0.00	
NC2910	94.25	94.25	→	0.00	94.61	94.61	→	0.00	94.74	94.74	→	0.00	95.03	95.03	→	0.00	95.32	95.32	→	0.00	95.61	95.61	→	0.00	
NC2950	91.40	91.40	→	0.00	91.60	91.60	→	0.00	91.85	91.85	→	0.00	92.25	92.25	→	0.00	92.58	92.58	→	0.00	92.94	92.94	→	0.00	
NC2960	86.59	86.59	→	0.00	86.66	86.66	→	0.00	86.95	86.95	→	0.00	87.23	87.23	→	0.00	87.47	87.47	→	0.00	87.75	87.75	→	0.00	
NC3100_MC	92.27	92.28	↑	0.01	92.44	92.45	↑	0.01	92.64	92.63	↓	-0.01	92.91	92.86	↓	-0.05	93.08	93.04	↓	-0.04	93.21	93.19	↓	-0.02	
NC3110	88.97	88.97	→	0.00	89.06	89.06	→	0.00	89.31	89.30	↓	-0.01	90.35	90.34	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	
NC3120	88.97	88.97	→	0.00	89.06	89.06	→	0.00	89.31	89.30	↓	-0.01	90.35	90.34	↓	-0.01	91.15	91.14	↓	-0.01	91.92	91.91	↓	-0.01	
NC3130	93.56	93.56	→	0.00	94.52	94.52	→	0.00	95.27	95.27	→	0.00	95.74	95.74	→	0.00	96.05	96.05	→	0.00	96.37	96.37	→	0.00	
NC3200	97.66	97.66	→	0.00	97.84	97.76	↓	-0.08	98.07	97.85	↓	-0.22	98.29	97.95	↓	-0.34	98.41	98.02	↓	-0.39	98.52	98.09	↓	-0.43	
NC3300	138.17	138.17	→	0.00	138.23	138.23	→	0.00	138.32	138.32	→	0.00	138.44	138.44	→	0.00	138.52	138.52	→	0.00	138.61	138.61	→	0.00	
NC3310	135.80	135.80	→	0.00	136.05	136.05	→	0.00	136.18	136.18	→	0.00	136.24	136.24	→	0.00	136.27	136.27	→	0.00	136.29	136.29	→	0.00	

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G11. Results Tables – BMP 11, 2AB, 3, 4, 8, & 10

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
GWSINK	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	0.00	0.00	→ 0.00	
NC0000	192.48	192.48	→ 0.00	192.87	192.87	→ 0.00	193.32	193.32	→ 0.00	193.99	193.99	→ 0.00	194.50	194.50	→ 0.00	195.02	195.02	→ 0.00	195.05	195.05	→ 0.00	
NC0001	149.57	149.57	→ 0.00	149.69	149.69	→ 0.00	149.81	149.81	→ 0.00	150.06	150.06	→ 0.00	150.20	150.20	→ 0.00	150.31	150.31	→ 0.00	150.51	150.51	→ 0.00	
NC0005	145.57	145.57	→ 0.00	145.59	145.59	→ 0.00	145.61	145.61	→ 0.00	145.67	145.67	→ 0.00	145.72	145.72	→ 0.00	145.76	145.76	→ 0.00	145.86	145.86	→ 0.00	
NC0010	134.89	134.89	→ 0.00	135.80	135.80	→ 0.00	136.81	136.81	→ 0.00	138.29	138.29	→ 0.00	139.39	139.39	→ 0.00	140.36	140.36	→ 0.00	140.88	140.88	→ 0.00	
NC0020	134.64	134.64	→ 0.00	135.47	135.47	→ 0.00	136.23	136.23	→ 0.00	137.32	137.32	→ 0.00	138.13	138.13	→ 0.00	138.87	138.87	→ 0.00	139.68	139.68	→ 0.00	
NC0023	132.21	132.21	→ 0.00	132.39	132.39	→ 0.00	132.60	132.60	→ 0.00	132.90	132.90	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.94	133.94	→ 0.00	
NC0026	119.75	119.75	→ 0.00	120.21	120.21	→ 0.00	120.80	120.80	→ 0.00	121.69	121.69	→ 0.00	122.39	122.39	→ 0.00	123.05	123.05	→ 0.00	125.26	125.26	→ 0.00	
NC0028	118.83	118.83	→ 0.00	119.00	119.00	→ 0.00	119.21	119.21	→ 0.00	119.52	119.52	→ 0.00	119.77	119.77	→ 0.00	120.01	120.01	→ 0.00	120.89	120.89	→ 0.00	
NC0029	112.24	112.24	→ 0.00	112.67	112.67	→ 0.00	113.23	113.23	→ 0.00	114.05	114.05	→ 0.00	114.33	114.33	→ 0.00	114.54	114.54	→ 0.00	115.17	115.17	→ 0.00	
NC0030	110.29	110.29	→ 0.00	111.30	111.30	→ 0.00	112.37	112.37	→ 0.00	113.31	113.31	→ 0.00	113.43	113.43	→ 0.00	113.51	113.51	→ 0.00	113.67	113.67	→ 0.00	
NC0032	106.72	106.72	→ 0.00	106.84	106.84	→ 0.00	106.93	106.93	→ 0.00	107.23	107.23	→ 0.00	107.42	107.42	→ 0.00	107.55	107.55	→ 0.00	107.85	107.85	→ 0.00	
NC0040	97.79	97.79	→ 0.00	97.83	97.83	→ 0.00	97.87	97.87	→ 0.00	97.94	97.94	→ 0.00	97.99	97.99	→ 0.00	98.03	98.03	→ 0.00	98.15	98.15	→ 0.00	
NC0050	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.50	102.50	→ 0.00	102.76	102.76	→ 0.00	102.96	102.96	→ 0.00	103.16	103.16	→ 0.00	103.45	103.45	→ 0.00	
NC0055	96.74	96.74	→ 0.00	97.28	97.28	→ 0.00	97.86	97.86	→ 0.00	98.68	98.68	→ 0.00	98.81	98.81	→ 0.00	99.05	99.05	→ 0.00	99.48	99.48	→ 0.00	
NC0060	98.15	98.15	→ 0.00	98.25	98.25	→ 0.00	98.35	98.35	→ 0.00	98.49	98.49	→ 0.00	98.63	98.63	→ 0.00	98.74	98.74	→ 0.00	99.17	99.17	→ 0.00	
NC0065	95.62	95.62	→ 0.00	95.94	95.94	→ 0.00	96.28	96.28	→ 0.00	96.74	96.74	→ 0.00	97.13	97.13	→ 0.00	97.48	97.48	→ 0.00	98.87	98.87	→ 0.00	
NC0067	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.42	96.42	→ 0.00	97.23	97.23	→ 0.00	
NC0070	98.88	98.88	→ 0.00	99.10	99.10	→ 0.00	99.33	99.33	→ 0.00	99.63	99.63	→ 0.00	99.69	99.69	→ 0.00	99.73	99.73	→ 0.00	99.79	99.79	→ 0.00	
NC0080	98.38	98.38	→ 0.00	98.50	98.50	→ 0.00	98.61	98.61	→ 0.00	98.77	98.77	→ 0.00	98.92	98.92	→ 0.00	99.04	99.04	→ 0.00	99.47	99.47	→ 0.00	
NC0090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.75	95.75	→ 0.00	96.07	96.07	→ 0.00	96.41	96.41	→ 0.00	97.17	97.17	→ 0.00	
NC0092	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.06	96.06	→ 0.00	96.38	96.38	→ 0.00	97.02	97.02	→ 0.00	
NC0100	188.12	188.12	→ 0.00	188.47	188.47	→ 0.00	188.84	188.84	→ 0.00	189.34	189.34	→ 0.00	189.74	189.74	→ 0.00	190.16	190.16	→ 0.00	191.20	191.20	→ 0.00	
NC0101	186.71	186.71	→ 0.00	186.77	186.77	→ 0.00	186.84	186.84	→ 0.00	186.92	186.92	→ 0.00	186.97	186.97	→ 0.00	187.03	187.03	→ 0.00	187.14	187.14	→ 0.00	
NC0103	157.31	157.31	→ 0.00	157.39	157.39	→ 0.00	157.48	157.48	→ 0.00	157.59	157.59	→ 0.00	157.66	157.66	→ 0.00	157.73	157.73	→ 0.00	157.86	157.86	→ 0.00	
NC0105	140.34	140.34	→ 0.00	140.40	140.40	→ 0.00	140.47	140.47	→ 0.00	140.56	140.56	→ 0.00	140.63	140.63	→ 0.00	140.70	140.70	→ 0.00	140.87	140.87	→ 0.00	
NC0107	120.91	120.91	→ 0.00	121.00	121.00	→ 0.00	121.10	121.10	→ 0.00	121.23	121.23	→ 0.00	121.34	121.34	→ 0.00	121.44	121.44	→ 0.00	121.68	121.68	→ 0.00	
NC0109	110.46	110.46	→ 0.00	110.53	110.53	→ 0.00	110.61	110.61	→ 0.00	110.72	110.72	→ 0.00	110.81	110.81	→ 0.00	110.90	110.90	→ 0.00	111.12	111.12	→ 0.00	
NC0110	95.82	95.82	→ 0.00	96.49	96.49	→ 0.00	96.98	96.98	→ 0.00	97.50	97.50	→ 0.00	97.93	97.93	→ 0.00	98.46	98.46	→ 0.00	99.09	99.09	→ 0.00	
NC0120	108.49	108.49	→ 0.00	108.64	108.64	→ 0.00	108.81	108.81	→ 0.00	109.04	109.04	→ 0.00	109.20	109.20	→ 0.00	109.34	109.34	→ 0.00	109.62	109.62	→ 0.00	
NC0130	113.39	113.39	→ 0.00	113.56	113.56	→ 0.00	113.79	113.80	↑ 0.01	114.35	114.35	→ 0.00	114.80	114.80	→ 0.00	115.20	115.20	→ 0.00	120.92	120.92	→ 0.00	
NC0140	117.49	117.49	→ 0.00	117.58	117.58	→ 0.00	117.67	117.67	→ 0.00	117.78	117.78	→ 0.00	117.84	117.84	→ 0.00	117.91	117.91	→ 0.00	118.05	118.05	→ 0.00	
NC0146	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0150	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0160	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0165	101.52	101.52	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0170	111.44	111.44	→ 0.00	111.60	111.60	→ 0.00	111.79	111.79	→ 0.00	112.10	112.10	→ 0.00	112.35	112.35	→ 0.00	112.62	112.62	→ 0.00	113.21	113.21	→ 0.00	
NC0180	101.53	101.53	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.98	103.98	→ 0.00	105.35	105.35	→ 0.00	
NC0190	110.63	110.63	→ 0.00	110.71	110.71	→ 0.00	110.80	110.80	→ 0.00	110.93	110.93	→ 0.00	111.02	111.02	→ 0.00	111.11	111.11	→ 0.00	111.28	111.28	→ 0.00	
NC0210	167.20	167.20	→ 0.00	167.23	167.23	→ 0.00	167.27	167.27	→ 0.00	167.33	167.33	→ 0.00	167.38	167.38	→ 0.00	167.44	167.44	→ 0.00	167.56	167.56	→ 0.00	
NC0220	114.62	114.62	→ 0.00	114.65	114.65	→ 0.00	114.68	114.68	→ 0.00	114.73	114.73	→ 0.00	114.77	114.77	→ 0.00	114.81	114.81	→ 0.00	114.91	114.91	→ 0.00	
NC0240	102.34	102.34	→ 0.00	102.37	102.37	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0250	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0255	101.38	101.38	→ 0.00	101.93	101.93	→ 0.00	102.49	102.49	→ 0.00	103.10	103.10	→ 0.00	103.51	103.51	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0265	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.10	103.10	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0315	132.97	132.97	→ 0.00	133.02	133.02	→ 0.00	133.09	133.09	→ 0.00	133.19	133.19	→ 0.00	133.26	133.26	→ 0.00	133.32	133.32	→ 0.00	133.48	133.48	→ 0.00	
NC0320	123.87	123.87	→ 0.00	124.13	124.13	→ 0.00	124.50	124.50	→ 0.00	125.78	125.78	→ 0.00	126.39	126.39	→ 0.00	126.47	126.47	→ 0.00	126.57	126.57	→ 0.00	
NC0330	111.11	111.11	→ 0.00	111.50	111.50	→ 0.00	112.08	112.08	→ 0.00	112.71	112.71	→ 0.00	112.97	112.97	→ 0.00	113.44	113.44	→ 0.00	115.0			

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC0355	104.82	104.82	→	0.00	104.90	104.90	→	0.00	104.98	104.98	→	0.00	105.07	105.07	→	0.00	105.13	105.13	→	0.00	105.20	105.21	↑	0.01	105.50	105.52	↑	0.02	
NC0360	110.74	110.74	→	0.00	110.82	110.82	→	0.00	111.28	111.28	→	0.00	112.10	112.10	→	0.00	112.75	112.75	→	0.00	113.43	113.44	↑	0.01	115.18	115.18	→	0.00	
NC0369_MC	131.63	131.63	→	0.00	131.73	131.73	→	0.00	131.79	131.79	→	0.00	131.86	131.86	→	0.00	131.91	131.91	→	0.00	131.94	131.94	→	0.00	132.01	132.01	→	0.00	
NC0370_MC	114.68	114.68	→	0.00	114.79	114.79	→	0.00	114.91	114.91	→	0.00	115.07	115.07	→	0.00	115.18	115.18	→	0.00	115.30	115.30	→	0.00	115.57	115.57	→	0.00	
NC0371_MC	114.74	114.74	→	0.00	114.86	114.86	→	0.00	114.99	114.99	→	0.00	115.16	115.16	→	0.00	115.28	115.28	→	0.00	115.41	115.41	→	0.00	115.70	115.70	→	0.00	
NC0372_MC	115.34	115.34	→	0.00	115.43	115.43	→	0.00	115.53	115.53	→	0.00	115.69	115.69	→	0.00	115.81	115.81	→	0.00	115.92	115.92	→	0.00	116.19	116.19	→	0.00	
NC0373_MC	115.88	115.88	→	0.00	115.96	115.96	→	0.00	116.06	116.06	→	0.00	116.21	116.21	→	0.00	116.32	116.32	→	0.00	116.42	116.42	→	0.00	116.71	116.71	→	0.00	
NC0374_MC	135.03	135.03	→	0.00	135.14	135.14	→	0.00	135.24	135.24	→	0.00	135.37	135.37	→	0.00	135.47	135.47	→	0.00	135.57	135.57	→	0.00	135.80	135.80	→	0.00	
NC0375	96.31	96.31	→	0.00	96.33	96.33	→	0.00	96.68	96.54	↓	-0.14	97.20	97.12	↓	-0.08	97.87	97.83	↓	-0.04	99.63	99.64	↑	0.01	100.06	100.07	↑	0.01	
NC0376	96.02	96.02	→	0.00	96.32	96.24	↓	-0.08	96.68	96.54	↓	-0.14	97.20	97.12	↓	-0.08	97.87	97.83	↓	-0.04	99.63	99.64	↑	0.01	100.06	100.07	↑	0.01	
NC0377_MC	116.06	116.06	→	0.00	116.17	116.17	→	0.00	116.29	116.29	→	0.00	116.48	116.48	→	0.00	116.62	116.62	→	0.00	116.76	116.76	→	0.00	117.13	117.13	→	0.00	
NC0378	96.61	95.86	↓	-0.75	97.18	96.72	↓	-0.46	97.82	97.57	↓	-0.25	98.74	98.62	↓	-0.12	99.41	99.36	↓	-0.05	99.65	99.64	↓	-0.01	100.06	100.06	→	0.00	
NC0379_MC	99.07	99.07	→	0.00	99.20	99.20	→	0.00	99.36	99.36	→	0.00	99.64	99.64	→	0.00	99.90	99.90	→	0.00	100.16	100.16	→	0.00	100.72	100.72	→	0.00	
NC0380	109.85	109.85	→	0.00	110.68	110.68	→	0.00	111.27	111.27	→	0.00	112.10	112.10	→	0.00	112.75	112.75	→	0.00	113.43	113.43	→	0.00	115.17	115.17	→	0.00	
NC0381_MC	#N/A	95.56	→	0.00	#N/A	95.66	→	0.00	#N/A	95.79	→	0.00	#N/A	96.00	→	0.00	#N/A	96.20	→	0.00	#N/A	96.48	→	0.00	#N/A	98.26	→	0.00	
NC0382_MC	#N/A	95.87	→	0.00	#N/A	96.10	→	0.00	#N/A	96.75	→	0.00	#N/A	98.59	→	0.00	#N/A	99.13	→	0.00	#N/A	99.49	→	0.00	#N/A	99.90	→	0.00	
NC0383_MC	#N/A	97.50	→	0.00	#N/A	97.83	→	0.00	#N/A	97.87	→	0.00	#N/A	98.69	→	0.00	#N/A	99.63	→	0.00	#N/A	100.87	→	0.00	#N/A	101.52	→	0.00	
NC0385	129.23	129.23	→	0.00	129.51	129.51	→	0.00	129.84	129.84	→	0.00	130.28	130.28	→	0.00	130.55	130.55	→	0.00	130.78	130.78	→	0.00	131.33	131.33	→	0.00	
NC0390	125.97	125.97	→	0.00	126.47	126.47	→	0.00	127.06	127.07	↑	0.01	127.77	127.77	→	0.00	128.03	128.03	→	0.00	128.22	128.22	→	0.00	128.57	128.57	→	0.00	
NC0391_MC	111.56	111.59	↑	0.03	111.66	111.69	↑	0.03	111.77	111.78	↑	0.01	112.73	112.85	↑	0.12	113.90	113.98	↑	0.08	114.40	114.42	↑	0.02	115.00	115.02	↑	0.02	
NC0392_MC	111.17	111.20	↑	0.03	111.26	111.29	↑	0.03	111.35	111.37	↑	0.02	112.32	112.43	↑	0.11	113.45	113.53	↑	0.08	113.92	113.94	↑	0.02	114.45	114.47	↑	0.02	
NC0393	124.11	124.12	↑	0.01	124.52	124.53	↑	0.01	125.01	125.03	↑	0.02	125.86	125.87	↑	0.01	126.44	126.44	→	0.00	126.93	126.93	→	0.00	127.72	127.72	→	0.00	
NC0394	122.78	122.82	↑	0.04	123.08	123.11	↑	0.03	123.44	123.48	↑	0.04	123.95	123.95	→	0.00	124.29	124.29	→	0.00	124.61	124.61	→	0.00	125.59	125.59	→	0.00	
NC0395_MC	122.33	122.39	↑	0.06	122.54	122.58	↑	0.04	122.75	122.79	↑	0.04	123.08	123.11	↑	0.03	123.35	123.37	↑	0.02	123.60	123.62	↑	0.02	124.13	124.15	↑	0.02	
NC0396_MC	110.16	110.17	↑	0.01	110.17	110.17	→	0.00	110.18	110.27	↑	0.09	111.70	111.80	↑	0.10	112.78	112.85	↑	0.07	113.21	113.22	↑	0.01	113.62	113.63	↑	0.01	
NC0397_MC	108.00	108.26	↑	0.26	108.88	109.07	↑	0.19	109.82	109.96	↑	0.14	111.04	111.13	↑	0.09	112.06	112.13	↑	0.07	112.45	112.47	↑	0.02	112.88	112.89	↑	0.01	
NC0398_MC	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	
NC0399	122.24	122.30	↑	0.06	122.43	122.48	↑	0.05	122.63	122.67	↑	0.04	122.93	122.96	↑	0.03	123.16	123.18	↑	0.02	123.38	123.40	↑	0.02	123.84	123.85	↑	0.01	
NC0400	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.56	113.57	↑	0.01	
NC0401	107.30	107.51	↑	0.21	108.03	108.20	↑	0.17	108.89	109.02	↑	0.13	110.07	110.17	↑	0.10	111.09	111.15	↑	0.06	111.45	111.47	↑	0.02	111.89	111.90	↑	0.01	
NC0403_MC	107.46	107.67	↑	0.21	108.21	108.38	↑	0.17	109.09	109.23	↑	0.14	110.22	110.31	↑	0.09	111.17	111.23	↑	0.06	111.52	111.54	↑	0.02	111.96	111.97	↑	0.01	
NC0404	105.02	105.06	↑	0.04	105.25	105.29	↑	0.04	105.52	105.56	↑	0.04	105.93	105.97	↑	0.04	106.28	106.30	↑	0.02	106.60	106.62	↑	0.02	107.39	107.41	↑	0.02	
NC0405_MC	104.61	104.64	↑	0.03	104.78	104.81	↑	0.03	104.99	105.01	↑	0.02	105.32	105.34	↑	0.02	105.60	105.62	↑	0.02	105.88	105.90	↑	0.02	106.63	106.65	↑	0.02	
NC0406_MC	110.69	110.69	→	0.00	110.70	110.70	→	0.00	110.72	110.72	→	0.00	110.73	110.73	→	0.00	110.75	110.75	→	0.00	110.82	110.83	↑	0.01	110.96	110.96	→	0.00	
NC0410	157.96	157.96	→	0.00	158.32	158.32	→	0.00	158.75	158.75	→	0.00	159.40	159.40	→	0.00	159.90	159.90	→	0.00	160.67	160.67	→	0.00	162.05	162.05	→	0.00	
NC0420	149.96	149.96	→	0.00	150.28	150.28	→	0.00	150.64	150.64	→	0.00	151.19	151.19	→	0.00	151.63	151.63	→	0.00	152.16	152.16	→	0.00	153.51	153.51	→	0.00	
NC0425	147.93	147.93	→	0.00	148.44	148.44	→	0.00	149.25	149.25	→	0.00	149.68	149.68	→	0.00	149.83	149.83	→	0.00	149.97	149.97	→	0.00	150.24	150.24	→	0.00	
NC0428	142.61	142.61	→	0.00	143.16	143.16	→	0.00	143.80	143.80	→	0.00	144.83	144.83	→	0.00	145.02	145.02	→	0.00	145.18	145.18	→	0.00	145.50	145.50	→	0.00	
NC0429	141.55	141.55	→	0.00	141.77	141.77	→	0.00	141.97	141.97	→	0.00	142.32	142.32	→	0.00	142.61	142.61	→	0.00	142.91	142.91	→	0.00	143.65	143.65	→	0.00	
NC0430	129.81	129.80	↓	-0.01	131.14	131.13	↓	-0.01	132.13	132.13	→	0.00	132.53	132.53	→	0.00	132.69	132.69	→	0.00	132.83	132.83	→	0.00	133.12	133.12	→	0.00	
NC0431	133.39	133.39	→	0.00	133.80	133.80	→	0.00	134.27	134.27	→	0.00	134.77	134.77	→	0.00	135.09	135.09	→	0.00	135.37	135.37	→	0.00	136.01	136.01	→	0.00	
NC0434	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	
NC0435	110.30	110.30	→	0.00	111.31	111.31	→	0.00	112.37	112.37	→	0.00	113.32	113.32	→	0.00	113.43	113.43	→	0.00	113.51	113.51	→	0.00	113.68	113.68			

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0482_MC	106.98	104.29	↓ -2.69	107.72	104.53	↓ -3.19	108.62	104.61	↓ -4.01	108.68	104.85	↓ -3.83	108.71	105.09	↓ -3.62	108.73	106.48	↓ -2.25	108.79	108.11	↓ -0.68	
NC0485_MC	106.80	104.75	↓ -2.05	107.15	105.05	↓ -2.10	107.53	105.05	↓ -2.48	108.17	105.31	↓ -2.86	108.60	106.46	↓ -2.14	108.98	108.30	↓ -0.68	109.73	109.83	↑ 0.10	
NC0490	95.22	95.22	→ 0.00	95.42	95.42	→ 0.00	95.66	95.66	→ 0.00	96.01	96.01	→ 0.00	96.18	96.18	→ 0.00	96.25	96.25	→ 0.00	96.39	96.39	→ 0.00	
NC0500	95.02	95.02	→ 0.00	95.25	95.25	→ 0.00	95.50	95.50	→ 0.00	95.86	95.86	→ 0.00	96.10	96.10	→ 0.00	96.25	96.25	→ 0.00	96.56	96.56	→ 0.00	
NC0510	92.67	92.67	→ 0.00	92.89	92.89	→ 0.00	93.18	93.18	→ 0.00	93.64	93.64	→ 0.00	94.02	94.02	→ 0.00	94.42	94.42	→ 0.00	95.36	95.36	→ 0.00	
NC0520	89.02	89.02	→ 0.00	89.17	89.17	→ 0.00	89.34	89.34	→ 0.00	90.34	90.33	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0530	91.74	91.72	↓ -0.02	92.10	92.09	↓ -0.01	92.60	92.59	↓ -0.01	93.35	93.34	↓ -0.01	93.94	93.94	→ 0.00	94.56	94.55	↓ -0.01	96.25	96.15	↓ -0.10	
NC0535	105.85	105.85	→ 0.00	105.87	105.87	→ 0.00	105.92	105.92	→ 0.00	106.03	106.06	↑ 0.03	106.33	106.36	↑ 0.03	106.64	106.67	↑ 0.03	107.43	107.45	↑ 0.02	
NC0540	105.03	105.07	↑ 0.04	105.26	105.30	↑ 0.04	105.53	105.57	↑ 0.04	105.94	105.98	↑ 0.04	106.29	106.32	↑ 0.03	106.61	106.63	↑ 0.02	107.40	107.42	↑ 0.02	
NC0550_MC	96.27	95.44	↓ -0.83	96.51	95.90	↓ -0.61	96.81	96.38	↓ -0.43	97.22	97.12	↓ -0.10	97.49	97.48	↓ -0.01	97.73	97.70	↓ -0.03	98.18	98.03	↓ -0.15	
NC0555	98.12	98.12	→ 0.00	98.35	98.35	→ 0.00	98.61	98.61	→ 0.00	98.98	98.98	→ 0.00	99.23	99.23	→ 0.00	99.41	99.41	→ 0.00	99.44	99.44	→ 0.00	
NC0560_MC	104.15	101.61	↓ -2.54	104.29	102.33	↓ -1.96	104.41	102.55	↓ -1.86	104.57	103.43	↓ -1.14	104.67	104.04	↓ -0.63	104.79	104.51	↓ -0.28	105.02	104.77	↓ -0.25	
NC0561_MC	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.43	102.43	→ 0.00	102.56	102.48	↓ -0.08	102.64	102.51	↓ -0.13	102.71	102.54	↓ -0.17	102.86	102.71	↓ -0.15	
NC0562_MC	104.11	104.10	↓ -0.01	104.23	104.14	↓ -0.09	104.32	104.17	↓ -0.15	104.45	104.21	↓ -0.24	104.53	104.24	↓ -0.29	104.61	104.43	↓ -0.18	104.78	104.61	↓ -0.17	
NC0563_MC	105.51	105.51	→ 0.00	105.55	105.55	→ 0.00	105.59	105.59	→ 0.00	105.63	105.63	→ 0.00	105.66	105.66	→ 0.00	105.69	105.69	→ 0.00	105.75	105.75	→ 0.00	
NC0565_MC	103.25	100.57	↓ -2.68	103.58	100.89	↓ -2.69	103.89	101.17	↓ -2.72	104.30	102.05	↓ -2.25	104.53	102.81	↓ -1.72	104.68	104.01	↓ -0.67	104.93	104.64	↓ -0.29	
NC0570_MC	104.34	104.35	↑ 0.01	104.43	104.44	↑ 0.01	104.53	104.53	→ 0.00	104.65	104.66	↑ 0.01	104.75	104.75	→ 0.00	104.83	104.84	↑ 0.01	105.06	105.06	→ 0.00	
NC0571_MC	105.17	105.17	→ 0.00	105.18	105.18	→ 0.00	105.19	105.19	→ 0.00	105.21	105.21	→ 0.00	105.23	105.23	→ 0.00	105.24	105.24	→ 0.00	105.28	105.28	→ 0.00	
NC0572_MC	104.33	104.35	↑ 0.02	104.42	104.44	↑ 0.02	104.52	104.53	↑ 0.01	104.65	104.65	→ 0.00	104.74	104.74	→ 0.00	104.82	104.83	↑ 0.01	105.05	105.05	→ 0.00	
NC0580_MC	101.66	101.52	↓ -0.14	101.89	101.64	↓ -0.25	102.14	101.79	↓ -0.35	102.42	102.08	↓ -0.34	102.61	102.31	↓ -0.30	102.78	102.51	↓ -0.27	103.14	102.91	↓ -0.23	
NC0581_MC	103.09	103.11	↑ 0.02	103.32	103.32	→ 0.00	103.58	103.55	↓ -0.03	103.91	103.88	↓ -0.03	104.16	104.13	↓ -0.03	104.40	104.37	↓ -0.03	104.89	104.89	→ 0.00	
NC0582_MC	101.96	101.97	↑ 0.01	102.07	102.08	↑ 0.01	102.21	102.18	↓ -0.03	102.45	102.31	↓ -0.14	102.62	102.43	↓ -0.19	102.78	102.58	↓ -0.20	103.13	102.93	↓ -0.20	
NC0583_MC	101.67	101.60	↓ -0.07	101.89	101.66	↓ -0.23	102.14	101.80	↓ -0.34	102.43	102.08	↓ -0.35	102.61	102.32	↓ -0.29	102.78	102.51	↓ -0.27	103.14	102.91	↓ -0.23	
NC0585	101.26	100.53	↓ -0.73	101.52	100.70	↓ -0.82	101.75	100.87	↓ -0.88	102.03	101.08	↓ -0.95	102.20	101.21	↓ -0.99	102.36	101.32	↓ -1.04	102.70	101.56	↓ -1.14	
NC0586_MC	101.26	100.61	↓ -0.65	101.52	100.70	↓ -0.82	101.76	100.87	↓ -0.89	102.03	101.08	↓ -0.95	102.20	101.21	↓ -0.99	102.36	101.33	↓ -1.03	102.70	101.57	↓ -1.13	
NC0587_MC	101.54	101.10	↓ -0.44	101.81	101.33	↓ -0.48	102.07	101.60	↓ -0.47	102.37	101.97	↓ -0.40	102.56	102.22	↓ -0.34	102.73	102.43	↓ -0.30	103.09	102.84	↓ -0.25	
NC0588_MC	101.02	100.51	↓ -0.51	101.32	100.64	↓ -0.68	101.58	100.79	↓ -0.79	101.88	100.96	↓ -0.92	102.08	101.11	↓ -0.97	102.25	101.27	↓ -0.98	102.62	101.61	↓ -1.01	
NC0590_MC	100.46	97.84	↓ -2.62	100.71	98.35	↓ -2.36	100.93	98.86	↓ -2.07	101.21	99.47	↓ -1.74	101.38	99.91	↓ -1.47	101.53	100.35	↓ -1.18	101.86	100.90	↓ -0.96	
NC0594	102.51	102.51	→ 0.00	102.98	102.98	→ 0.00	103.54	103.54	→ 0.00	104.33	104.33	→ 0.00	104.92	104.92	→ 0.00	105.83	105.83	→ 0.00	106.26	106.26	→ 0.00	
NC0595_MC	106.06	106.06	→ 0.00	106.13	106.13	→ 0.00	106.19	106.19	→ 0.00	106.27	106.27	→ 0.00	106.32	106.32	→ 0.00	106.36	106.36	→ 0.00	106.45	106.45	→ 0.00	
NC0596_MC	109.60	109.60	→ 0.00	109.62	109.62	→ 0.00	109.63	109.63	→ 0.00	109.65	109.65	→ 0.00	109.66	109.66	→ 0.00	109.68	109.68	→ 0.00	109.71	109.71	→ 0.00	
NC0598_MC	100.48	100.35	↓ -0.13	100.84	100.82	↓ -0.02	100.95	100.89	↓ -0.06	101.17	100.97	↓ -0.20	101.32	101.02	↓ -0.30	101.45	101.06	↓ -0.39	101.74	101.20	↓ -0.54	
NC0599_MC	100.70	98.20	↓ -2.50	100.87	98.51	↓ -2.36	100.96	99.11	↓ -1.85	101.07	99.99	↓ -1.08	101.14	100.35	↓ -0.79	101.20	100.66	↓ -0.54	101.33	100.98	↓ -0.35	
NC0600_MC	96.20	95.43	↓ -0.77	96.43	95.89	↓ -0.54	96.73	96.37	↓ -0.36	97.13	97.10	↓ -0.03	97.40	97.44	↑ 0.04	97.63	97.65	↑ 0.02	98.06	97.96	↓ -0.10	
NC0601_MC	96.33	95.79	↓ -0.54	96.53	96.00	↓ -0.53	96.83	96.43	↓ -0.40	97.24	97.15	↓ -0.09	97.52	97.50	↓ -0.02	97.75	97.72	↓ -0.03	98.21	98.05	↓ -0.16	
NC0602_MC	96.36	95.77	↓ -0.59	96.55	96.17	↓ -0.38	96.83	96.63	↓ -0.20	97.23	97.28	↑ 0.05	97.51	97.65	↑ 0.14	97.74	97.90	↑ 0.16	98.19	98.24	↑ 0.05	
NC0603_MC	97.52	96.42	↓ -1.10	97.59	96.88	↓ -0.71	97.65	97.36	↓ -0.29	97.74	97.90	↑ 0.16	97.83	98.39	↑ 0.56	97.96	98.76	↑ 0.80	98.29	99.22	↑ 0.93	
NC0604_MC	99.92	97.33	↓ -2.59	100.09	97.83	↓ -2.26	100.21	98.33	↓ -1.88	100.36	98.84	↓ -1.52	100.44	99.28	↓ -1.16	100.52	99.68	↓ -0.84	100.68	100.15	↓ -0.53	
NC0605_MC	99.81	#N/A	→ 0.00	99.95	#N/A	→ 0.00	100.05	#N/A	→ 0.00	100.17	#N/A	→ 0.00	100.25	#N/A	→ 0.00	100.32	#N/A	→ 0.00	100.46	#N/A	→ 0.00	
NC0606_MC	97.42	#N/A	→ 0.00	97.48	#N/A	→ 0.00	97.53	#N/A	→ 0.00	97.62	#N/A	→ 0.00	97.72	#N/A	→ 0.00	97.87	#N/A	→ 0.00	98.26	#N/A	→ 0.00	
NC0607_MC	96.25	95.45	↓ -0.80	96.48	95.92	↓ -0.56	96.78	96.39	↓ -0.39	97.19	97.13	↓ -0.06	97.47	97.48	↑ 0.01	97.70	97.69	↓ -0.01	98.15	98.01	↓ -0.14	
NC0610	93.82	93.82	→ 0.00	94.01	94.01	→ 0.00	94.03	94.03	→ 0.00	94.11	94.11	→ 0.00	94.18	94.18	→ 0.00	94.56	94.55	↓ -0.01	96.26	96.15	↓ -0.11	
NC0618_MC	96.12	95.33	↓ -0.79	96.34	95.80	↓ -0.54	96.62	96.27	↓ -0.35	97.00	97.00	→ 0.00	97.25	97.32	↑ 0.07	97.45	97.50	↑ 0.05	97.84	97.77	↓ -0.07	
NC0619_MC	93.16	94.46	↑ 1.30	93.24	94.82	↑ 1.58	93.35	95.20	↑ 1.85	93.52	95.79	↑ 2.27	93.63	96.07	↑ 2.44	93.72	96.22	↑ 2.50	93.98	96.64	↑ 2.66	
NC0620_MC	92.32	92.32	→ 0.00	92.50	92.51	↑ 0.01	92.72	92.70	↓ -0.02	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.74	↓ -0.01	
NC0621_MC	#N/A	94.46	→ 0.00	#N/A	94.83	→ 0.00	#N/A	95.20	→ 0.00	#N/A	95.80	→ 0.00	#N/A	96.07	→ 0.00	#N/A	96.23	→ 0.00	#N/A	96.65	→ 0.00	
NC0622_MC	#N/A	93.41	→ 0.00	#N/A	93.53	→ 0.00	#N/A	93.66	→ 0.00	#N/A	93.85	→ 0.00	#N/A	93.94	→ 0.00	#N/A	93.99	→ 0.00	#N/A	94.14	→ 0.00	
NC0650_MC	92.33	92.33	→ 0.00	92.47	92.48	↑ 0.01	92.68	92.68	→ 0.00	93.04	93.08	↑ 0.04	93.38	93.40	↑ 0.02	93.71	93.72	↑ 0.01	94.61	94.60	↓ -0.01	
NC0651_MC	92.27	92.27	→ 0.00	92.44	92.45	↑ 0.01	92.65	92.64	↓ -0.01	92.92	92.87	↓ -0.05	93.09	93.06	↓ -0.03	93.23	93.21	↓ -0.02	93.75	93.74	↓ -0.01	
NC0660	135.83	135.83	→ 0.00	136.28	136.28	→ 0.00	136															

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0694_MC	92.31	92.32	↑ 0.01	92.49	92.50	↑ 0.01	92.71	92.70	↓ -0.01	92.99	92.95	↓ -0.04	93.18	93.15	↓ -0.03	93.32	93.31	↓ -0.01	93.75	93.74	↓ -0.01	
NC0695_MC	92.32	92.32	→ 0.00	92.50	92.51	↑ 0.01	92.73	92.71	↓ -0.02	93.02	92.96	↓ -0.06	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.74	↓ -0.01	
NC0696_MC	94.11	94.46	↑ 0.35	94.26	94.83	↑ 0.57	94.47	95.20	↑ 0.73	94.75	95.80	↑ 1.05	94.93	96.07	↑ 1.14	95.07	96.23	↑ 1.16	95.50	96.65	↑ 1.15	
NC0697_MC	92.29	92.29	→ 0.00	92.46	92.47	↑ 0.01	92.67	92.66	↓ -0.01	92.95	92.90	↓ -0.05	93.14	93.10	↓ -0.04	93.28	93.25	↓ -0.03	93.75	93.74	↓ -0.01	
NC0698_MC	92.30	92.30	→ 0.00	92.47	92.48	↑ 0.01	92.68	92.67	↓ -0.01	92.96	92.91	↓ -0.05	93.14	93.10	↓ -0.04	93.28	93.26	↓ -0.02	93.75	93.74	↓ -0.01	
NC0699_MC	92.29	92.29	→ 0.00	92.46	92.47	↑ 0.01	92.67	92.66	↓ -0.01	92.95	92.90	↓ -0.05	93.13	93.10	↓ -0.03	93.27	93.25	↓ -0.02	93.75	93.74	↓ -0.01	
NC0700_MC	91.21	91.21	→ 0.00	91.26	91.27	↑ 0.01	91.33	91.33	→ 0.00	91.43	91.41	↓ -0.02	91.50	91.49	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0701_MC	92.26	92.26	→ 0.00	92.43	92.44	↑ 0.01	92.63	92.62	↓ -0.01	92.89	92.85	↓ -0.04	93.07	93.03	↓ -0.04	93.20	93.18	↓ -0.02	93.75	93.74	↓ -0.01	
NC0702_MC	92.31	92.32	↑ 0.01	92.50	92.51	↑ 0.01	92.71	92.70	↓ -0.01	93.00	92.95	↓ -0.05	93.19	93.16	↓ -0.03	93.34	93.32	↓ -0.02	93.75	93.74	↓ -0.01	
NC0703_MC	92.32	92.32	→ 0.00	92.50	92.51	↑ 0.01	92.72	92.70	↓ -0.02	93.02	92.95	↓ -0.07	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.76	93.75	↓ -0.01	
NC0710	141.66	141.66	→ 0.00	141.75	141.75	→ 0.00	141.86	141.86	→ 0.00	142.04	142.04	→ 0.00	142.19	142.19	→ 0.00	142.44	142.44	→ 0.00	143.56	143.56	→ 0.00	
NC0720	88.87	88.87	→ 0.00	89.36	89.36	→ 0.00	89.89	89.89	→ 0.00	90.44	90.44	→ 0.00	91.16	91.15	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0730	152.64	152.64	→ 0.00	152.69	152.69	→ 0.00	152.78	152.78	→ 0.00	152.89	152.89	→ 0.00	152.96	152.96	→ 0.00	153.02	153.02	→ 0.00	153.11	153.11	→ 0.00	
NC0748	110.43	110.43	→ 0.00	110.49	110.49	→ 0.00	110.56	110.56	→ 0.00	110.64	110.64	→ 0.00	110.69	110.69	→ 0.00	110.74	110.74	→ 0.00	110.85	110.85	→ 0.00	
NC0780	192.68	192.68	→ 0.00	192.79	192.79	→ 0.00	192.92	192.92	→ 0.00	193.25	193.25	→ 0.00	193.70	193.70	→ 0.00	193.81	193.81	→ 0.00	194.03	194.03	→ 0.00	
NC0790	185.89	185.89	→ 0.00	185.93	185.93	→ 0.00	185.97	185.97	→ 0.00	186.08	186.08	→ 0.00	186.24	186.24	→ 0.00	186.41	186.41	→ 0.00	187.35	187.35	→ 0.00	
NC0791	183.49	183.49	→ 0.00	183.51	183.51	→ 0.00	183.53	183.53	→ 0.00	183.58	183.58	→ 0.00	183.66	183.66	→ 0.00	183.73	183.73	→ 0.00	184.03	184.03	→ 0.00	
NC0800	216.47	216.47	→ 0.00	217.04	217.04	→ 0.00	217.73	217.73	→ 0.00	217.95	217.95	→ 0.00	218.01	218.01	→ 0.00	218.06	218.06	→ 0.00	218.18	218.18	→ 0.00	
NC0815	158.52	158.52	→ 0.00	158.73	158.73	→ 0.00	159.17	159.17	→ 0.00	159.90	159.90	→ 0.00	160.51	160.51	→ 0.00	161.21	161.21	→ 0.00	163.33	163.33	→ 0.00	
NC0816	153.86	153.86	→ 0.00	153.93	153.93	→ 0.00	154.06	154.06	→ 0.00	154.26	154.26	→ 0.00	154.40	154.40	→ 0.00	154.55	154.55	→ 0.00	154.90	154.90	→ 0.00	
NC0817	139.09	139.09	→ 0.00	139.17	139.17	→ 0.00	139.33	139.33	→ 0.00	139.55	139.55	→ 0.00	139.71	139.71	→ 0.00	139.87	139.87	→ 0.00	140.24	140.24	→ 0.00	
NC0818	128.08	128.08	→ 0.00	128.16	128.16	→ 0.00	128.32	128.32	→ 0.00	128.55	128.55	→ 0.00	128.72	128.72	→ 0.00	128.90	128.90	→ 0.00	129.32	129.32	→ 0.00	
NC0820	120.79	120.79	→ 0.00	121.48	121.48	→ 0.00	122.32	122.32	→ 0.00	122.99	122.99	→ 0.00	123.15	123.15	→ 0.00	123.26	123.26	→ 0.00	123.44	123.44	→ 0.00	
NC0830	101.97	101.97	→ 0.00	101.98	101.98	→ 0.00	102.49	102.48	↓ -0.01	103.09	103.09	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0835	117.94	117.94	→ 0.00	117.97	117.97	→ 0.00	118.00	118.00	→ 0.00	118.05	118.05	→ 0.00	118.08	118.08	→ 0.00	118.12	118.12	→ 0.00	118.22	118.22	→ 0.00	
NC0840	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.08	103.08	→ 0.00	103.49	103.49	→ 0.00	103.96	103.96	→ 0.00	105.34	105.34	→ 0.00	
NC0845	114.61	114.61	→ 0.00	114.88	114.88	→ 0.00	115.14	115.14	→ 0.00	115.36	115.36	→ 0.00	115.44	115.44	→ 0.00	115.49	115.49	→ 0.00	115.60	115.60	→ 0.00	
NC0850	103.37	103.37	→ 0.00	103.44	103.44	→ 0.00	103.52	103.52	→ 0.00	103.62	103.62	→ 0.00	103.70	103.70	→ 0.00	103.93	103.93	→ 0.00	105.34	105.34	→ 0.00	
NC0855	109.96	109.96	→ 0.00	110.44	110.44	→ 0.00	111.13	111.13	→ 0.00	112.65	112.65	→ 0.00	113.71	113.71	→ 0.00	113.81	113.81	→ 0.00	113.98	113.98	→ 0.00	
NC0858	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.07	103.07	→ 0.00	103.42	103.43	↑ 0.01	103.92	103.92	→ 0.00	105.33	105.33	→ 0.00	
NC0860	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.06	103.06	→ 0.00	103.40	103.40	→ 0.00	103.88	103.88	→ 0.00	105.28	105.28	→ 0.00	
NC0862	100.73	100.73	→ 0.00	100.73	100.73	→ 0.00	102.20	102.20	→ 0.00	102.77	102.77	→ 0.00	103.14	103.14	→ 0.00	103.75	103.75	→ 0.00	105.23	105.23	→ 0.00	
NC0900	142.88	142.88	→ 0.00	143.14	143.14	→ 0.00	143.56	143.56	→ 0.00	144.45	144.45	→ 0.00	145.87	145.87	→ 0.00	147.99	147.99	→ 0.00	151.91	151.91	→ 0.00	
NC0910	102.28	102.28	→ 0.00	102.30	102.30	→ 0.00	102.33	102.33	→ 0.00	102.37	102.37	→ 0.00	102.40	102.40	→ 0.00	102.43	102.43	→ 0.00	102.49	102.49	→ 0.00	
NC0920	100.49	100.49	→ 0.00	100.71	100.71	→ 0.00	100.96	100.96	→ 0.00	101.86	101.86	→ 0.00	102.95	102.95	→ 0.00	103.70	103.70	→ 0.00	105.22	105.22	→ 0.00	
NC0921	99.90	99.90	→ 0.00	100.12	100.12	→ 0.00	100.37	100.37	→ 0.00	101.18	101.18	→ 0.00	102.17	102.17	→ 0.00	102.86	102.86	→ 0.00	104.26	104.26	→ 0.00	
NC0922	98.97	98.97	→ 0.00	99.18	99.18	→ 0.00	99.42	99.42	→ 0.00	100.11	100.11	→ 0.00	100.96	100.96	→ 0.00	101.56	101.56	→ 0.00	102.80	102.80	→ 0.00	
NC0924	96.44	96.44	→ 0.00	96.63	96.63	→ 0.00	96.84	96.84	→ 0.00	97.51	97.51	→ 0.00	98.34	98.34	→ 0.00	98.81	98.81	→ 0.00	99.89	99.89	→ 0.00	
NC0930	95.41	95.41	→ 0.00	95.79	95.79	→ 0.00	96.24	96.24	→ 0.00	96.73	96.73	→ 0.00	96.86	96.86	→ 0.00	96.99	96.99	→ 0.00	97.33	97.33	→ 0.00	
NC0935	93.92	93.92	→ 0.00	94.13	94.13	→ 0.00	94.38	94.38	→ 0.00	94.82	94.82	→ 0.00	95.17	95.17	→ 0.00	95.49	95.49	→ 0.00	96.15	96.15	→ 0.00	
NC0937	90.38	90.37	↓ -0.01	90.56	90.56	→ 0.00	90.77	90.77	→ 0.00	91.08	91.08	→ 0.00	91.63	91.63	→ 0.00	92.34	92.34	→ 0.00	94.04	94.03	↓ -0.01	
NC0940	88.95	88.95	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.39	90.38	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0950	88.75	88.75	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.38	90.38	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0960	89.58	89.58	→ 0.00	89.82	89.82	→ 0.00	90.05	90.05	→ 0.00	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC0970	124.50	124.50	→ 0.00	124.53	124.53	→ 0.00	124.56	124.56	→ 0.00	124.60	124.60	→ 0.00	124.63	124.63	→ 0.00	124.66	124.66	→ 0.00	124.74	124.74	→ 0.00	
NC0980	104.51	104.51	→ 0.00	104.58	104.58	→ 0.00	104.67	104.67	→ 0.00	104.78	104.78	→ 0.00	104.87	104.87	→ 0.00	104.95	104.95	→ 0.00	105.13	105.13	→ 0.00	
NC0981	100.58	100.58	→ 0.00	100.80	100.80	→ 0.00	101.07	101.07	→ 0.00	101.45	101.45	→ 0.00	101.73	101.73	→ 0.00	102.03	102.03	→ 0.00	102.70	102.70	→ 0.00	
NC0982	98.19	98.19	→ 0.00	98.44	98.44	→ 0.00	98.74	98.74	→ 0.00	99.15	99.15	→ 0.00	99.46	99.46	→ 0.00	99.76	99.76	→ 0.00	100.42	100.42	→ 0.00	
NC0983	94.99	94.99	→ 0.00	95.06	95.06	→ 0.00	95.14	95.14	→ 0.00	95.25	95.25	→ 0.00	95.34									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1000	179.21	179.21	➔ 0.00	179.31	179.31	➔ 0.00	179.86	179.86	➔ 0.00	181.07	181.07	➔ 0.00	181.51	181.51	➔ 0.00	181.56	181.56	➔ 0.00	181.80	181.80	➔ 0.00	
NC1030	207.36	207.36	➔ 0.00	207.72	207.72	➔ 0.00	207.93	207.93	➔ 0.00	208.26	208.26	➔ 0.00	208.50	208.50	➔ 0.00	208.73	208.73	➔ 0.00	209.23	209.23	➔ 0.00	
NC1045	107.08	107.08	➔ 0.00	107.13	107.13	➔ 0.00	107.19	107.19	➔ 0.00	107.27	107.27	➔ 0.00	107.35	107.35	➔ 0.00	107.42	107.42	➔ 0.00	107.59	107.59	➔ 0.00	
NC1050	105.59	105.59	➔ 0.00	105.66	105.66	➔ 0.00	105.73	105.73	➔ 0.00	105.85	105.85	➔ 0.00	105.94	105.94	➔ 0.00	106.04	106.04	➔ 0.00	106.24	106.24	➔ 0.00	
NC1052	92.56	92.56	➔ 0.00	92.64	92.64	➔ 0.00	92.74	92.74	➔ 0.00	92.86	92.86	➔ 0.00	92.95	92.95	➔ 0.00	93.01	93.02	⬆ 0.01	93.75	93.74	⬇ -0.01	
NC1080	83.50	83.50	➔ 0.00	84.18	84.18	➔ 0.00	85.27	85.27	➔ 0.00	88.07	88.07	➔ 0.00	90.49	90.49	➔ 0.00	92.41	92.41	➔ 0.00	95.33	95.33	➔ 0.00	
NC1082	82.11	82.11	➔ 0.00	82.71	82.71	➔ 0.00	83.67	83.67	➔ 0.00	85.52	85.52	➔ 0.00	87.24	87.24	➔ 0.00	88.75	88.75	➔ 0.00	91.41	91.41	➔ 0.00	
NC1090	93.56	93.56	➔ 0.00	94.52	94.52	➔ 0.00	95.26	95.26	➔ 0.00	95.74	95.74	➔ 0.00	96.05	96.05	➔ 0.00	96.37	96.37	➔ 0.00	97.00	97.00	➔ 0.00	
NC1100	86.69	86.69	➔ 0.00	88.11	88.11	➔ 0.00	88.31	88.31	➔ 0.00	88.49	88.49	➔ 0.00	88.60	88.60	➔ 0.00	88.68	88.68	➔ 0.00	88.81	88.81	➔ 0.00	
NC1105	92.46	92.46	➔ 0.00	92.74	92.74	➔ 0.00	92.82	92.82	➔ 0.00	92.96	92.96	➔ 0.00	93.03	93.03	➔ 0.00	93.09	93.09	➔ 0.00	93.20	93.20	➔ 0.00	
NC1110	94.09	94.09	➔ 0.00	94.31	94.31	➔ 0.00	94.53	94.53	➔ 0.00	94.80	94.80	➔ 0.00	94.93	94.93	➔ 0.00	95.04	95.04	➔ 0.00	95.21	95.21	➔ 0.00	
NC1120	86.39	86.39	➔ 0.00	86.75	86.75	➔ 0.00	87.21	87.21	➔ 0.00	87.94	87.94	➔ 0.00	88.50	88.50	➔ 0.00	88.53	88.53	➔ 0.00	88.70	88.70	➔ 0.00	
NC1130	86.84	86.84	➔ 0.00	86.89	86.89	➔ 0.00	86.95	86.95	➔ 0.00	87.12	87.12	➔ 0.00	87.27	87.27	➔ 0.00	87.43	87.43	➔ 0.00	87.78	87.78	➔ 0.00	
NC1140	89.76	89.76	➔ 0.00	89.81	89.81	➔ 0.00	89.86	89.86	➔ 0.00	89.93	89.93	➔ 0.00	89.98	89.98	➔ 0.00	90.03	90.03	➔ 0.00	90.14	90.14	➔ 0.00	
NC1153	82.32	82.32	➔ 0.00	83.00	83.00	➔ 0.00	83.78	83.78	➔ 0.00	84.92	84.92	➔ 0.00	85.86	85.86	➔ 0.00	86.81	86.81	➔ 0.00	89.05	89.05	➔ 0.00	
NC1155	82.32	82.32	➔ 0.00	83.00	83.00	➔ 0.00	83.78	83.78	➔ 0.00	84.92	84.92	➔ 0.00	85.86	85.86	➔ 0.00	86.81	86.81	➔ 0.00	89.05	89.05	➔ 0.00	
NC1160	86.14	86.14	➔ 0.00	86.51	86.51	➔ 0.00	86.95	86.95	➔ 0.00	87.22	87.22	➔ 0.00	87.47	87.47	➔ 0.00	87.74	87.74	➔ 0.00	88.36	88.36	➔ 0.00	
NC1170	85.91	85.91	➔ 0.00	86.51	86.51	➔ 0.00	86.92	86.92	➔ 0.00	87.12	87.12	➔ 0.00	87.27	87.27	➔ 0.00	87.42	87.42	➔ 0.00	87.77	87.77	➔ 0.00	
NC1180	83.39	83.39	➔ 0.00	83.75	83.75	➔ 0.00	84.48	84.48	➔ 0.00	84.78	84.78	➔ 0.00	84.94	84.94	➔ 0.00	85.12	85.12	➔ 0.00	86.09	86.09	➔ 0.00	
NC1210	111.53	111.53	➔ 0.00	111.61	111.61	➔ 0.00	111.70	111.70	➔ 0.00	111.84	111.84	➔ 0.00	111.95	111.95	➔ 0.00	112.05	112.05	➔ 0.00	112.26	112.26	➔ 0.00	
NC1212	88.78	88.78	➔ 0.00	89.29	89.29	➔ 0.00	89.84	89.83	⬇ -0.01	90.40	90.40	➔ 0.00	91.15	91.15	➔ 0.00	91.92	91.92	➔ 0.00	93.75	93.74	⬇ -0.01	
NC1215	88.74	88.74	➔ 0.00	89.25	89.25	➔ 0.00	89.80	89.80	➔ 0.00	90.38	90.37	⬇ -0.01	91.14	91.14	➔ 0.00	91.91	91.91	➔ 0.00	93.74	93.73	⬇ -0.01	
NC1216	145.25	145.25	➔ 0.00	145.65	145.65	➔ 0.00	145.90	145.90	➔ 0.00	146.23	146.23	➔ 0.00	146.49	146.49	➔ 0.00	146.76	146.76	➔ 0.00	147.29	147.29	➔ 0.00	
NC1217	137.71	137.71	➔ 0.00	138.03	138.03	➔ 0.00	138.48	138.48	➔ 0.00	139.00	139.00	➔ 0.00	139.41	139.41	➔ 0.00	139.84	139.84	➔ 0.00	140.71	140.71	➔ 0.00	
NC1218	88.73	88.73	➔ 0.00	89.23	89.23	➔ 0.00	89.77	89.77	➔ 0.00	90.35	90.35	➔ 0.00	91.08	91.07	⬇ -0.01	91.83	91.82	⬇ -0.01	93.58	93.57	⬇ -0.01	
NC1219	107.34	107.34	➔ 0.00	107.65	107.65	➔ 0.00	108.25	108.25	➔ 0.00	108.93	108.93	➔ 0.00	109.54	109.54	➔ 0.00	110.07	110.07	➔ 0.00	111.19	111.19	➔ 0.00	
NC1220	88.57	88.57	➔ 0.00	89.05	89.05	➔ 0.00	89.59	89.59	➔ 0.00	90.24	90.24	➔ 0.00	90.80	90.79	⬇ -0.01	91.50	91.50	➔ 0.00	93.26	93.25	⬇ -0.01	
NC1221	88.40	88.40	➔ 0.00	88.85	88.85	➔ 0.00	89.33	89.33	➔ 0.00	90.00	90.00	➔ 0.00	90.47	90.47	➔ 0.00	91.12	91.12	➔ 0.00	92.87	92.87	➔ 0.00	
NC1380	87.64	87.64	➔ 0.00	87.70	87.70	➔ 0.00	87.77	87.77	➔ 0.00	87.87	87.87	➔ 0.00	87.94	87.94	➔ 0.00	88.01	88.01	➔ 0.00	88.16	88.16	➔ 0.00	
NC1390	92.38	92.38	➔ 0.00	92.43	92.43	➔ 0.00	92.49	92.49	➔ 0.00	92.56	92.56	➔ 0.00	92.59	92.59	➔ 0.00	92.63	92.63	➔ 0.00	92.72	92.72	➔ 0.00	
NC1400	83.88	83.88	➔ 0.00	84.44	84.44	➔ 0.00	85.20	85.20	➔ 0.00	86.32	86.32	➔ 0.00	87.04	87.04	➔ 0.00	87.72	87.72	➔ 0.00	89.12	89.12	➔ 0.00	
NC1405	81.49	81.49	➔ 0.00	81.96	81.96	➔ 0.00	82.74	82.74	➔ 0.00	83.96	83.96	➔ 0.00	84.60	84.60	➔ 0.00	85.03	85.03	➔ 0.00	86.06	86.06	➔ 0.00	
NC1410	81.49	81.49	➔ 0.00	81.96	81.96	➔ 0.00	82.74	82.74	➔ 0.00	83.95	83.95	➔ 0.00	84.60	84.60	➔ 0.00	85.02	85.02	➔ 0.00	86.06	86.06	➔ 0.00	
NC1420	81.98	81.98	➔ 0.00	82.06	82.06	➔ 0.00	82.74	82.74	➔ 0.00	83.96	83.96	➔ 0.00	84.60	84.60	➔ 0.00	85.03	85.03	➔ 0.00	86.07	86.07	➔ 0.00	
NC1440	57.28	57.28	➔ 0.00	57.79	57.79	➔ 0.00	58.40	58.40	➔ 0.00	63.64	63.64	➔ 0.00	71.34	71.34	➔ 0.00	78.26	78.26	➔ 0.00	85.56	85.56	➔ 0.00	
NC1500	97.83	97.83	➔ 0.00	98.11	98.11	➔ 0.00	98.44	98.44	➔ 0.00	98.71	98.71	➔ 0.00	98.81	98.81	➔ 0.00	98.98	98.98	➔ 0.00	99.36	99.36	➔ 0.00	
NC1600	134.13	134.13	➔ 0.00	134.18	134.18	➔ 0.00	134.23	134.23	➔ 0.00	134.30	134.30	➔ 0.00	134.33	134.33	➔ 0.00	134.36	134.36	➔ 0.00	134.40	134.40	➔ 0.00	
NC1610	131.42	131.42	➔ 0.00	131.43	131.43	➔ 0.00	131.45	131.45	➔ 0.00	131.48	131.48	➔ 0.00	131.51	131.51	➔ 0.00	131.53	131.53	➔ 0.00	131.58	131.58	➔ 0.00	
NC1620	130.92	130.92	➔ 0.00	130.97	130.97	➔ 0.00	131.02	131.02	➔ 0.00	131.10	131.10	➔ 0.00	131.16	131.16	➔ 0.00	131.22	131.22	➔ 0.00	131.37	131.37	➔ 0.00	
NC1630	127.56	127.56	➔ 0.00	127.59	127.59	➔ 0.00	127.62	127.62	➔ 0.00	127.66	127.66	➔ 0.00	127.70	127.70	➔ 0.00	127.73	127.73	➔ 0.00	127.81	127.81	➔ 0.00	
NC1640	146.52	146.52	➔ 0.00	146.68	146.68	➔ 0.00	146.87	146.87	➔ 0.00	147.09	147.09	➔ 0.00	147.15	147.15	➔ 0.00	147.20	147.20	➔ 0.00	147.27	147.27	➔ 0.00	
NC1650	126.38	126.38	➔ 0.00	126.41	126.41	➔ 0.00	126.45	126.45	➔ 0.00	126.50	126.50	➔ 0.00	126.54	126.54	➔ 0.00	126.58	126.58	➔ 0.00	126.68	126.68	➔ 0.00	
NC1700	115.77	115.77	➔ 0.00	115.80	115.80	➔ 0.00	115.83	115.83	➔ 0.00	115.88	115.88	➔ 0.00	115.92	115.92	➔ 0.00	115.96	115.96	➔ 0.00	116.05	116.05	➔ 0.00	
NC1701_MC	114.68	114.68	➔ 0.00	114.79	114.79	➔ 0.00	114.91	114.91	➔ 0.00	115.07	115.07	➔ 0.00	115.19	115.19	➔ 0.00	115.30	115.30	➔ 0.00	115.58	115.58	➔ 0.00	
NC1702_MC	115.88	115.88	➔ 0.00	115.96	115.96	➔ 0.00	116.06	116.06	➔ 0.00	116.21	116.21	➔ 0.00	116.32	116.32	➔ 0.00	116.43	116.43	➔ 0.00	116.71	116.71	➔ 0.00	
NC1703_MC	116.63	116.63	➔ 0.00	116.74	116.74	➔ 0.00	116.87	116.87	➔ 0.00	117.08	117.08	➔ 0.00	117.27	117.27	➔ 0.00	117.46	117.46	➔ 0.00	117.76	117.76	➔ 0.00	
NC1704_MC	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	119.90	119.90	➔ 0.00	
NC1705_MC	125.38	125.38	➔ 0.00	125.41	125.41	➔ 0.00	125.45															

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1710	111.87	111.87	→ 0.00	112.28	112.28	→ 0.00	112.67	112.67	→ 0.00	113.20	113.20	→ 0.00	113.60	113.60	→ 0.00	113.70	113.70	→ 0.00	113.87	113.87	→ 0.00	
NC1711_MC	120.50	120.50	→ 0.00	120.91	120.91	→ 0.00	121.36	121.36	→ 0.00	121.82	121.82	→ 0.00	122.15	122.15	→ 0.00	122.32	122.32	→ 0.00	123.22	123.22	→ 0.00	
NC1712_MC	126.26	126.26	→ 0.00	126.58	126.58	→ 0.00	126.92	126.92	→ 0.00	127.26	127.26	→ 0.00	127.53	127.53	→ 0.00	127.62	127.62	→ 0.00	127.72	127.72	→ 0.00	
NC1713_MC	118.13	118.13	→ 0.00	118.15	118.15	→ 0.00	118.19	118.19	→ 0.00	118.24	118.24	→ 0.00	118.31	118.31	→ 0.00	118.41	118.41	→ 0.00	119.88	119.88	→ 0.00	
NC1714_MC	115.92	115.93	↑ 0.01	116.04	116.04	→ 0.00	116.35	116.35	→ 0.00	116.78	116.78	→ 0.00	117.24	117.24	→ 0.00	117.71	117.71	→ 0.00	119.18	119.18	→ 0.00	
NC1800	99.54	99.54	→ 0.00	99.71	99.71	→ 0.00	99.92	99.92	→ 0.00	100.20	100.20	→ 0.00	100.25	100.25	→ 0.00	100.27	100.27	→ 0.00	100.33	100.33	→ 0.00	
NC1900	146.95	146.95	→ 0.00	147.09	147.09	→ 0.00	147.18	147.18	→ 0.00	147.30	147.30	→ 0.00	147.38	147.38	→ 0.00	147.45	147.45	→ 0.00	147.57	147.57	→ 0.00	
NC1910	125.89	125.89	→ 0.00	125.95	125.95	→ 0.00	126.00	126.00	→ 0.00	126.05	126.05	→ 0.00	126.16	126.16	→ 0.00	126.28	126.28	→ 0.00	126.49	126.49	→ 0.00	
NC1920	137.03	137.03	→ 0.00	137.46	137.46	→ 0.00	138.16	138.16	→ 0.00	139.33	139.33	→ 0.00	139.85	139.85	→ 0.00	140.13	140.13	→ 0.00	140.80	140.80	→ 0.00	
NC2000	84.30	84.30	→ 0.00	84.36	84.36	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.12	85.12	→ 0.00	86.10	86.10	→ 0.00	
NC2010	86.79	86.79	→ 0.00	87.00	87.00	→ 0.00	87.24	87.24	→ 0.00	87.63	87.63	→ 0.00	87.95	87.95	→ 0.00	88.30	88.30	→ 0.00	89.24	89.24	→ 0.00	
NC2020	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.49	84.49	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.13	85.13	→ 0.00	86.10	86.10	→ 0.00	
NC2030	84.94	84.94	→ 0.00	85.00	85.00	→ 0.00	85.06	85.06	→ 0.00	85.15	85.15	→ 0.00	85.22	85.22	→ 0.00	85.29	85.29	→ 0.00	86.10	86.10	→ 0.00	
NC2100	108.92	108.92	→ 0.00	109.02	109.03	↑ 0.01	109.16	109.16	→ 0.00	109.30	109.30	→ 0.00	109.39	109.39	→ 0.00	109.45	109.45	→ 0.00	109.58	109.58	→ 0.00	
NC2110	108.91	108.91	→ 0.00	109.02	109.02	→ 0.00	109.15	109.15	→ 0.00	109.28	109.28	→ 0.00	109.36	109.36	→ 0.00	109.41	109.41	→ 0.00	109.52	109.52	→ 0.00	
NC2200	114.77	114.77	→ 0.00	114.89	114.89	→ 0.00	115.01	115.01	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.42	115.42	→ 0.00	115.73	115.73	→ 0.00	
NC2210	115.63	115.63	→ 0.00	115.70	115.70	→ 0.00	115.77	115.77	→ 0.00	115.85	115.85	→ 0.00	115.91	115.91	→ 0.00	115.96	115.96	→ 0.00	116.10	116.10	→ 0.00	
NC2220	140.35	140.35	→ 0.00	140.39	140.39	→ 0.00	140.45	140.45	→ 0.00	140.52	140.52	→ 0.00	140.58	140.58	→ 0.00	140.64	140.64	→ 0.00	140.77	140.77	→ 0.00	
NC2230	122.44	122.44	→ 0.00	122.47	122.47	→ 0.00	122.50	122.50	→ 0.00	122.54	122.54	→ 0.00	122.57	122.57	→ 0.00	122.61	122.61	→ 0.00	122.70	122.70	→ 0.00	
NC2240	121.46	121.46	→ 0.00	121.50	121.50	→ 0.00	121.54	121.54	→ 0.00	121.60	121.60	→ 0.00	121.64	121.64	→ 0.00	121.69	121.69	→ 0.00	121.79	121.79	→ 0.00	
NC2250	110.17	110.17	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.75	→ 0.00	113.43	113.43	→ 0.00	115.17	115.18	↑ 0.01	
NC2260	107.81	107.81	→ 0.00	107.86	107.86	→ 0.00	107.91	107.91	→ 0.00	107.96	107.96	→ 0.00	107.99	107.99	→ 0.00	108.02	108.02	→ 0.00	108.08	108.08	→ 0.00	
NC2300	125.68	125.68	→ 0.00	126.17	126.17	→ 0.00	126.77	126.77	→ 0.00	127.65	127.65	→ 0.00	128.17	128.17	→ 0.00	128.23	128.23	→ 0.00	128.49	128.49	→ 0.00	
NC2310	124.10	124.10	→ 0.00	124.12	124.12	→ 0.00	124.14	124.14	→ 0.00	124.17	124.17	→ 0.00	124.19	124.19	→ 0.00	124.21	124.21	→ 0.00	124.26	124.26	→ 0.00	
NC2400	137.48	137.48	→ 0.00	137.51	137.51	→ 0.00	137.54	137.54	→ 0.00	137.58	137.58	→ 0.00	137.61	137.61	→ 0.00	137.63	137.63	→ 0.00	137.71	137.71	→ 0.00	
NC2500	127.16	127.16	→ 0.00	127.22	127.22	→ 0.00	127.28	127.28	→ 0.00	127.35	127.35	→ 0.00	127.41	127.41	→ 0.00	127.46	127.46	→ 0.00	127.60	127.60	→ 0.00	
NC2510	125.92	125.80	↓ -0.12	126.08	125.99	↓ -0.09	126.20	126.14	↓ -0.06	126.42	126.38	↓ -0.04	126.55	126.52	↓ -0.03	126.65	126.63	↓ -0.02	126.82	126.80	↓ -0.02	
NC2600	93.67	93.67	→ 0.00	93.71	93.71	→ 0.00	93.77	93.77	→ 0.00	93.85	93.85	→ 0.00	93.91	93.91	→ 0.00	93.95	93.95	→ 0.00	94.04	94.04	→ 0.00	
NC2610	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC2700_MC	100.98	98.34	↓ -2.64	101.26	98.85	↓ -2.41	101.51	99.36	↓ -2.15	101.81	100.01	↓ -1.80	101.99	100.44	↓ -1.55	102.16	100.83	↓ -1.33	102.51	101.32	↓ -1.19	
NC2701_MC	100.99	100.96	↓ -0.03	101.28	101.02	↓ -0.26	101.53	101.07	↓ -0.46	101.83	101.14	↓ -0.69	102.03	101.18	↓ -0.85	102.20	101.33	↓ -0.87	102.58	101.56	↓ -1.02	
NC2702_MC	100.72	98.20	↓ -2.52	100.90	98.82	↓ -2.08	101.00	99.36	↓ -1.64	101.12	99.99	↓ -1.13	101.20	100.36	↓ -0.84	101.27	100.68	↓ -0.59	101.41	101.01	↓ -0.40	
NC2710_MC	100.97	98.12	↓ -2.85	101.26	98.63	↓ -2.63	101.51	99.15	↓ -2.36	101.80	99.79	↓ -2.01	101.99	100.24	↓ -1.75	102.15	100.67	↓ -1.48	102.51	101.23	↓ -1.28	
NC2711_MC	100.97	99.06	↓ -1.91	101.26	99.14	↓ -2.12	101.51	99.22	↓ -2.29	101.81	99.80	↓ -2.01	102.00	100.25	↓ -1.75	102.17	100.68	↓ -1.49	102.53	101.25	↓ -1.28	
NC2712_MC	101.00	100.43	↓ -0.57	101.30	100.58	↓ -0.72	101.55	100.72	↓ -0.83	101.84	100.90	↓ -0.94	102.03	101.04	↓ -0.99	102.19	101.19	↓ -1.00	102.54	101.52	↓ -1.02	
NC2713_MC	101.21	98.27	↓ -2.94	101.48	98.75	↓ -2.73	101.73	99.26	↓ -2.47	102.00	99.89	↓ -2.11	102.18	100.34	↓ -1.84	102.34	100.76	↓ -1.58	102.68	101.34	↓ -1.34	
NC2800	88.10	88.10	→ 0.00	88.17	88.17	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.67	88.67	→ 0.00	88.81	88.81	→ 0.00	
NC2810	91.76	91.76	→ 0.00	92.11	92.11	→ 0.00	92.34	92.34	→ 0.00	92.38	92.38	→ 0.00	92.42	92.42	→ 0.00	92.46	92.46	→ 0.00	92.55	92.55	→ 0.00	
NC2820	92.79	92.79	→ 0.00	92.84	92.84	→ 0.00	92.91	92.91	→ 0.00	92.99	92.99	→ 0.00	93.06	93.06	→ 0.00	93.13	93.13	→ 0.00	93.23	93.23	→ 0.00	
NC2830	93.70	93.70	→ 0.00	93.77	93.77	→ 0.00	93.84	93.84	→ 0.00	93.94	93.94	→ 0.00	94.01	94.01	→ 0.00	94.07	94.07	→ 0.00	94.21	94.21	→ 0.00	
NC2900	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.38	→ 0.00	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC2910	94.25	94.25	→ 0.00	94.61	94.61	→ 0.00	94.74	94.74	→ 0.00	95.03	95.03	→ 0.00	95.32	95.32	→ 0.00	95.61	95.61	→ 0.00	96.34	96.34	→ 0.00	
NC2950	91.40	91.40	→ 0.00	91.60	91.60	→ 0.00	91.85	91.85	→ 0.00	92.25	92.25	→ 0.00	92.58	92.58	→ 0.00	92.94	92.94	→ 0.00	93.82	93.82	→ 0.00	
NC2960	86.59	86.59	→ 0.00	86.66	86.66	→ 0.00	86.95	86.95	→ 0.00	87.23	87.23	→ 0.00	87.47	87.47	→ 0.00	87.75	87.75	→ 0.00	88.37	88.37	→ 0.00	
NC3100_MC	92.27	92.27	→ 0.00	92.44	92.45	↑ 0.01	92.64	92.63	↓ -0.01	92.91	92.86	↓ -0.05	93.08	93.04	↓ -0.04	93.21	93.19	↓ -0.02	93.75	93.74	↓ -0.01	
NC3110	88.97	88.97	→ 0.00	89.06	89.06	→ 0.00	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3120	88.97	88.97	→ 0.00	89.06	89.06	→ 0.00	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3130	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.01	97.01	→ 0.00	
NC3200	97.66	97.66	→ 0.00	97.84	97.76	↓ -0.08	98.07	97.85	↓ -0.22	98.29	97.95	↓ -0.34	98.41	98.								

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3320	132.51	132.51	→ 0.00	132.61	132.61	→ 0.00	132.73	132.73	→ 0.00	132.92	132.92	→ 0.00	133.07	133.07	→ 0.00	133.20	133.20	→ 0.00	133.49	133.49	→ 0.00	
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

G12. Results Tables – BMP 11, 2AB, 3, 4, 8, 10, & 12

Prepared by the Report's Engineer-of-Record.

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES	
GWSINK	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	0.00	→	0.00	
NC0000	192.48	192.48	→	192.87	192.87	→	193.32	193.32	→	193.99	193.99	→	194.50	194.50	→	195.02	195.02	→	195.05	195.05	→	0.00	
NC0001	149.57	149.57	→	149.69	149.69	→	149.81	149.81	→	150.06	150.06	→	150.20	150.20	→	150.31	150.31	→	150.51	150.51	→	0.00	
NC0005	145.57	145.57	→	145.59	145.59	→	145.61	145.61	→	145.67	145.67	→	145.72	145.72	→	145.76	145.76	→	145.86	145.86	→	0.00	
NC0010	134.89	134.89	→	135.80	135.80	→	136.81	136.81	→	138.29	138.29	→	139.39	139.39	→	140.36	140.36	→	140.88	140.88	→	0.00	
NC0020	134.64	134.64	→	135.47	135.47	→	136.23	136.23	→	137.32	137.32	→	138.13	138.13	→	138.87	138.87	→	139.68	139.68	→	0.00	
NC0023	132.21	132.21	→	132.39	132.39	→	132.60	132.60	→	132.90	132.90	→	133.09	133.09	→	133.19	133.19	→	133.94	133.94	→	0.00	
NC0026	119.75	119.75	→	120.21	120.21	→	120.80	120.80	→	121.69	121.69	→	122.39	122.39	→	123.05	123.05	→	125.26	125.26	→	0.00	
NC0028	118.83	118.83	→	119.00	119.00	→	119.21	119.21	→	119.52	119.52	→	119.77	119.77	→	120.01	120.01	→	120.89	120.89	→	0.00	
NC0029	112.24	112.24	→	112.67	112.67	→	113.23	113.23	→	114.05	114.05	→	114.33	114.33	→	114.54	114.54	→	115.17	115.17	→	0.00	
NC0030	110.29	110.29	→	111.30	111.30	→	112.37	112.37	→	113.31	113.31	→	113.43	113.43	→	113.51	113.51	→	113.67	113.67	→	0.00	
NC0032	106.72	106.72	→	106.84	106.84	→	106.93	106.93	→	107.23	107.23	→	107.42	107.42	→	107.55	107.55	→	107.85	107.85	→	0.00	
NC0040	97.79	97.79	→	97.83	97.83	→	97.87	97.87	→	97.94	97.94	→	97.99	97.99	→	98.03	98.03	→	98.15	98.15	→	0.00	
NC0050	102.31	102.31	→	102.38	102.38	→	102.50	102.50	→	102.76	102.76	→	102.96	102.96	→	103.16	103.16	→	103.45	103.45	→	0.00	
NC0055	96.74	96.74	→	97.28	97.28	→	97.86	97.86	→	98.68	98.68	→	98.81	98.81	→	99.05	99.05	→	99.48	99.48	→	0.00	
NC0060	98.15	98.15	→	98.25	98.25	→	98.35	98.35	→	98.49	98.49	→	98.63	98.63	→	98.74	98.74	→	99.17	99.17	→	0.00	
NC0065	95.62	95.62	→	95.94	95.94	→	96.28	96.28	→	96.74	96.74	→	97.13	97.13	→	97.48	97.48	→	98.87	98.87	→	0.00	
NC0067	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.75	95.75	→	96.07	96.07	→	96.42	96.42	→	97.23	97.23	→	0.00	
NC0070	98.88	98.88	→	99.10	99.10	→	99.33	99.33	→	99.63	99.63	→	99.69	99.69	→	99.73	99.73	→	99.79	99.79	→	0.00	
NC0080	98.38	98.38	→	98.50	98.50	→	98.61	98.61	→	98.77	98.77	→	98.92	98.92	→	99.04	99.04	→	99.47	99.47	→	0.00	
NC0090	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.75	95.75	→	96.07	96.07	→	96.41	96.41	→	97.17	97.17	→	0.00	
NC0092	93.56	93.56	→	94.52	94.52	→	95.27	95.27	→	95.74	95.74	→	96.06	96.06	→	96.38	96.38	→	97.02	97.02	→	0.00	
NC0100	188.12	188.12	→	188.47	188.47	→	188.84	188.84	→	189.34	189.34	→	189.74	189.74	→	190.16	190.16	→	191.20	191.20	→	0.00	
NC0101	186.71	186.71	→	186.77	186.77	→	186.84	186.84	→	186.92	186.92	→	186.97	186.97	→	187.03	187.03	→	187.14	187.14	→	0.00	
NC0103	157.31	157.31	→	157.39	157.39	→	157.48	157.48	→	157.59	157.59	→	157.66	157.66	→	157.73	157.73	→	157.86	157.86	→	0.00	
NC0105	140.34	140.34	→	140.40	140.40	→	140.47	140.47	→	140.56	140.56	→	140.63	140.63	→	140.70	140.70	→	140.87	140.87	→	0.00	
NC0107	120.91	120.91	→	121.00	121.00	→	121.10	121.10	→	121.23	121.23	→	121.34	121.34	→	121.44	121.44	→	121.68	121.68	→	0.00	
NC0109	110.46	110.46	→	110.53	110.53	→	110.61	110.61	→	110.72	110.72	→	110.81	110.81	→	110.90	110.90	→	111.12	111.12	→	0.00	
NC0110	95.82	95.82	→	96.49	96.49	→	96.98	96.98	→	97.50	97.50	→	97.93	97.93	→	98.46	98.46	→	99.09	99.09	→	0.00	
NC0120	108.49	108.49	→	108.64	108.64	→	108.81	108.81	→	109.04	109.04	→	109.20	109.20	→	109.34	109.34	→	109.62	109.62	→	0.00	
NC0130	113.39	113.39	→	113.56	113.56	→	113.79	113.79	→	114.35	114.35	→	114.80	114.80	→	115.20	115.20	→	120.92	120.92	→	0.00	
NC0140	117.49	117.49	→	117.58	117.58	→	117.67	117.67	→	117.78	117.78	→	117.84	117.84	→	117.91	117.91	→	118.05	118.05	→	0.00	
NC0146	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0150	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0160	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0165	101.52	101.52	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0170	111.44	111.44	→	111.60	111.60	→	111.79	111.79	→	112.10	112.10	→	112.35	112.35	→	112.62	112.62	→	113.21	113.21	→	0.00	
NC0180	101.53	101.53	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.98	103.98	→	105.35	105.35	→	0.00	
NC0190	110.63	110.63	→	110.71	110.71	→	110.80	110.80	→	110.93	110.93	→	111.02	111.02	→	111.11	111.11	→	111.28	111.28	→	0.00	
NC0210	167.20	167.20	→	167.23	167.23	→	167.27	167.27	→	167.33	167.33	→	167.38	167.38	→	167.44	167.44	→	167.56	167.56	→	0.00	
NC0220	114.62	114.62	→	114.65	114.65	→	114.68	114.68	→	114.73	114.73	→	114.77	114.77	→	114.81	114.81	→	114.91	114.91	→	0.00	
NC0240	102.34	102.34	→	102.37	102.37	→	102.48	102.48	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0250	101.38	101.38	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0255	101.38	101.38	→	101.93	101.93	→	102.49	102.49	→	103.10	103.10	→	103.51	103.51	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0265	101.43	101.43	→	101.93	101.93	→	102.48	102.48	→	103.10	103.10	→	103.50	103.50	→	103.97	103.97	→	105.35	105.35	→	0.00	
NC0315	132.97	132.97	→	133.02	133.02	→	133.09	133.09	→	133.19	133.19	→	133.26	133.26	→	133.32	133.32	→	133.48	133.48	→	0.00	
NC0320	123.87	123.87	→	124.13	124.13	→	124.50	124.50	→	125.78	125.78	→	126.39	126.39	→	126.47	126.47	→	126.57	126.57	→	0.00	
NC0330	111.11	111.11	→	111.50	111.50	→	112.08	112.08	→	112.71	112.71	→	112.97	112.97	→	113.44	113.44	→	115.05	115.05	→	0.00	
NC0335	100.83	100.83	→	101.19	101.19	→	101.62	101.62	→	102.27	102.27	→	102.80	102.80	→	103.37	103.37	→	104.80	104.80	→	0.00	
NC0337	111.97	111.97	→	112.18	112.18	→	112.52	112.52	→	113.17	113.17	→	113.88	113.88	→	114.62	114.62	→	115.13	115.13	→	0.00	
NC0340	110.15	110.15	→	110.52	110.52	→	110.94	110.94	→	111.87	111.87	→	112.76	112.76	→	113.40	113.40	→	115.04	115.04	→	0.00	
NC0345	103.12	103.12	→	103.50	103.51	↑	103.91	103.96	↑	104.73	104.78	↑	105.15	105.17	↑	105.34	105.35	↑	105.65	105.67	↑	0.02	

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES							
NC0355	104.82	104.82	→	0.00	104.90	104.90	→	0.00	104.98	104.98	→	0.00	105.07	105.07	→	0.00	105.13	105.13	→	0.00	105.20	105.21	↑	0.01	105.50	105.52	↑	0.02	
NC0360	110.74	110.74	→	0.00	110.82	110.82	→	0.00	111.28	111.28	→	0.00	112.10	112.10	→	0.00	112.75	112.74	↓	-0.01	113.43	113.42	↓	-0.01	115.18	115.16	↓	-0.02	
NC0369_MC	131.63	131.63	→	0.00	131.73	131.73	→	0.00	131.79	131.79	→	0.00	131.86	131.86	→	0.00	131.91	131.91	→	0.00	131.94	131.94	→	0.00	132.01	132.01	→	0.00	
NC0370_MC	114.68	114.68	→	0.00	114.79	114.79	→	0.00	114.91	114.91	→	0.00	115.07	115.07	→	0.00	115.18	115.18	→	0.00	115.30	115.30	→	0.00	115.57	115.57	→	0.00	
NC0371_MC	114.74	114.74	→	0.00	114.86	114.86	→	0.00	114.99	114.99	→	0.00	115.16	115.16	→	0.00	115.28	115.28	→	0.00	115.41	115.41	→	0.00	115.70	115.70	→	0.00	
NC0372_MC	115.34	115.34	→	0.00	115.43	115.43	→	0.00	115.53	115.53	→	0.00	115.69	115.69	→	0.00	115.81	115.81	→	0.00	115.92	115.92	→	0.00	116.19	116.19	→	0.00	
NC0373_MC	115.88	115.88	→	0.00	115.96	115.96	→	0.00	116.06	116.06	→	0.00	116.21	116.21	→	0.00	116.32	116.32	→	0.00	116.42	116.42	→	0.00	116.71	116.71	→	0.00	
NC0374_MC	135.03	135.03	→	0.00	135.14	135.14	→	0.00	135.24	135.24	→	0.00	135.37	135.37	→	0.00	135.47	135.47	→	0.00	135.57	135.57	→	0.00	135.80	135.80	→	0.00	
NC0375	96.31	96.31	→	0.00	96.33	96.33	→	0.00	96.68	96.55	↓	-0.13	97.20	97.13	↓	-0.07	97.87	97.84	↓	-0.03	99.63	99.65	↑	0.02	100.06	100.07	↑	0.01	
NC0376	96.02	96.02	→	0.00	96.32	96.25	↓	-0.07	96.68	96.55	↓	-0.13	97.20	97.13	↓	-0.07	97.87	97.84	↓	-0.03	99.63	99.65	↑	0.02	100.06	100.07	↑	0.01	
NC0377_MC	116.06	116.06	→	0.00	116.17	116.17	→	0.00	116.29	116.29	→	0.00	116.48	116.48	→	0.00	116.62	116.62	→	0.00	116.76	116.76	→	0.00	117.13	117.13	→	0.00	
NC0378	96.61	95.95	↓	-0.66	97.18	96.78	↓	-0.40	97.82	97.59	↓	-0.23	98.74	98.64	↓	-0.10	99.41	99.37	↓	-0.04	99.65	99.65	→	0.00	100.06	100.07	↑	0.01	
NC0379_MC	99.07	99.07	→	0.00	99.20	99.20	→	0.00	99.36	99.36	→	0.00	99.64	99.64	→	0.00	99.90	99.90	→	0.00	100.16	100.16	→	0.00	100.72	100.72	→	0.00	
NC0380	109.85	109.85	→	0.00	110.68	110.68	→	0.00	111.27	111.27	→	0.00	112.10	112.10	→	0.00	112.75	112.74	↓	-0.01	113.43	113.42	↓	-0.01	115.17	115.16	↓	-0.01	
NC0381_MC	#N/A	95.56	→	0.00	#N/A	95.66	→	0.00	#N/A	95.79	→	0.00	#N/A	96.00	→	0.00	#N/A	96.20	→	0.00	#N/A	96.52	→	0.00	#N/A	98.42	→	0.00	
NC0382_MC	#N/A	95.87	→	0.00	#N/A	96.10	→	0.00	#N/A	96.76	→	0.00	#N/A	98.59	→	0.00	#N/A	99.15	→	0.00	#N/A	99.52	→	0.00	#N/A	99.97	→	0.00	
NC0383_MC	#N/A	97.50	→	0.00	#N/A	97.83	→	0.00	#N/A	97.87	→	0.00	#N/A	98.70	→	0.00	#N/A	99.67	→	0.00	#N/A	100.90	→	0.00	#N/A	101.59	→	0.00	
NC0385	129.23	129.23	→	0.00	129.51	129.51	→	0.00	129.84	129.84	→	0.00	130.28	130.28	→	0.00	130.55	130.55	→	0.00	130.78	130.78	→	0.00	131.33	131.33	→	0.00	
NC0390	125.97	125.97	→	0.00	126.47	126.47	→	0.00	127.06	127.07	↑	0.01	127.77	127.77	→	0.00	128.03	128.03	→	0.00	128.22	128.22	→	0.00	128.57	128.57	→	0.00	
NC0391_MC	111.56	111.59	↑	0.03	111.66	111.69	↑	0.03	111.77	111.78	↑	0.01	112.73	112.85	↑	0.12	113.90	113.98	↑	0.08	114.40	114.42	↑	0.02	115.00	115.02	↑	0.02	
NC0392_MC	111.17	111.20	↑	0.03	111.26	111.29	↑	0.03	111.35	111.37	↑	0.02	112.32	112.43	↑	0.11	113.45	113.53	↑	0.08	113.92	113.94	↑	0.02	114.45	114.47	↑	0.02	
NC0393	124.11	124.12	↑	0.01	124.52	124.53	↑	0.01	125.01	125.03	↑	0.02	125.86	125.87	↑	0.01	126.44	126.44	→	0.00	126.93	126.93	→	0.00	127.72	127.72	→	0.00	
NC0394	122.78	122.82	↑	0.04	123.08	123.11	↑	0.03	123.44	123.48	↑	0.04	123.95	123.95	→	0.00	124.29	124.29	→	0.00	124.61	124.61	→	0.00	125.59	125.59	→	0.00	
NC0395_MC	122.33	122.39	↑	0.06	122.54	122.58	↑	0.04	122.75	122.79	↑	0.04	123.08	123.11	↑	0.03	123.35	123.37	↑	0.02	123.60	123.62	↑	0.02	124.13	124.15	↑	0.02	
NC0396_MC	110.16	110.16	→	0.00	110.17	110.16	↓	-0.01	110.18	110.27	↑	0.09	111.70	111.80	↑	0.10	112.78	112.85	↑	0.07	113.21	113.22	↑	0.01	113.62	113.63	↑	0.01	
NC0397_MC	108.00	108.26	↑	0.26	108.88	109.07	↑	0.19	109.82	109.96	↑	0.14	111.04	111.13	↑	0.09	112.06	112.13	↑	0.07	112.45	112.47	↑	0.02	112.88	112.89	↑	0.01	
NC0398_MC	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	115.80	115.80	→	0.00	
NC0399	122.24	122.30	↑	0.06	122.43	122.48	↑	0.05	122.63	122.67	↑	0.04	122.93	122.96	↑	0.03	123.16	123.18	↑	0.02	123.38	123.40	↑	0.02	123.84	123.85	↑	0.01	
NC0400	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.22	113.22	→	0.00	113.56	113.57	↑	0.01	
NC0401	107.30	107.51	↑	0.21	108.03	108.20	↑	0.17	108.89	109.02	↑	0.13	110.07	110.17	↑	0.10	111.09	111.15	↑	0.06	111.45	111.47	↑	0.02	111.89	111.90	↑	0.01	
NC0403_MC	107.46	107.67	↑	0.21	108.21	108.38	↑	0.17	109.09	109.23	↑	0.14	110.22	110.31	↑	0.09	111.17	111.23	↑	0.06	111.52	111.54	↑	0.02	111.96	111.97	↑	0.01	
NC0404	105.02	104.59	↓	-0.43	105.25	104.78	↓	-0.47	105.52	105.14	↓	-0.38	105.93	105.57	↓	-0.36	106.28	105.87	↓	-0.41	106.60	106.14	↓	-0.46	107.39	106.75	↓	-0.64	
NC0405_MC	104.61	102.21	↓	-2.40	104.78	103.34	↓	-1.44	104.99	104.12	↓	-0.87	105.32	104.43	↓	-0.89	105.60	104.60	↓	-1.00	105.88	104.74	↓	-1.14	106.63	105.07	↓	-1.56	
NC0406_MC	110.69	110.69	→	0.00	110.70	110.70	→	0.00	110.72	110.72	→	0.00	110.73	110.73	→	0.00	110.75	110.75	→	0.00	110.82	110.83	↑	0.01	110.96	110.96	→	0.00	
NC0410	157.96	157.96	→	0.00	158.32	158.32	→	0.00	158.75	158.75	→	0.00	159.40	159.40	→	0.00	159.90	159.90	→	0.00	160.67	160.67	→	0.00	162.05	162.05	→	0.00	
NC0420	149.96	149.96	→	0.00	150.28	150.28	→	0.00	150.64	150.64	→	0.00	151.19	151.19	→	0.00	151.63	151.63	→	0.00	152.16	152.16	→	0.00	153.51	153.51	→	0.00	
NC0425	147.93	147.93	→	0.00	148.44	148.44	→	0.00	149.25	149.25	→	0.00	149.68	149.68	→	0.00	149.83	149.83	→	0.00	149.97	149.97	→	0.00	150.24	150.24	→	0.00	
NC0428	142.61	142.61	→	0.00	143.16	143.16	→	0.00	143.80	143.80	→	0.00	144.83	144.83	→	0.00	145.02	145.02	→	0.00	145.18	145.18	→	0.00	145.50	145.50	→	0.00	
NC0429	141.55	141.55	→	0.00	141.77	141.77	→	0.00	141.97	141.97	→	0.00	142.32	142.32	→	0.00	142.61	142.61	→	0.00	142.91	142.91	→	0.00	143.65	143.65	→	0.00	
NC0430	129.81	129.80	↓	-0.01	131.14	131.13	↓	-0.01	132.13	132.13	→	0.00	132.53	132.53	→	0.00	132.69	132.69	→	0.00	132.83	132.83	→	0.00	133.12	133.12	→	0.00	
NC0431	133.39	133.39	→	0.00	133.80	133.80	→	0.00	134.27	134.27	→	0.00	134.77	134.77	→	0.00	135.09	135.09	→	0.00	135.37	135.37	→	0.00	136.01	136.01	→	0.00	
NC0434	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	127.70	127.70	→	0.00	
NC0435	110.30	110.30	→	0.00	111.31	111.31	→	0.00	112.37	112.37	→	0.00	113.32	113.32	→	0.00	113.43	113.43	→	0.00	113.51	113.51	→	0.00	113.68	113.68	→	0.00	
NC0438	127.01	126.99	↓	-0.02																									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0482_MC	106.98	104.29	↓ -2.69	107.72	104.53	↓ -3.19	108.62	104.61	↓ -4.01	108.68	104.85	↓ -3.83	108.71	105.09	↓ -3.62	108.73	106.50	↓ -2.23	108.79	108.14	↓ -0.65	
NC0485_MC	106.80	104.75	↓ -2.05	107.15	105.05	↓ -2.10	107.53	105.05	↓ -2.48	108.17	105.31	↓ -2.86	108.60	106.46	↓ -2.14	108.98	108.31	↓ -0.67	109.73	109.83	↑ 0.10	
NC0490	95.22	95.22	→ 0.00	95.42	95.42	→ 0.00	95.66	95.66	→ 0.00	96.01	96.01	→ 0.00	96.18	96.18	→ 0.00	96.25	96.25	→ 0.00	96.39	96.39	→ 0.00	
NC0500	95.02	95.02	→ 0.00	95.25	95.25	→ 0.00	95.50	95.50	→ 0.00	95.86	95.86	→ 0.00	96.10	96.10	→ 0.00	96.25	96.25	→ 0.00	96.56	96.56	→ 0.00	
NC0510	92.67	92.67	→ 0.00	92.89	92.89	→ 0.00	93.18	93.18	→ 0.00	93.64	93.64	→ 0.00	94.02	94.02	→ 0.00	94.42	94.42	→ 0.00	95.36	95.36	→ 0.00	
NC0520	89.02	89.02	→ 0.00	89.17	89.17	→ 0.00	89.34	89.34	→ 0.00	90.34	90.34	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0530	91.74	91.72	↓ -0.02	92.10	92.08	↓ -0.02	92.60	92.58	↓ -0.02	93.35	93.34	↓ -0.01	93.94	93.94	→ 0.00	94.56	94.55	↓ -0.01	96.25	96.16	↓ -0.09	
NC0535	105.85	105.85	→ 0.00	105.87	105.87	→ 0.00	105.92	105.92	→ 0.00	106.03	105.98	↓ -0.05	106.33	106.02	↓ -0.31	106.64	106.22	↓ -0.42	107.43	106.80	↓ -0.63	
NC0540	105.03	104.60	↓ -0.43	105.26	104.79	↓ -0.47	105.53	105.16	↓ -0.37	105.94	105.58	↓ -0.36	106.29	105.89	↓ -0.40	106.61	106.15	↓ -0.46	107.40	106.77	↓ -0.63	
NC0550_MC	96.27	95.49	↓ -0.78	96.51	95.94	↓ -0.57	96.81	96.39	↓ -0.42	97.22	97.13	↓ -0.09	97.49	97.49	→ 0.00	97.73	97.72	↓ -0.01	98.18	98.06	↓ -0.12	
NC0555	98.12	98.12	→ 0.00	98.35	98.35	→ 0.00	98.61	98.61	→ 0.00	98.98	98.98	→ 0.00	99.23	99.23	→ 0.00	99.41	99.41	→ 0.00	99.44	99.44	→ 0.00	
NC0560_MC	104.15	101.62	↓ -2.53	104.29	102.33	↓ -1.96	104.41	102.55	↓ -1.86	104.57	103.43	↓ -1.14	104.67	104.04	↓ -0.63	104.79	104.52	↓ -0.27	105.02	104.78	↓ -0.24	
NC0561_MC	102.31	102.31	→ 0.00	102.38	102.38	→ 0.00	102.43	102.43	→ 0.00	102.56	102.48	↓ -0.08	102.64	102.51	↓ -0.13	102.71	102.55	↓ -0.16	102.86	102.72	↓ -0.14	
NC0562_MC	104.11	104.10	↓ -0.01	104.23	104.14	↓ -0.09	104.32	104.17	↓ -0.15	104.45	104.21	↓ -0.24	104.53	104.24	↓ -0.29	104.61	104.44	↓ -0.17	104.78	104.62	↓ -0.16	
NC0563_MC	105.51	105.51	→ 0.00	105.55	105.55	→ 0.00	105.59	105.59	→ 0.00	105.63	105.63	→ 0.00	105.66	105.66	→ 0.00	105.69	105.69	→ 0.00	105.75	105.75	→ 0.00	
NC0565_MC	103.25	100.41	↓ -2.84	103.58	100.88	↓ -2.70	103.89	101.17	↓ -2.72	104.30	102.05	↓ -2.25	104.53	102.81	↓ -1.72	104.68	104.05	↓ -0.63	104.93	104.66	↓ -0.27	
NC0570_MC	104.34	102.07	↓ -2.27	104.43	103.28	↓ -1.15	104.53	104.08	↓ -0.45	104.65	104.37	↓ -0.28	104.75	104.52	↓ -0.23	104.83	104.64	↓ -0.19	105.06	104.90	↓ -0.16	
NC0571_MC	105.17	105.17	→ 0.00	105.18	105.18	→ 0.00	105.19	105.19	→ 0.00	105.21	105.21	→ 0.00	105.23	105.23	→ 0.00	105.24	105.24	→ 0.00	105.28	105.28	→ 0.00	
NC0572_MC	104.33	104.02	↓ -0.31	104.42	104.04	↓ -0.38	104.52	104.09	↓ -0.43	104.65	104.37	↓ -0.28	104.74	104.51	↓ -0.23	104.82	104.63	↓ -0.19	105.05	104.89	↓ -0.16	
NC0580_MC	101.66	100.26	↓ -1.40	101.89	101.11	↓ -0.78	102.14	101.48	↓ -0.66	102.42	101.74	↓ -0.68	102.61	101.88	↓ -0.73	102.78	102.01	↓ -0.77	103.14	102.31	↓ -0.83	
NC0581_MC	103.09	100.66	↓ -2.43	103.32	101.37	↓ -1.95	103.58	101.73	↓ -1.85	103.91	102.02	↓ -1.89	104.16	102.20	↓ -1.96	104.40	102.36	↓ -2.04	104.89	102.77	↓ -2.12	
NC0582_MC	101.96	101.65	↓ -0.31	102.07	101.69	↓ -0.38	102.21	101.78	↓ -0.43	102.45	102.06	↓ -0.39	102.62	102.20	↓ -0.42	102.78	102.33	↓ -0.45	103.13	102.58	↓ -0.55	
NC0583_MC	101.67	101.60	↓ -0.07	101.89	101.64	↓ -0.25	102.14	101.67	↓ -0.47	102.43	101.76	↓ -0.67	102.61	101.89	↓ -0.72	102.78	102.02	↓ -0.76	103.14	102.31	↓ -0.83	
NC0585	101.26	99.28	↓ -1.98	101.52	100.06	↓ -1.46	101.75	100.60	↓ -1.15	102.03	100.99	↓ -1.04	102.20	101.19	↓ -1.01	102.36	101.35	↓ -1.01	102.70	101.71	↓ -0.99	
NC0586_MC	101.26	100.61	↓ -0.65	101.52	100.63	↓ -0.89	101.76	100.66	↓ -1.10	102.03	100.99	↓ -1.04	102.20	101.19	↓ -1.01	102.36	101.36	↓ -1.00	102.70	101.72	↓ -0.98	
NC0587_MC	101.54	99.37	↓ -2.17	101.81	100.12	↓ -1.69	102.07	100.66	↓ -1.41	102.37	101.06	↓ -1.31	102.56	101.28	↓ -1.28	102.73	101.46	↓ -1.27	103.09	101.88	↓ -1.21	
NC0588_MC	101.02	100.27	↓ -0.75	101.32	100.32	↓ -1.00	101.58	100.40	↓ -1.18	101.88	100.71	↓ -1.17	102.08	100.90	↓ -1.18	102.25	101.07	↓ -1.18	102.62	101.56	↓ -1.06	
NC0590_MC	100.46	97.92	↓ -2.54	100.71	98.38	↓ -2.33	100.93	98.84	↓ -2.09	101.21	99.49	↓ -1.72	101.38	99.96	↓ -1.42	101.53	100.40	↓ -1.13	101.86	101.00	↓ -0.86	
NC0594	102.51	102.51	→ 0.00	102.98	102.98	→ 0.00	103.54	103.54	→ 0.00	104.33	104.33	→ 0.00	104.92	104.92	→ 0.00	105.83	105.83	→ 0.00	106.26	106.26	→ 0.00	
NC0595_MC	106.06	106.06	→ 0.00	106.13	106.13	→ 0.00	106.19	106.19	→ 0.00	106.27	106.27	→ 0.00	106.32	106.32	→ 0.00	106.36	106.36	→ 0.00	106.45	106.45	→ 0.00	
NC0596_MC	109.60	109.60	→ 0.00	109.62	109.62	→ 0.00	109.63	109.63	→ 0.00	109.65	109.65	→ 0.00	109.66	109.66	→ 0.00	109.68	109.68	→ 0.00	109.71	109.71	→ 0.00	
NC0598_MC	100.48	100.35	↓ -0.13	100.84	100.82	↓ -0.02	100.95	100.89	↓ -0.06	101.17	100.97	↓ -0.20	101.32	101.02	↓ -0.30	101.45	101.06	↓ -0.39	101.74	101.19	↓ -0.55	
NC0599_MC	100.70	98.20	↓ -2.50	100.87	98.54	↓ -2.33	100.96	99.10	↓ -1.86	101.07	100.01	↓ -1.06	101.14	100.38	↓ -0.76	101.20	100.70	↓ -0.50	101.33	101.01	↓ -0.32	
NC0600_MC	96.20	95.48	↓ -0.72	96.43	95.93	↓ -0.50	96.73	96.38	↓ -0.35	97.13	97.10	↓ -0.03	97.40	97.45	↑ 0.05	97.63	97.67	↑ 0.04	98.06	97.99	↓ -0.07	
NC0601_MC	96.33	95.81	↓ -0.52	96.53	96.03	↓ -0.50	96.83	96.44	↓ -0.39	97.24	97.16	↓ -0.08	97.52	97.51	↓ -0.01	97.75	97.73	↓ -0.02	98.21	98.07	↓ -0.14	
NC0602_MC	96.36	95.82	↓ -0.54	96.55	96.22	↓ -0.33	96.83	96.64	↓ -0.19	97.23	97.28	↑ 0.05	97.51	97.66	↑ 0.15	97.74	97.92	↑ 0.18	98.19	98.27	↑ 0.08	
NC0603_MC	97.52	96.48	↓ -1.04	97.59	96.91	↓ -0.68	97.65	97.36	↓ -0.29	97.74	97.90	↑ 0.16	97.83	98.41	↑ 0.58	97.96	98.79	↑ 0.83	98.29	99.29	↑ 1.00	
NC0604_MC	99.92	97.40	↓ -2.52	100.09	97.88	↓ -2.21	100.21	98.32	↓ -1.89	100.36	98.86	↓ -1.50	100.44	99.30	↓ -1.14	100.52	99.72	↓ -0.80	100.68	100.23	↓ -0.45	
NC0605_MC	99.81	#N/A	→ 0.00	99.95	#N/A	→ 0.00	100.05	#N/A	→ 0.00	100.17	#N/A	→ 0.00	100.25	#N/A	→ 0.00	100.32	#N/A	→ 0.00	100.46	#N/A	→ 0.00	
NC0606_MC	97.42	#N/A	→ 0.00	97.48	#N/A	→ 0.00	97.53	#N/A	→ 0.00	97.62	#N/A	→ 0.00	97.72	#N/A	→ 0.00	97.87	#N/A	→ 0.00	98.26	#N/A	→ 0.00	
NC0607_MC	96.25	95.51	↓ -0.74	96.48	95.96	↓ -0.52	96.78	96.40	↓ -0.38	97.19	97.13	↓ -0.06	97.47	97.48	↑ 0.01	97.70	97.70	→ 0.00	98.15	98.03	↓ -0.12	
NC0610	93.82	93.82	→ 0.00	94.01	94.01	→ 0.00	94.03	94.03	→ 0.00	94.11	94.11	→ 0.00	94.18	94.18	→ 0.00	94.56	94.55	↓ -0.01	96.26	96.16	↓ -0.10	
NC0618_MC	96.12	95.39	↓ -0.73	96.34	95.84	↓ -0.50	96.62	96.29	↓ -0.33	97.00	97.00	→ 0.00	97.25	97.32	↑ 0.07	97.45	97.51	↑ 0.06	97.84	97.79	↓ -0.05	
NC0619_MC	93.16	94.50	↑ 1.34	93.24	94.86	↑ 1.62	93.35	95.21	↑ 1.86	93.52	95.80	↑ 2.28	93.63	96.07	↑ 2.44	93.72	96.23	↑ 2.51	93.98	96.65	↑ 2.67	
NC0620_MC	92.32	92.33	↑ 0.01	92.50	92.52	↑ 0.02	92.72	92.72	→ 0.00	93.02	92.96	↓ -0.06	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.75	93.74	↓ -0.01	
NC0621_MC	#N/A	94.50	→ 0.00	#N/A	94.86	→ 0.00	#N/A	95.21	→ 0.00	#N/A	95.80	→ 0.00	#N/A	96.07	→ 0.00	#N/A	96.24	→ 0.00	#N/A	96.66	→ 0.00	
NC0622_MC	#N/A	93.42	→ 0.00	#N/A	93.54	→ 0.00	#N/A	93.66	→ 0.00	#N/A	93.85	→ 0.00	#N/A	93.94	→ 0.00	#N/A	94.00	→ 0.00	#N/A	94.14	→ 0.00	
NC0650_MC	92.33	92.33	→ 0.00	92.47	92.50	↑ 0.03	92.68	92.69	↑ 0.01	93.04	93.09	↑ 0.05	93.38	93.41	↑ 0.03	93.71	93.72	↑ 0.01	94.61	94.61	→ 0.00	
NC0651_MC	92.27	92.28	↑ 0.01	92.44	92.46	↑ 0.02	92.65	92.65	→ 0.00	92.92	92.87	↓ -0.05	93.09	93.06	↓ -0.03	93.23	93.21	↓ -0.02	93.75	93.74	↓ -0.01	

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC0694_MC	92.31	92.33	↑ 0.02	92.49	92.52	↑ 0.03	92.71	92.71	→ 0.00	92.99	92.95	↓ -0.04	93.18	93.15	↓ -0.03	93.32	93.32	→ 0.00	93.75	93.74	↓ -0.01	
NC0695_MC	92.32	92.33	↑ 0.01	92.50	92.52	↑ 0.02	92.73	92.72	↓ -0.01	93.02	92.96	↓ -0.06	93.21	93.17	↓ -0.04	93.36	93.35	↓ -0.01	93.75	93.74	↓ -0.01	
NC0696_MC	94.11	94.50	↑ 0.39	94.26	94.86	↑ 0.60	94.47	95.21	↑ 0.74	94.75	95.80	↑ 1.05	94.93	96.07	↑ 1.14	95.07	96.24	↑ 1.17	95.50	96.66	↑ 1.16	
NC0697_MC	92.29	92.30	↑ 0.01	92.46	92.49	↑ 0.03	92.67	92.68	↑ 0.01	92.95	92.91	↓ -0.04	93.14	93.10	↓ -0.04	93.28	93.26	↓ -0.02	93.75	93.74	↓ -0.01	
NC0698_MC	92.30	92.31	↑ 0.01	92.47	92.50	↑ 0.03	92.68	92.68	→ 0.00	92.96	92.91	↓ -0.05	93.14	93.10	↓ -0.04	93.28	93.26	↓ -0.02	93.75	93.74	↓ -0.01	
NC0699_MC	92.29	92.30	↑ 0.01	92.46	92.48	↑ 0.02	92.67	92.67	→ 0.00	92.95	92.91	↓ -0.04	93.13	93.10	↓ -0.03	93.27	93.26	↓ -0.01	93.75	93.74	↓ -0.01	
NC0700_MC	91.21	91.22	↑ 0.01	91.26	91.28	↑ 0.02	91.33	91.34	↑ 0.01	91.43	91.41	↓ -0.02	91.50	91.49	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0701_MC	92.26	92.27	↑ 0.01	92.43	92.45	↑ 0.02	92.63	92.63	→ 0.00	92.89	92.85	↓ -0.04	93.07	93.03	↓ -0.04	93.20	93.18	↓ -0.02	93.75	93.74	↓ -0.01	
NC0702_MC	92.31	92.33	↑ 0.02	92.50	92.52	↑ 0.02	92.71	92.71	→ 0.00	93.00	92.96	↓ -0.04	93.19	93.16	↓ -0.03	93.34	93.33	↓ -0.01	93.75	93.74	↓ -0.01	
NC0703_MC	92.32	92.33	↑ 0.01	92.50	92.52	↑ 0.02	92.72	92.72	→ 0.00	93.02	92.96	↓ -0.06	93.21	93.16	↓ -0.05	93.36	93.34	↓ -0.02	93.76	93.74	↓ -0.02	
NC0710	141.66	141.66	→ 0.00	141.75	141.75	→ 0.00	141.86	141.86	→ 0.00	142.04	142.04	→ 0.00	142.19	142.19	→ 0.00	142.44	142.44	→ 0.00	143.56	143.56	→ 0.00	
NC0720	88.87	88.87	→ 0.00	89.36	89.36	→ 0.00	89.89	89.89	→ 0.00	90.44	90.44	→ 0.00	91.16	91.15	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0730	152.64	152.64	→ 0.00	152.69	152.69	→ 0.00	152.78	152.78	→ 0.00	152.89	152.89	→ 0.00	152.96	152.96	→ 0.00	153.02	153.02	→ 0.00	153.11	153.11	→ 0.00	
NC0748	110.43	110.43	→ 0.00	110.49	110.49	→ 0.00	110.56	110.56	→ 0.00	110.64	110.64	→ 0.00	110.69	110.69	→ 0.00	110.74	110.74	→ 0.00	110.85	110.85	→ 0.00	
NC0780	192.68	192.68	→ 0.00	192.79	192.79	→ 0.00	192.92	192.92	→ 0.00	193.25	193.25	→ 0.00	193.70	193.70	→ 0.00	193.81	193.81	→ 0.00	194.03	194.03	→ 0.00	
NC0790	185.89	185.89	→ 0.00	185.93	185.93	→ 0.00	185.97	185.97	→ 0.00	186.08	186.08	→ 0.00	186.24	186.24	→ 0.00	186.41	186.41	→ 0.00	187.35	187.35	→ 0.00	
NC0791	183.49	183.49	→ 0.00	183.51	183.51	→ 0.00	183.53	183.53	→ 0.00	183.58	183.58	→ 0.00	183.66	183.66	→ 0.00	183.73	183.73	→ 0.00	184.03	184.03	→ 0.00	
NC0800	216.47	216.47	→ 0.00	217.04	217.04	→ 0.00	217.73	217.73	→ 0.00	217.95	217.95	→ 0.00	218.01	218.01	→ 0.00	218.06	218.06	→ 0.00	218.18	218.18	→ 0.00	
NC0815	158.52	158.52	→ 0.00	158.73	158.73	→ 0.00	159.17	159.17	→ 0.00	159.90	159.90	→ 0.00	160.51	160.51	→ 0.00	161.21	161.21	→ 0.00	163.33	163.33	→ 0.00	
NC0816	153.86	153.86	→ 0.00	153.93	153.93	→ 0.00	154.06	154.06	→ 0.00	154.26	154.26	→ 0.00	154.40	154.40	→ 0.00	154.55	154.55	→ 0.00	154.90	154.90	→ 0.00	
NC0817	139.09	139.09	→ 0.00	139.17	139.17	→ 0.00	139.33	139.33	→ 0.00	139.55	139.55	→ 0.00	139.71	139.71	→ 0.00	139.87	139.87	→ 0.00	140.24	140.24	→ 0.00	
NC0818	128.08	128.08	→ 0.00	128.16	128.16	→ 0.00	128.32	128.32	→ 0.00	128.55	128.55	→ 0.00	128.72	128.72	→ 0.00	128.90	128.90	→ 0.00	129.32	129.32	→ 0.00	
NC0820	120.79	120.79	→ 0.00	121.48	121.48	→ 0.00	122.32	122.32	→ 0.00	122.99	122.99	→ 0.00	123.15	123.15	→ 0.00	123.26	123.26	→ 0.00	123.44	123.44	→ 0.00	
NC0830	101.97	101.97	→ 0.00	101.98	101.98	→ 0.00	102.49	102.48	↓ -0.01	103.09	103.09	→ 0.00	103.50	103.50	→ 0.00	103.97	103.97	→ 0.00	105.35	105.35	→ 0.00	
NC0835	117.94	117.94	→ 0.00	117.97	117.97	→ 0.00	118.00	118.00	→ 0.00	118.05	118.05	→ 0.00	118.08	118.08	→ 0.00	118.12	118.12	→ 0.00	118.22	118.22	→ 0.00	
NC0840	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.08	103.08	→ 0.00	103.49	103.49	→ 0.00	103.96	103.96	→ 0.00	105.34	105.34	→ 0.00	
NC0845	114.61	114.61	→ 0.00	114.88	114.88	→ 0.00	115.14	115.14	→ 0.00	115.36	115.36	→ 0.00	115.44	115.44	→ 0.00	115.49	115.49	→ 0.00	115.60	115.60	→ 0.00	
NC0850	103.37	103.37	→ 0.00	103.44	103.44	→ 0.00	103.52	103.52	→ 0.00	103.62	103.62	→ 0.00	103.70	103.70	→ 0.00	103.93	103.93	→ 0.00	105.34	105.34	→ 0.00	
NC0855	109.96	109.96	→ 0.00	110.44	110.44	→ 0.00	111.13	111.13	→ 0.00	112.65	112.65	→ 0.00	113.71	113.71	→ 0.00	113.81	113.81	→ 0.00	113.98	113.98	→ 0.00	
NC0858	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.07	103.07	→ 0.00	103.42	103.43	↑ 0.01	103.92	103.92	→ 0.00	105.33	105.33	→ 0.00	
NC0860	101.43	101.43	→ 0.00	101.93	101.93	→ 0.00	102.48	102.48	→ 0.00	103.06	103.06	→ 0.00	103.40	103.40	→ 0.00	103.88	103.88	→ 0.00	105.28	105.28	→ 0.00	
NC0862	100.73	100.73	→ 0.00	100.73	100.73	→ 0.00	102.20	102.20	→ 0.00	102.77	102.77	→ 0.00	103.14	103.14	→ 0.00	103.75	103.75	→ 0.00	105.23	105.23	→ 0.00	
NC0900	142.88	142.88	→ 0.00	143.14	143.14	→ 0.00	143.56	143.56	→ 0.00	144.45	144.45	→ 0.00	145.87	145.87	→ 0.00	147.99	147.99	→ 0.00	151.91	151.91	→ 0.00	
NC0910	102.28	102.28	→ 0.00	102.30	102.30	→ 0.00	102.33	102.33	→ 0.00	102.37	102.37	→ 0.00	102.40	102.40	→ 0.00	102.43	102.43	→ 0.00	102.49	102.49	→ 0.00	
NC0920	100.49	100.49	→ 0.00	100.71	100.71	→ 0.00	100.96	100.96	→ 0.00	101.86	101.86	→ 0.00	102.95	102.95	→ 0.00	103.70	103.70	→ 0.00	105.22	105.22	→ 0.00	
NC0921	99.90	99.90	→ 0.00	100.12	100.12	→ 0.00	100.37	100.37	→ 0.00	101.18	101.18	→ 0.00	102.17	102.17	→ 0.00	102.86	102.86	→ 0.00	104.26	104.26	→ 0.00	
NC0922	98.97	98.97	→ 0.00	99.18	99.18	→ 0.00	99.42	99.42	→ 0.00	100.11	100.11	→ 0.00	100.96	100.96	→ 0.00	101.56	101.56	→ 0.00	102.80	102.80	→ 0.00	
NC0924	96.44	96.44	→ 0.00	96.63	96.63	→ 0.00	96.84	96.84	→ 0.00	97.51	97.51	→ 0.00	98.34	98.34	→ 0.00	98.81	98.81	→ 0.00	99.89	99.89	→ 0.00	
NC0930	95.41	95.41	→ 0.00	95.79	95.79	→ 0.00	96.24	96.24	→ 0.00	96.73	96.73	→ 0.00	96.86	96.86	→ 0.00	96.99	96.99	→ 0.00	97.33	97.33	→ 0.00	
NC0935	93.92	93.92	→ 0.00	94.13	94.13	→ 0.00	94.38	94.38	→ 0.00	94.82	94.82	→ 0.00	95.17	95.17	→ 0.00	95.49	95.49	→ 0.00	96.15	96.15	→ 0.00	
NC0937	90.38	90.37	↓ -0.01	90.56	90.56	→ 0.00	90.77	90.77	→ 0.00	91.08	91.08	→ 0.00	91.63	91.63	→ 0.00	92.34	92.34	→ 0.00	94.04	94.03	↓ -0.01	
NC0940	88.95	88.95	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.39	90.38	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0950	88.75	88.75	→ 0.00	89.26	89.26	→ 0.00	89.81	89.80	↓ -0.01	90.38	90.38	→ 0.00	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC0960	89.58	89.58	→ 0.00	89.82	89.82	→ 0.00	90.05	90.05	→ 0.00	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC0970	124.50	124.50	→ 0.00	124.53	124.53	→ 0.00	124.56	124.56	→ 0.00	124.60	124.60	→ 0.00	124.63	124.63	→ 0.00	124.66	124.66	→ 0.00	124.74	124.74	→ 0.00	
NC0980	104.51	104.51	→ 0.00	104.58	104.58	→ 0.00	104.67	104.67	→ 0.00	104.78	104.78	→ 0.00	104.87	104.87	→ 0.00	104.95	104.95	→ 0.00	105.13	105.13	→ 0.00	
NC0981	100.58	100.58	→ 0.00	100.80	100.80	→ 0.00	101.07	101.07	→ 0.00	101.45	101.45	→ 0.00	101.73	101.73	→ 0.00	102.03	102.03	→ 0.00	102.70	102.70	→ 0.00	
NC0982	98.19	98.19	→ 0.00	98.44	98.44	→ 0.00	98.74	98.74	→ 0.00	99.15	99.15	→ 0.00	99.46	99.46	→ 0.00	99.76	99.76	→ 0.00	100.42	100.42	→ 0.00	
NC0983	94.99	94.99	→ 0.00	95.06	95.06																	

NODE	2.33Y/1D			5Y/1D			10Y/1D			25Y/1D			50Y/1D			100Y/1D			500Y/1D			NOTES
	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	EXST (ft. NAVD)	PROP (ft. NAVD)	DIFF (ft)	
NC1000	179.21	179.21	→ 0.00	179.31	179.31	→ 0.00	179.86	179.86	→ 0.00	181.07	181.07	→ 0.00	181.51	181.51	→ 0.00	181.56	181.56	→ 0.00	181.80	181.80	→ 0.00	
NC1030	207.36	207.36	→ 0.00	207.72	207.72	→ 0.00	207.93	207.93	→ 0.00	208.26	208.26	→ 0.00	208.50	208.50	→ 0.00	208.73	208.73	→ 0.00	209.23	209.23	→ 0.00	
NC1045	107.08	107.08	→ 0.00	107.13	107.13	→ 0.00	107.19	107.19	→ 0.00	107.27	107.27	→ 0.00	107.35	107.35	→ 0.00	107.42	107.42	→ 0.00	107.59	107.59	→ 0.00	
NC1050	105.59	105.59	→ 0.00	105.66	105.66	→ 0.00	105.73	105.73	→ 0.00	105.85	105.85	→ 0.00	105.94	105.94	→ 0.00	106.04	106.04	→ 0.00	106.24	106.24	→ 0.00	
NC1052	92.56	92.56	→ 0.00	92.64	92.64	→ 0.00	92.74	92.74	→ 0.00	92.86	92.86	→ 0.00	92.95	92.95	→ 0.00	93.01	93.02	↑ 0.01	93.75	93.74	↓ -0.01	
NC1080	83.50	83.50	→ 0.00	84.18	84.18	→ 0.00	85.27	85.27	→ 0.00	88.07	88.07	→ 0.00	90.49	90.49	→ 0.00	92.41	92.41	→ 0.00	95.33	95.33	→ 0.00	
NC1082	82.11	82.11	→ 0.00	82.71	82.71	→ 0.00	83.67	83.67	→ 0.00	85.52	85.52	→ 0.00	87.24	87.24	→ 0.00	88.75	88.75	→ 0.00	91.41	91.41	→ 0.00	
NC1090	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.26	95.26	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.00	97.00	→ 0.00	
NC1100	86.69	86.69	→ 0.00	88.11	88.11	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.68	88.68	→ 0.00	88.81	88.81	→ 0.00	
NC1105	92.46	92.46	→ 0.00	92.74	92.74	→ 0.00	92.82	92.82	→ 0.00	92.96	92.96	→ 0.00	93.03	93.03	→ 0.00	93.09	93.09	→ 0.00	93.20	93.20	→ 0.00	
NC1110	94.09	94.09	→ 0.00	94.31	94.31	→ 0.00	94.53	94.53	→ 0.00	94.80	94.80	→ 0.00	94.93	94.93	→ 0.00	95.04	95.04	→ 0.00	95.21	95.21	→ 0.00	
NC1120	86.39	86.39	→ 0.00	86.75	86.75	→ 0.00	87.21	87.21	→ 0.00	87.94	87.94	→ 0.00	88.50	88.50	→ 0.00	88.53	88.53	→ 0.00	88.70	88.70	→ 0.00	
NC1130	86.84	86.84	→ 0.00	86.89	86.89	→ 0.00	86.95	86.95	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.43	87.43	→ 0.00	87.78	87.78	→ 0.00	
NC1140	89.76	89.76	→ 0.00	89.81	89.81	→ 0.00	89.86	89.86	→ 0.00	89.93	89.93	→ 0.00	89.98	89.98	→ 0.00	90.03	90.03	→ 0.00	90.14	90.14	→ 0.00	
NC1153	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1155	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC1160	86.14	86.14	→ 0.00	86.51	86.51	→ 0.00	86.95	86.95	→ 0.00	87.22	87.22	→ 0.00	87.47	87.47	→ 0.00	87.74	87.74	→ 0.00	88.36	88.36	→ 0.00	
NC1170	85.91	85.91	→ 0.00	86.51	86.51	→ 0.00	86.92	86.92	→ 0.00	87.12	87.12	→ 0.00	87.27	87.27	→ 0.00	87.42	87.42	→ 0.00	87.77	87.77	→ 0.00	
NC1180	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.94	84.94	→ 0.00	85.12	85.12	→ 0.00	86.09	86.09	→ 0.00	
NC1210	111.53	111.53	→ 0.00	111.61	111.61	→ 0.00	111.70	111.70	→ 0.00	111.84	111.84	→ 0.00	111.95	111.95	→ 0.00	112.05	112.05	→ 0.00	112.26	112.26	→ 0.00	
NC1212	88.78	88.78	→ 0.00	89.29	89.29	→ 0.00	89.84	89.83	↓ -0.01	90.40	90.40	→ 0.00	91.15	91.15	→ 0.00	91.92	91.92	→ 0.00	93.75	93.74	↓ -0.01	
NC1215	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.37	↓ -0.01	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC1216	145.25	145.25	→ 0.00	145.65	145.65	→ 0.00	145.90	145.90	→ 0.00	146.23	146.23	→ 0.00	146.49	146.49	→ 0.00	146.76	146.76	→ 0.00	147.29	147.29	→ 0.00	
NC1217	137.71	137.71	→ 0.00	138.03	138.03	→ 0.00	138.48	138.48	→ 0.00	139.00	139.00	→ 0.00	139.41	139.41	→ 0.00	139.84	139.84	→ 0.00	140.71	140.71	→ 0.00	
NC1218	88.73	88.73	→ 0.00	89.23	89.23	→ 0.00	89.77	89.77	→ 0.00	90.35	90.35	→ 0.00	91.08	91.07	↓ -0.01	91.83	91.82	↓ -0.01	93.58	93.57	↓ -0.01	
NC1219	107.34	107.34	→ 0.00	107.65	107.65	→ 0.00	108.25	108.25	→ 0.00	108.93	108.93	→ 0.00	109.54	109.54	→ 0.00	110.07	110.07	→ 0.00	111.19	111.19	→ 0.00	
NC1220	88.57	88.57	→ 0.00	89.05	89.05	→ 0.00	89.59	89.59	→ 0.00	90.24	90.24	→ 0.00	90.80	90.79	↓ -0.01	91.50	91.50	→ 0.00	93.26	93.25	↓ -0.01	
NC1221	88.40	88.40	→ 0.00	88.85	88.85	→ 0.00	89.33	89.33	→ 0.00	90.00	90.00	→ 0.00	90.47	90.47	→ 0.00	91.12	91.12	→ 0.00	92.87	92.87	→ 0.00	
NC1380	87.64	87.64	→ 0.00	87.70	87.70	→ 0.00	87.77	87.77	→ 0.00	87.87	87.87	→ 0.00	87.94	87.94	→ 0.00	88.01	88.01	→ 0.00	88.16	88.16	→ 0.00	
NC1390	92.38	92.38	→ 0.00	92.43	92.43	→ 0.00	92.49	92.49	→ 0.00	92.56	92.56	→ 0.00	92.59	92.59	→ 0.00	92.63	92.63	→ 0.00	92.72	92.72	→ 0.00	
NC1400	83.88	83.88	→ 0.00	84.44	84.44	→ 0.00	85.20	85.20	→ 0.00	86.32	86.32	→ 0.00	87.04	87.04	→ 0.00	87.72	87.72	→ 0.00	89.12	89.12	→ 0.00	
NC1405	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.06	86.06	→ 0.00	
NC1410	81.49	81.49	→ 0.00	81.96	81.96	→ 0.00	82.74	82.74	→ 0.00	83.95	83.95	→ 0.00	84.60	84.60	→ 0.00	85.02	85.02	→ 0.00	86.06	86.06	→ 0.00	
NC1420	81.98	81.98	→ 0.00	82.06	82.06	→ 0.00	82.74	82.74	→ 0.00	83.96	83.96	→ 0.00	84.60	84.60	→ 0.00	85.03	85.03	→ 0.00	86.07	86.07	→ 0.00	
NC1440	57.28	57.28	→ 0.00	57.79	57.79	→ 0.00	58.40	58.40	→ 0.00	63.64	63.64	→ 0.00	71.34	71.34	→ 0.00	78.26	78.26	→ 0.00	85.56	85.56	→ 0.00	
NC1500	97.83	97.83	→ 0.00	98.11	98.11	→ 0.00	98.44	98.44	→ 0.00	98.71	98.71	→ 0.00	98.81	98.81	→ 0.00	98.98	98.98	→ 0.00	99.36	99.36	→ 0.00	
NC1600	134.13	134.13	→ 0.00	134.18	134.18	→ 0.00	134.23	134.23	→ 0.00	134.30	134.30	→ 0.00	134.33	134.33	→ 0.00	134.36	134.36	→ 0.00	134.40	134.40	→ 0.00	
NC1610	131.42	131.42	→ 0.00	131.43	131.43	→ 0.00	131.45	131.45	→ 0.00	131.48	131.48	→ 0.00	131.51	131.51	→ 0.00	131.53	131.53	→ 0.00	131.58	131.58	→ 0.00	
NC1620	130.92	130.92	→ 0.00	130.97	130.97	→ 0.00	131.02	131.02	→ 0.00	131.10	131.10	→ 0.00	131.16	131.16	→ 0.00	131.22	131.22	→ 0.00	131.37	131.37	→ 0.00	
NC1630	127.56	127.56	→ 0.00	127.59	127.59	→ 0.00	127.62	127.62	→ 0.00	127.66	127.66	→ 0.00	127.70	127.70	→ 0.00	127.73	127.73	→ 0.00	127.81	127.81	→ 0.00	
NC1640	146.52	146.52	→ 0.00	146.68	146.68	→ 0.00	146.87	146.87	→ 0.00	147.09	147.09	→ 0.00	147.15	147.15	→ 0.00	147.20	147.20	→ 0.00	147.27	147.27	→ 0.00	
NC1650	126.38	126.38	→ 0.00	126.41	126.41	→ 0.00	126.45	126.45	→ 0.00	126.50	126.50	→ 0.00	126.54	126.54	→ 0.00	126.58	126.58	→ 0.00	126.68	126.68	→ 0.00	
NC1700	115.77	115.77	→ 0.00	115.80	115.80	→ 0.00	115.83	115.83	→ 0.00	115.88	115.88	→ 0.00	115.92	115.92	→ 0.00	115.96	115.96	→ 0.00	116.05	116.05	→ 0.00	
NC1701_MC	114.68	114.68	→ 0.00	114.79	114.79	→ 0.00	114.91	114.91	→ 0.00	115.07	115.07	→ 0.00	115.19	115.19	→ 0.00	115.30	115.30	→ 0.00	115.58	115.58	→ 0.00	
NC1702_MC	115.88	115.88	→ 0.00	115.96	115.96	→ 0.00	116.06	116.06	→ 0.00	116.21	116.21	→ 0.00	116.32	116.32	→ 0.00	116.43	116.43	→ 0.00	116.71	116.71	→ 0.00	
NC1703_MC	116.63	116.63	→ 0.00	116.74	116.74	→ 0.00	116.87	116.87	→ 0.00	117.08	117.08	→ 0.00	117.27	117.27	→ 0.00	117.46	117.46	→ 0.00	117.76	117.76	→ 0.00	
NC1704_MC	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	119.90	119.90	→ 0.00	
NC1705_MC	125.38	125.38	→ 0.00	125.41	125.41	→ 0.00	125.45	125.45	→ 0.00	125.51	125.51	→ 0.00	125.55	125.55	→ 0.00	125.64	125.64	→ 0.00	126.33	126.33	→ 0.00	
NC1706_MC	129.34	129.34	→ 0.00	129.36	129.36	→ 0.00	129.39	129.39	→ 0.00	129.44	129.44	→ 0.00	129.48	129.48	→ 0.00	129.52	129.52	→ 0.00	129.75	129.75		

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y/1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y/1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y/1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y/1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y/1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y/1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y/1D DIFF (ft)	NOTES
NC1710	111.87	111.87	→ 0.00	112.28	112.28	→ 0.00	112.67	112.67	→ 0.00	113.20	113.20	→ 0.00	113.60	113.60	→ 0.00	113.70	113.70	→ 0.00	113.87	113.87	→ 0.00	
NC1711_MC	120.50	120.50	→ 0.00	120.91	120.91	→ 0.00	121.36	121.36	→ 0.00	121.82	121.82	→ 0.00	122.15	122.15	→ 0.00	122.32	122.32	→ 0.00	123.22	123.22	→ 0.00	
NC1712_MC	126.26	126.26	→ 0.00	126.58	126.58	→ 0.00	126.92	126.92	→ 0.00	127.26	127.26	→ 0.00	127.53	127.53	→ 0.00	127.62	127.62	→ 0.00	127.72	127.72	→ 0.00	
NC1713_MC	118.13	118.13	→ 0.00	118.15	118.15	→ 0.00	118.19	118.19	→ 0.00	118.24	118.24	→ 0.00	118.31	118.31	→ 0.00	118.41	118.41	→ 0.00	119.88	119.88	→ 0.00	
NC1714_MC	115.92	115.92	→ 0.00	116.04	116.04	→ 0.00	116.35	116.35	→ 0.00	116.78	116.78	→ 0.00	117.24	117.24	→ 0.00	117.71	117.71	→ 0.00	119.18	119.18	→ 0.00	
NC1800	99.54	99.54	→ 0.00	99.71	99.71	→ 0.00	99.92	99.92	→ 0.00	100.20	100.20	→ 0.00	100.25	100.25	→ 0.00	100.27	100.27	→ 0.00	100.33	100.33	→ 0.00	
NC1900	146.95	146.95	→ 0.00	147.09	147.09	→ 0.00	147.18	147.18	→ 0.00	147.30	147.30	→ 0.00	147.38	147.38	→ 0.00	147.45	147.45	→ 0.00	147.57	147.57	→ 0.00	
NC1910	125.89	125.89	→ 0.00	125.95	125.95	→ 0.00	126.00	126.00	→ 0.00	126.05	126.05	→ 0.00	126.16	126.16	→ 0.00	126.28	126.28	→ 0.00	126.49	126.49	→ 0.00	
NC1920	137.03	137.03	→ 0.00	137.46	137.46	→ 0.00	138.16	138.16	→ 0.00	139.33	139.33	→ 0.00	139.85	139.85	→ 0.00	140.13	140.13	→ 0.00	140.80	140.80	→ 0.00	
NC2000	84.30	84.30	→ 0.00	84.36	84.36	→ 0.00	84.48	84.48	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.12	85.12	→ 0.00	86.10	86.10	→ 0.00	
NC2010	86.79	86.79	→ 0.00	87.00	87.00	→ 0.00	87.24	87.24	→ 0.00	87.63	87.63	→ 0.00	87.95	87.95	→ 0.00	88.30	88.30	→ 0.00	89.24	89.24	→ 0.00	
NC2020	83.39	83.39	→ 0.00	83.75	83.75	→ 0.00	84.49	84.49	→ 0.00	84.78	84.78	→ 0.00	84.95	84.95	→ 0.00	85.13	85.13	→ 0.00	86.10	86.10	→ 0.00	
NC2030	84.94	84.94	→ 0.00	85.00	85.00	→ 0.00	85.06	85.06	→ 0.00	85.15	85.15	→ 0.00	85.22	85.22	→ 0.00	85.29	85.29	→ 0.00	86.10	86.10	→ 0.00	
NC2100	108.92	108.92	→ 0.00	109.02	109.03	↑ 0.01	109.16	109.16	→ 0.00	109.30	109.30	→ 0.00	109.39	109.39	→ 0.00	109.45	109.45	→ 0.00	109.58	109.58	→ 0.00	
NC2110	108.91	108.91	→ 0.00	109.02	109.02	→ 0.00	109.15	109.15	→ 0.00	109.28	109.28	→ 0.00	109.36	109.36	→ 0.00	109.41	109.41	→ 0.00	109.52	109.52	→ 0.00	
NC2200	114.77	114.77	→ 0.00	114.89	114.89	→ 0.00	115.01	115.01	→ 0.00	115.18	115.18	→ 0.00	115.30	115.30	→ 0.00	115.42	115.42	→ 0.00	115.73	115.73	→ 0.00	
NC2210	115.63	115.63	→ 0.00	115.70	115.70	→ 0.00	115.77	115.77	→ 0.00	115.85	115.85	→ 0.00	115.91	115.91	→ 0.00	115.96	115.96	→ 0.00	116.10	116.10	→ 0.00	
NC2220	140.35	140.35	→ 0.00	140.39	140.39	→ 0.00	140.45	140.45	→ 0.00	140.52	140.52	→ 0.00	140.58	140.58	→ 0.00	140.64	140.64	→ 0.00	140.77	140.77	→ 0.00	
NC2230	122.44	122.44	→ 0.00	122.47	122.47	→ 0.00	122.50	122.50	→ 0.00	122.54	122.54	→ 0.00	122.57	122.57	→ 0.00	122.61	122.61	→ 0.00	122.70	122.70	→ 0.00	
NC2240	121.46	121.46	→ 0.00	121.50	121.50	→ 0.00	121.54	121.54	→ 0.00	121.60	121.60	→ 0.00	121.64	121.64	→ 0.00	121.69	121.69	→ 0.00	121.79	121.79	→ 0.00	
NC2250	110.17	110.17	→ 0.00	110.68	110.68	→ 0.00	111.27	111.27	→ 0.00	112.10	112.10	→ 0.00	112.75	112.74	↓ -0.01	113.43	113.42	↓ -0.01	115.17	115.16	↓ -0.01	
NC2260	107.81	107.81	→ 0.00	107.86	107.86	→ 0.00	107.91	107.91	→ 0.00	107.96	107.96	→ 0.00	107.99	107.99	→ 0.00	108.02	108.02	→ 0.00	108.08	108.08	→ 0.00	
NC2300	125.68	125.68	→ 0.00	126.17	126.17	→ 0.00	126.77	126.77	→ 0.00	127.65	127.65	→ 0.00	128.17	128.17	→ 0.00	128.23	128.23	→ 0.00	128.49	128.49	→ 0.00	
NC2310	124.10	124.10	→ 0.00	124.12	124.12	→ 0.00	124.14	124.14	→ 0.00	124.17	124.17	→ 0.00	124.19	124.19	→ 0.00	124.21	124.21	→ 0.00	124.26	124.26	→ 0.00	
NC2400	137.48	137.48	→ 0.00	137.51	137.51	→ 0.00	137.54	137.54	→ 0.00	137.58	137.58	→ 0.00	137.61	137.61	→ 0.00	137.63	137.63	→ 0.00	137.71	137.71	→ 0.00	
NC2500	127.16	127.16	→ 0.00	127.22	127.22	→ 0.00	127.28	127.28	→ 0.00	127.35	127.35	→ 0.00	127.41	127.41	→ 0.00	127.46	127.46	→ 0.00	127.60	127.60	→ 0.00	
NC2510	125.92	125.80	↓ -0.12	126.08	125.99	↓ -0.09	126.20	126.14	↓ -0.06	126.42	126.38	↓ -0.04	126.55	126.52	↓ -0.03	126.65	126.63	↓ -0.02	126.82	126.80	↓ -0.02	
NC2600	93.67	93.67	→ 0.00	93.71	93.71	→ 0.00	93.77	93.77	→ 0.00	93.85	93.85	→ 0.00	93.91	93.91	→ 0.00	93.95	93.95	→ 0.00	94.04	94.04	→ 0.00	
NC2610	82.32	82.32	→ 0.00	83.00	83.00	→ 0.00	83.78	83.78	→ 0.00	84.92	84.92	→ 0.00	85.86	85.86	→ 0.00	86.81	86.81	→ 0.00	89.05	89.05	→ 0.00	
NC2700_MC	100.98	98.40	↓ -2.58	101.26	98.88	↓ -2.38	101.51	99.34	↓ -2.17	101.81	100.02	↓ -1.79	101.99	100.49	↓ -1.50	102.16	100.88	↓ -1.28	102.51	101.41	↓ -1.10	
NC2701_MC	100.99	100.96	↓ -0.03	101.28	101.02	↓ -0.26	101.53	101.07	↓ -0.46	101.83	101.14	↓ -0.69	102.03	101.18	↓ -0.85	102.20	101.33	↓ -0.87	102.58	101.58	↓ -1.00	
NC2702_MC	100.72	98.29	↓ -2.43	100.90	98.86	↓ -2.04	101.00	99.34	↓ -1.66	101.12	100.01	↓ -1.11	101.20	100.39	↓ -0.81	101.27	100.72	↓ -0.55	101.41	101.05	↓ -0.36	
NC2710_MC	100.97	98.20	↓ -2.77	101.26	98.66	↓ -2.60	101.51	99.13	↓ -2.38	101.80	99.81	↓ -1.99	101.99	100.30	↓ -1.69	102.15	100.72	↓ -1.43	102.51	101.34	↓ -1.17	
NC2711_MC	100.97	99.06	↓ -1.91	101.26	99.14	↓ -2.12	101.51	99.22	↓ -2.29	101.81	99.82	↓ -1.99	102.00	100.31	↓ -1.69	102.17	100.74	↓ -1.43	102.53	101.37	↓ -1.16	
NC2712_MC	101.00	100.07	↓ -0.93	101.30	100.15	↓ -1.15	101.55	100.28	↓ -1.27	101.84	100.64	↓ -1.20	102.03	100.84	↓ -1.19	102.19	101.00	↓ -1.19	102.54	101.50	↓ -1.04	
NC2713_MC	101.21	98.39	↓ -2.82	101.48	98.84	↓ -2.64	101.73	99.30	↓ -2.43	102.00	99.96	↓ -2.04	102.18	100.44	↓ -1.74	102.34	100.86	↓ -1.48	102.68	101.52	↓ -1.16	
NC2800	88.10	88.10	→ 0.00	88.17	88.17	→ 0.00	88.31	88.31	→ 0.00	88.49	88.49	→ 0.00	88.60	88.60	→ 0.00	88.67	88.67	→ 0.00	88.81	88.81	→ 0.00	
NC2810	91.76	91.76	→ 0.00	92.11	92.11	→ 0.00	92.34	92.34	→ 0.00	92.38	92.38	→ 0.00	92.42	92.42	→ 0.00	92.46	92.46	→ 0.00	92.55	92.55	→ 0.00	
NC2820	92.79	92.79	→ 0.00	92.84	92.84	→ 0.00	92.91	92.91	→ 0.00	92.99	92.99	→ 0.00	93.06	93.06	→ 0.00	93.13	93.13	→ 0.00	93.23	93.23	→ 0.00	
NC2830	93.70	93.70	→ 0.00	93.77	93.77	→ 0.00	93.84	93.84	→ 0.00	93.94	93.94	→ 0.00	94.01	94.01	→ 0.00	94.07	94.07	→ 0.00	94.21	94.21	→ 0.00	
NC2900	88.74	88.74	→ 0.00	89.25	89.25	→ 0.00	89.80	89.80	→ 0.00	90.38	90.38	→ 0.00	91.14	91.14	→ 0.00	91.91	91.91	→ 0.00	93.74	93.73	↓ -0.01	
NC2910	94.25	94.25	→ 0.00	94.61	94.61	→ 0.00	94.74	94.74	→ 0.00	95.03	95.03	→ 0.00	95.32	95.32	→ 0.00	95.61	95.61	→ 0.00	96.34	96.34	→ 0.00	
NC2950	91.40	91.40	→ 0.00	91.60	91.60	→ 0.00	91.85	91.85	→ 0.00	92.25	92.25	→ 0.00	92.58	92.58	→ 0.00	92.94	92.94	→ 0.00	93.82	93.82	→ 0.00	
NC2960	86.59	86.59	→ 0.00	86.66	86.66	→ 0.00	86.95	86.95	→ 0.00	87.23	87.23	→ 0.00	87.47	87.47	→ 0.00	87.75	87.75	→ 0.00	88.37	88.37	→ 0.00	
NC3100_MC	92.27	92.28	↑ 0.01	92.44	92.46	↑ 0.02	92.64	92.64	→ 0.00	92.91	92.86	↓ -0.05	93.08	93.04	↓ -0.04	93.21	93.20	↓ -0.01	93.75	93.74	↓ -0.01	
NC3110	88.97	88.98	↑ 0.01	89.06	89.07	↑ 0.01	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3120	88.97	88.97	→ 0.00	89.06	89.07	↑ 0.01	89.31	89.30	↓ -0.01	90.35	90.34	↓ -0.01	91.15	91.14	↓ -0.01	91.92	91.91	↓ -0.01	93.75	93.74	↓ -0.01	
NC3130	93.56	93.56	→ 0.00	94.52	94.52	→ 0.00	95.27	95.27	→ 0.00	95.74	95.74	→ 0.00	96.05	96.05	→ 0.00	96.37	96.37	→ 0.00	97.01	97.01	→ 0.00	
NC3200	97.66	97.66	→ 0.00	97.84	97.76	↓ -0.08	98.07	97.85	↓ -0.22	98.29	97.95	↓ -0.34	98									

NODE	2.33Y/1D EXST (ft. NAVD)	2.33Y/1D PROP (ft. NAVD)	2.33Y1D DIFF (ft)	5Y/1D EXST (ft. NAVD)	5Y/1D PROP (ft. NAVD)	5Y1D DIFF (ft)	10Y/1D EXST (ft. NAVD)	10Y/1D PROP (ft. NAVD)	10Y1D DIFF (ft)	25Y/1D EXST (ft. NAVD)	25Y/1D PROP (ft. NAVD)	25Y1D DIFF (ft)	50Y/1D EXST (ft. NAVD)	50Y/1D PROP (ft. NAVD)	50Y1D DIFF (ft)	100Y/1D EXST (ft. NAVD)	100Y/1D PROP (ft. NAVD)	100Y1D DIFF (ft)	500Y/1D EXST (ft. NAVD)	500Y/1D PROP (ft. NAVD)	500Y1D DIFF (ft)	NOTES
NC3320	132.51	132.51	→ 0.00	132.61	132.61	→ 0.00	132.73	132.73	→ 0.00	132.92	132.92	→ 0.00	133.07	133.07	→ 0.00	133.20	133.20	→ 0.00	133.49	133.49	→ 0.00	
NC3330	130.99	130.99	→ 0.00	131.03	131.03	→ 0.00	131.09	131.09	→ 0.00	131.18	131.18	→ 0.00	131.24	131.24	→ 0.00	131.30	131.30	→ 0.00	131.47	131.47	→ 0.00	
NG1660	102.63	102.63	→ 0.00	102.66	102.66	→ 0.00	102.68	102.68	→ 0.00	102.72	102.72	→ 0.00	102.75	102.75	→ 0.00	102.79	102.79	→ 0.00	102.87	102.87	→ 0.00	
NH0010	92.98	92.98	→ 0.00	93.28	93.28	→ 0.00	95.26	95.26	→ 0.00	95.72	95.72	→ 0.00	96.01	96.01	→ 0.00	96.30	96.30	→ 0.00	96.87	96.87	→ 0.00	
NH0999	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	91.00	91.00	→ 0.00	

H. Engineer's Opinion of Probable Construction Cost

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

H1. BMP 2 (aka BMP 2AB)

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$90,779.85	\$172,137.10	\$399,738.45	\$ 90,780	\$ 172,137	\$ 399,738	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$30,000.00	\$ 60,000.00	\$ 80,000.00	\$ 30,000	\$ 60,000	\$ 80,000	
3	Clearing & Grubbing	11.6	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 116,000	\$ 234,381	\$ 835,770	
4	Tree Removal	75	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 27,759	\$ 43,317	\$ 58,875	
5	Silt Fence	4700	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 8,554	\$ 26,790	\$ 57,528	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Excavation	55872	CY	\$ 8.21	\$ 9.85	\$ 11.82	\$ 458,709	\$ 550,451	\$ 660,541	
8	Excavation (unsuitable material)	5587.2	CY	\$ 38.35	\$ 46.02	\$ 55.22	\$ 214,269	\$ 257,123	\$ 308,548	
9	Fill	17640	CY	\$ 16.30	\$ 20.62	\$ 24.94	\$ 287,532	\$ 363,737	\$ 439,942	
10	Turf	56144	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 112,288	\$ 134,746	\$ 161,695	
11	Control Structures	4	EA	\$10,000.00	\$ 12,000.00	\$ 14,400.00	\$ 40,000	\$ 48,000	\$ 57,600	

							Low Total	Mid. Total	High Total
							\$ 1,387,635	\$ 1,893,508	\$ 3,064,661
						Contingency 30%	\$ 416,291	\$ 568,052	\$ 919,398
						Grand Total	\$ 1,803,926	\$ 2,461,560	\$ 3,984,059

Avg. Grand Total = \$2,605,704 +/- \$ 363,356
High Likely Grand Total = \$2,969,060
Low Likely Grand Total = \$2,242,348

H2. BMP 3

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$ 8,466.08	\$ 19,659.20	\$ 50,166.00	\$ 8,466	\$ 19,659	\$ 50,166	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	1.5	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 15,000	\$ 30,308	\$ 108,074	
4	Tree Removal	10	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 3,701	\$ 5,776	\$ 7,850	
5	Silt Fence	2700	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 4,914	\$ 15,390	\$ 33,048	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Excavation	3000	CY	\$ 8.21	\$ 9.85	\$ 11.82	\$ 24,630	\$ 29,556	\$ 35,467	
8	Excavation (unsuitable material)	300	CY	\$ 38.35	\$ 46.02	\$ 55.22	\$ 11,505	\$ 13,806	\$ 16,567	
9	Fill	1500	CY	\$ 16.30	\$ 20.62	\$ 24.94	\$ 24,450	\$ 30,930	\$ 37,410	
7	Turf	7500	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 15,000	\$ 18,000	\$ 21,600	
8	2 - 6' x 5' RCBs	1350	LF	\$ 1,684.00	\$ 2,526.00	\$ 3,031.20	\$ 2,273,400	\$ 3,410,100	\$ 4,092,120	

					Low Total	Mid. Total	High Total
	Subtotal				\$ 2,402,810	\$ 3,626,351	\$ 4,476,726
	Contingency	30%			\$ 720,843	\$ 1,087,905	\$ 1,343,018
	Grand Total				\$ 3,123,653	\$ 4,714,256	\$ 5,819,744

Avg. Grand Total = \$ 4,633,404 +/- \$ 449,348
 High Likely Grand Total = \$ 5,082,752
 Low Likely Grand Total = \$ 4,184,056

H3. BMP 4

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$18,259.57	\$ 35,655.30	\$ 95,900.70	\$ 18,260	\$ 35,655	\$ 95,901	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	0.5	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 5,000	\$ 10,103	\$ 36,025	
4	Tree Removal	10	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 3,701	\$ 5,776	\$ 7,850	
5	Silt Fence	1000	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 1,820	\$ 5,700	\$ 12,240	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Turf	1500	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 3,000	\$ 3,600	\$ 4,320	
8	Control Structures	4	EA	\$10,000.00	\$ 12,000.00	\$ 14,400.00	\$ 40,000	\$ 48,000	\$ 57,600	
9	Gabions	450	LF	\$ 412.41	\$ 512.33	\$ 993.06	\$ 185,586	\$ 230,548	\$ 446,879	
10	6' x 4' RCB	50	LF	\$ 684.33	\$ 1,026.50	\$ 1,231.80	\$ 34,217	\$ 51,325	\$ 61,590	
11	6' x 6' RCB	50	LF	\$ 1,000.00	\$ 1,500.00	\$ 1,800.00	\$ 50,000	\$ 75,000	\$ 90,000	
12	Pavement Demo/Restoration	1000	SF	\$ 10.00	\$ 15.00	\$ 18.00	\$ 10,000	\$ 15,000	\$ 18,000	

		Low Total	Mid. Total	High Total
Subtotal		\$ 373,328	\$ 533,533	\$ 904,829
Contingency	30%	\$ 111,998	\$ 160,060	\$ 271,449
Grand Total		\$ 485,326	\$ 693,593	\$ 1,176,278

Avg. Grand Total = \$ 739,329 +/- \$ 115,159
 High Likely Grand Total = \$ 854,488
 Low Likely Grand Total = \$ 624,170

H4. BMP 8

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$ 2,204.37	\$ 7,667.50	\$ 19,227.45	\$ 2,204	\$ 7,668	\$ 19,227	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	0.2	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 2,000	\$ 4,041	\$ 14,410	
4	Tree Removal	5	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 1,851	\$ 2,888	\$ 3,925	
5	Silt Fence	2800	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 5,096	\$ 15,960	\$ 34,272	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Turf	400	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 800	\$ 960	\$ 1,152	
8	24" RCP	1400	LF	\$ 146.00	\$ 175.20	\$ 210.24	\$ 204,400	\$ 245,280	\$ 294,336	
9	Pavement Demo/Restoration	24000	SF	\$ 10.00	\$ 15.00	\$ 18.00	\$ 240,000	\$ 360,000	\$ 432,000	

		Low Total	Mid. Total	High Total
Subtotal		\$ 478,095	\$ 689,623	\$ 873,746
Contingency	30%	\$ 143,429	\$ 206,887	\$ 262,124
Grand Total		\$ 621,524	\$ 896,510	\$ 1,135,870

Avg. Grand Total = \$ 890,572 +/- \$ 85,724
High Likely Grand Total = \$ 976,296
Low Likely Grand Total = \$ 804,848

H5. BMP 10

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$ 5,004.37	\$ 12,467.50	\$ 27,867.45	\$ 5,004	\$ 12,468	\$ 27,867	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	0.2	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 2,000	\$ 4,041	\$ 14,410	
4	Tree Removal	5	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 1,851	\$ 2,888	\$ 3,925	
5	Silt Fence	2800	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 5,096	\$ 15,960	\$ 34,272	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Turf	400	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 800	\$ 960	\$ 1,152	
8	Control Structures	4	EA	\$10,000.00	\$ 12,000.00	\$ 14,400.00	\$ 40,000	\$ 48,000	\$ 57,600	
9	24" RCP	60	LF	\$ 146.00	\$ 175.20	\$ 210.24	\$ 8,760	\$ 10,512	\$ 12,614	
10	30" RCP	50	LF	\$ 173.00	\$ 207.60	\$ 249.12	\$ 8,650	\$ 10,380	\$ 12,456	
11	36" RCP	2137	LF	\$ 253.00	\$ 303.60	\$ 364.32	\$ 540,661	\$ 648,793	\$ 778,552	
12	Pavement Demo/Restoration	51288	SF	\$ 10.00	\$ 15.00	\$ 18.00	\$ 512,880	\$ 769,320	\$ 923,184	

	Low Total	Mid. Total	High Total
Subtotal	\$ 1,147,446	\$ 1,576,148	\$ 1,940,456
Contingency 30%	\$ 344,234	\$ 472,844	\$ 582,137
Grand Total	\$ 1,491,680	\$ 2,048,992	\$ 2,522,593

Avg. Grand Total = \$ 2,035,040 +/- \$ 171,819
 High Likely Grand Total = \$ 2,206,859
 Low Likely Grand Total = \$ 1,863,221

H6. BMP 11

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$ 17,871.00	\$ 37,494.00	\$ 91,641.00	\$ 17,871	\$ 37,494	\$ 91,641	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$ 20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	2.74	AC	\$ 10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 27,400	\$ 55,362	\$ 197,415	
4	Tree Removal	50	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 18,506	\$ 28,878	\$ 39,250	
5	Silt Fence	2632	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 4,790	\$ 15,002	\$ 32,216	
6	Staked Turbidity Barrier	100	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 872	\$ 1,413	\$ 2,212	
7	Excavation	7364	CY	\$ 8.21	\$ 9.85	\$ 11.82	\$ 60,458	\$ 72,550	\$ 87,060	
8	Excavation (unsuitable material)	736.4	CY	\$ 38.35	\$ 46.02	\$ 55.22	\$ 28,241	\$ 33,889	\$ 40,667	
9	Fill	3591	CY	\$ 16.30	\$ 20.62	\$ 24.94	\$ 58,533	\$ 74,046	\$ 89,560	
10	Turf	13250	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 26,500	\$ 31,800	\$ 38,160	
11	Control Structures	1	EA	\$ 10,000.00	\$ 12,000.00	\$ 14,400.00	\$ 10,000	\$ 12,000	\$ 14,400	
12	Land Acquisition	1	LS	\$300,000.00	\$600,000.00	\$ 900,000.00	\$ 300,000	\$ 600,000	\$ 900,000	

	Low Total	Mid. Total	High Total
Subtotal	\$ 573,171	\$ 1,012,434	\$ 1,602,581
Contingency 30%	\$ 171,951	\$ 303,730	\$ 480,774
Grand Total	\$ 745,122	\$ 1,316,164	\$ 2,083,355

Avg. Grand Total = \$ 1,348,856 +/- \$ 223,039
 High Likely Grand Total = \$ 1,571,895
 Low Likely Grand Total = \$ 1,125,817

H7. BMP 12

Prepared by the Report's Engineer-of-Record.

The following Engineer's Opinions of Probable Construction Cost (EOPCC) is not a guarantee and is provided only for general budgetary guidance. This EOPCC is based on conceptual layout prepared without survey information and the range for this EOPCC is approximately -30% to +50%.

Item No.	Item Description	Quantity	Unit	Low Unit Cost	Mid. Unit Cost	High Unit Cost	Low Item Cost	Mid. Item Cost	High Item Cost	Description
1	Mobilization	1	LS	\$ 6,772.15	\$ 16,090.40	\$ 40,281.90	\$ 6,772	\$ 16,090	\$ 40,282	Mobilization Low 7%, Mid 10%, High 15%
2	Dewatering	1	LS	\$20,000.00	\$ 50,000.00	\$ 70,000.00	\$ 20,000	\$ 50,000	\$ 70,000	
3	Clearing & Grubbing	1.1	AC	\$10,000.00	\$ 20,205.29	\$ 72,049.12	\$ 11,000	\$ 22,226	\$ 79,254	
4	Tree Removal	10	EA	\$ 370.12	\$ 577.56	\$ 785.00	\$ 3,701	\$ 5,776	\$ 7,850	
5	Silt Fence	2000	LF	\$ 1.82	\$ 5.70	\$ 12.24	\$ 3,640	\$ 11,400	\$ 24,480	
6	Staked Turbidity Barrier	200	LF	\$ 8.72	\$ 14.13	\$ 22.12	\$ 1,744	\$ 2,826	\$ 4,424	
7	Excavation	2944.9	CY	\$ 8.21	\$ 9.85	\$ 11.82	\$ 24,178	\$ 29,013	\$ 34,816	
8	Excavation (unsuitable material)	294.49	CY	\$ 38.35	\$ 46.02	\$ 55.22	\$ 11,294	\$ 13,552	\$ 16,263	
9	Fill	646.6	CY	\$ 16.30	\$ 20.62	\$ 24.94	\$ 10,540	\$ 13,333	\$ 16,126	
10	Turf	5324	SY	\$ 2.00	\$ 2.40	\$ 2.88	\$ 10,648	\$ 12,778	\$ 15,333	
11	2 - 8' x 4' RCBs	372	LF	\$ 1,824.33	\$ 2,736.50	\$ 3,283.80	\$ 678,652	\$ 1,017,978	\$ 1,221,574	

					Low Total	Mid. Total	High Total
	Subtotal				\$ 782,169	\$ 1,194,972	\$ 1,530,402
	Contingency	30%			\$ 234,651	\$ 358,492	\$ 459,121
	Grand Total				\$ 1,016,820	\$ 1,553,464	\$ 1,989,523

Avg. Grand Total = \$ 1,536,699 +/- \$ 162,117
 High Likely Grand Total = \$ 1,698,816
 Low Likely Grand Total = \$ 1,374,582

I. Other Information

The following is reference information and is not certified by the Engineer-of-Record. This information may be publicly available and is provided for the convenience of the Reviewer.

I1. NAVD to NGVD Conversion

Input Coordinate		Output Coordinate		Total Change + Uncertainty	
Latitude	N28° 32' 42.61832' N283242.61832 28.5451717543	Latitude	N28° 32' 42.61832' N283242.61832 28.5451717543	Latitude	0.00000' ±0.000000' (0.000 m ±0.0000 m)*
Longitude	E277° 37' 0.43304' W0822259.56696 -82.3832130432	Longitude	E277° 37' 0.43304' W0822259.56696 -82.3832130432	Longitude	0.00000' ±0.000000' (0.000 m ±0.0000 m)*
Ellipsoid Height (usft)	Not given	Ellipsoid Height (usft)	Not given	Ellipsoid Height	Not given
Orthometric Height (usft)	100.000	Orthometric Height (usft)	99.186	Orthometric Height	-0.814 usft ±0.036 usft
Reference Frame	NAD83(2011)	Reference Frame	NAD83(2011)		
Geopotential Datum	NGVD29	Geopotential Datum	NAVD88		

12. NOAA Atlas 14 Storm Events



NOAA Atlas 14, Volume 9, Version 2
Location name: Brooksville, Florida, USA*
Latitude: 28.5517°, Longitude: -82.387°
Elevation: 163.52 ft**
* source: ESRI Maps
** source: USGS



POINT PRECIPITATION FREQUENCY ESTIMATES

Sanja Perica, Deborah Martin, Sandra Pavlovic, Ishani Roy, Michael St. Laurent, Carl Trypaluk, Dale Unruh, Michael Yekta, Geoffrey Bonnin

NOAA, National Weather Service, Silver Spring, Maryland

[PF_tabular](#) | [PF_graphical](#) | [Maps & aeriels](#)

PF tabular

PDS-based point precipitation frequency estimates with 90% confidence intervals (in inches)¹										
Duration	Average recurrence interval (years)									
	1	2	5	10	25	50	100	200	500	1000
5-min	0.565 (0.479-0.680)	0.636 (0.538-0.765)	0.750 (0.631-0.905)	0.842 (0.704-1.02)	0.966 (0.774-1.22)	1.06 (0.827-1.37)	1.15 (0.862-1.54)	1.24 (0.885-1.73)	1.36 (0.925-1.97)	1.45 (0.955-2.15)
10-min	0.828 (0.701-0.995)	0.931 (0.788-1.12)	1.10 (0.925-1.33)	1.23 (1.03-1.50)	1.41 (1.13-1.79)	1.55 (1.21-2.00)	1.69 (1.26-2.25)	1.82 (1.30-2.53)	1.99 (1.35-2.88)	2.12 (1.40-3.14)
15-min	1.01 (0.855-1.21)	1.14 (0.961-1.37)	1.34 (1.13-1.62)	1.50 (1.26-1.83)	1.73 (1.38-2.18)	1.89 (1.48-2.44)	2.06 (1.54-2.75)	2.22 (1.58-3.08)	2.43 (1.65-3.51)	2.58 (1.71-3.83)
30-min	1.51 (1.28-1.82)	1.70 (1.44-2.04)	2.00 (1.69-2.42)	2.25 (1.88-2.73)	2.58 (2.07-3.26)	2.84 (2.21-3.66)	3.08 (2.31-4.12)	3.33 (2.37-4.63)	3.65 (2.48-5.28)	3.89 (2.57-5.78)
60-min	1.87 (1.59-2.25)	2.12 (1.80-2.55)	2.52 (2.13-3.05)	2.85 (2.38-3.47)	3.29 (2.63-4.15)	3.62 (2.82-4.67)	3.94 (2.95-5.27)	4.26 (3.03-5.93)	4.67 (3.18-6.76)	4.97 (3.29-7.39)
2-hr	2.23 (1.90-2.67)	2.55 (2.16-3.04)	3.05 (2.58-3.66)	3.45 (2.90-4.17)	3.99 (3.21-5.01)	4.40 (3.45-5.64)	4.80 (3.61-6.37)	5.19 (3.72-7.17)	5.69 (3.90-8.18)	6.06 (4.03-8.95)
3-hr	2.36 (2.02-2.81)	2.71 (2.31-3.23)	3.28 (2.79-3.93)	3.75 (3.16-4.51)	4.39 (3.55-5.50)	4.88 (3.84-6.25)	5.36 (4.05-7.11)	5.85 (4.21-8.07)	6.48 (4.46-9.30)	6.96 (4.65-10.2)
6-hr	2.70 (2.32-3.19)	3.12 (2.67-3.69)	3.84 (3.28-4.56)	4.47 (3.79-5.35)	5.39 (4.41-6.80)	6.14 (4.88-7.89)	6.93 (5.29-9.21)	7.76 (5.64-10.7)	8.91 (6.19-12.8)	9.82 (6.60-14.4)
12-hr	3.27 (2.81-3.84)	3.76 (3.23-4.42)	4.68 (4.01-5.52)	5.56 (4.73-6.60)	6.93 (5.76-8.82)	8.13 (6.53-10.5)	9.44 (7.28-12.6)	10.9 (7.99-15.1)	13.0 (9.11-18.7)	14.7 (9.95-21.4)
24-hr	3.98 (3.45-4.64)	4.52 (3.91-5.28)	5.63 (4.84-6.60)	6.75 (5.78-7.97)	8.62 (7.25-11.0)	10.3 (8.37-13.3)	12.2 (9.51-16.3)	14.4 (10.6-19.9)	17.5 (12.4-25.2)	20.2 (13.8-29.1)
2-day	4.73 (4.12-5.48)	5.32 (4.62-6.17)	6.58 (5.69-7.66)	7.91 (6.80-9.28)	10.2 (8.64-13.0)	12.3 (10.0-15.8)	14.6 (11.5-19.5)	17.3 (13.0-23.9)	21.4 (15.3-30.5)	24.8 (17.0-35.5)
3-day	5.21 (4.54-6.01)	5.87 (5.12-6.79)	7.28 (6.32-8.45)	8.75 (7.54-10.2)	11.2 (9.54-14.3)	13.5 (11.1-17.3)	16.0 (12.6-21.3)	19.0 (14.2-26.0)	23.3 (16.7-33.1)	26.9 (18.5-38.5)
4-day	5.64 (4.93-6.49)	6.35 (5.55-7.32)	7.84 (6.82-9.07)	9.38 (8.10-10.9)	12.0 (10.2-15.1)	14.3 (11.7-18.3)	16.9 (13.4-22.4)	19.9 (15.0-27.3)	24.4 (17.5-34.6)	28.2 (19.4-40.1)
7-day	6.89 (6.04-7.88)	7.60 (6.66-8.71)	9.10 (7.94-10.5)	10.7 (9.24-12.3)	13.3 (11.3-16.6)	15.6 (12.9-19.8)	18.3 (14.5-24.0)	21.4 (16.1-29.1)	25.9 (18.7-36.5)	29.7 (20.6-42.1)
10-day	7.98 (7.02-9.10)	8.71 (7.65-9.95)	10.2 (8.94-11.7)	11.8 (10.2-13.6)	14.3 (12.2-17.8)	16.6 (13.7-20.9)	19.2 (15.3-25.0)	22.2 (16.8-30.0)	26.6 (19.2-37.2)	30.2 (21.0-42.6)
20-day	10.9 (9.66-12.4)	11.9 (10.5-13.5)	13.7 (12.1-15.6)	15.4 (13.4-17.6)	17.9 (15.2-21.7)	20.0 (16.5-24.7)	22.3 (17.7-28.5)	24.8 (18.8-33.0)	28.4 (20.6-39.2)	31.3 (21.9-43.8)
30-day	13.5 (12.0-15.2)	14.8 (13.1-16.8)	17.1 (15.0-19.4)	19.0 (16.6-21.6)	21.7 (18.3-25.8)	23.8 (19.6-29.0)	26.0 (20.6-32.8)	28.2 (21.4-37.1)	31.3 (22.7-42.8)	33.7 (23.7-47.1)
45-day	16.9 (15.0-19.0)	18.7 (16.6-21.1)	21.7 (19.2-24.5)	24.0 (21.1-27.3)	27.2 (22.9-32.0)	29.5 (24.3-35.6)	31.8 (25.2-39.7)	34.0 (25.8-44.2)	36.9 (26.8-49.8)	38.9 (27.5-54.1)
60-day	20.0 (17.8-22.4)	22.3 (19.8-25.0)	25.9 (22.9-29.2)	28.7 (25.3-32.6)	32.4 (27.4-38.0)	35.0 (28.9-42.0)	37.6 (29.8-46.7)	40.0 (30.3-51.7)	42.9 (31.2-57.7)	44.9 (31.8-62.3)





¹ Precipitation frequency (PF) estimates in this table are based on frequency analysis of partial duration series (PDS). Numbers in parenthesis are PF estimates at lower and upper bounds of the 90% confidence interval. The probability that precipitation frequency estimates (for a given duration and average recurrence interval) will be greater than the upper bound (or less than the lower bound) is 5%. Estimates at upper bounds are not checked against probable maximum precipitation (PMP) estimates and may be higher than currently valid PMP values. Please refer to NOAA Atlas 14 document for more information.

[Back to Top](#)

PF graphical

PDS-based depth-duration-frequency (DDF) curves

Latitude: 28.5517°, Longitude: -82.3870°



[Back to Top](#)

Maps & aeriels

Small scale terrain




Large scale terrain



Large scale map



Large scale aerial



[Back to Top](#)

[US Department of Commerce](#)
[National Oceanic and Atmospheric Administration](#)
[National Weather Service](#)
[National Water Center](#)
1325 East West Highway
Silver Spring, MD 20910
Questions?: HDSC.Questions@noaa.gov

[Disclaimer](#)

13. Pre-Application Meetings

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:
PA 410325**

Date:	4/13/2023
Time:	10:00
Project Name:	South Brooksville Stormwater Master Drainage Plan Update
District Engineer:	Chris Kuzlo
District ES:	Jeff Glas
Attendees:	Colin Miller (CMiller@mckimcreed.com), Tracey Webb, Regina Brachma, Ileana Rivera, Todd Crosby, Scott Herring, Timea Lewis

County: Hernando	Sec/Twp/Rge: 22,23,27,28,34,35/22/19
Total Land Acreage:	Project Acreage: Vary (multiple projects)

Prior On-Site/Off-Site Permit Activity:

- Potential for a prior on-site permit activity. Depends on the location and footprint of the activity associated with the proposed Best Management Practice (BMP). Applicant to determine based on the proposed BMP.

Project Overview:

- Implementation of Best Management Practices (BMPs) from the South Brooksville Stormwater Master Drainage Plan Update.
- The study will be updated based on recent information (LiDAR, constructed projects, updated soil parameters, etc.). Additional BMPs may be identified based on the updated study.
- BMP 2 (a regional stormwater pond) will be constructed first and most likely will result in reduced peak stages and discharges. BMP 2 will also provide water quality treatment of the contributing drainage basin. The intent is to obtain water quality treatment credit which may be utilized as a compensatory treatment for future projects.
- In general, if projects involve alterations to existing unpermitted stormwater management systems that add additional treatment or attenuation capacity and result in reduced flooding of adjacent lands, activities may qualify for a General ERP pursuant to Rule 62-330.451, F.A.C. If projects involve alterations to existing permitted stormwater management systems, do not add additional treatment or attenuation capacity, or do not reduce flooding of adjacent lands, activities may qualify for an Individual ERP pursuant to Rules 62-330.315 or 62-330.054, F.A.C.
- An Individual SWERP for the BMP 2 will be required to establish baseline existing conditions for implementation of future BMPs as well as water quality treatment credit for future projects.

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Wetlands/surface waters present – impact likely, scope unspecified.
- Provide the limits of jurisdictional wetlands and surface waters. Roadside ditches or other water conveyances, including permitted and constructed water conveyance features, can be claimed as surface waters per Chapter 62-340 F.A.C. if they do not meet the definition of a swale as stated under Rule 403.803 (14) F.S.
- Demonstrate elimination and reduction of wetland impacts. The elimination and reduction criteria can be found in subsection 10.2.1 of Applicant's Handbook Volume 1. Be advised that the use of subsection 10.2.1.2 (a) of the handbook may put the project in conflict with the state's 404 program. Coordination with the DEP, the during application review process, is recommended if the applicant wishes to use subsection 10.2.1.2 (a).
- Maintain minimum 15 foot, average 25 foot wetland conservation area setback or address secondary impacts.
- Provide appropriate mitigation using UMAM for impacts, if applicable.
- The site is located in the Withlacoochee River (and possibly the Upper Coastal) ERP Basin. Mitigation Banks that serve this area include the Boarshead, Green Swamp, Withlacoochee and Crooked River / Hilochee (Upper Coastal, Nature Coast, Aripeka, and Old Florida). For an interactive map of permitted

mitigation banks and their service areas, use this [LINK](#). Be advised that use of a bank with a modified service area (i.e. a service area that is larger than the basin the bank is located in), may require the submittal of a cumulative impact analysis pursuant to subsection 10.2.8 of Applicant's Handbook volume 1.

- If the wetland mitigation is appropriate and the applicant is proposing to utilize mitigation bank credit as wetland mitigation, provide a letter of reservation of credits from the wetland mitigation bank. The wetland mitigation bank current credit ledgers can be found out the following link: <https://www.swfwmd.state.fl.us/business/epermitting/environmental-resource-permit>, Go to "ERP Mitigation Bank Wetland Credit Ledgers"
- Please demonstrate that adverse impacts to the wetland hydro-periods will not occur by providing hydrographs of the 2.33 year mean annual storm. The graph should start and end at the pop-off elevation with Existing Condition and Proposed Condition hydrographs superimposed for comparison. Please provide a supporting narrative for the hydrographs explaining any variations that are shown. The invert of the agricultural ditches may be the existing 'pop-off' elevation, or SHWL of the wetland and may need to be considered when designing the storm water management system.
- Determine SHWL's at pond locations, wetlands, and OSWs.
- Determine normal pool elevations of wetlands.
- Determine 'pop-off' locations and elevations of wetlands.
- Please note, the Florida Department of Environmental Protection (FDEP) has assumed the Federal dredge and fill permitting program under section 404 of the Federal Clean Water Act within certain waters. State 404 Program streamlining intentions direct Agency staff to coordinate joint site visits for overall consistency between the two State programs. As such, District staff and the FDEP will need to conduct a joint site visit for evaluation of the wetland/surface water systems proposed for impact. District staff will coordinate with FDEP staff on determining dates/times of joint Agency availability. Upon determination of joint availability, staff will provide the applicant's representative with site visit scheduling options. A site visit will not be scheduled until the appropriate signatures on the application and the fee is submitted.

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Watersheds – Bystre Lake. Watershed model information is available for download using the following link: <https://watermatters.sharefile.com/d-s8c9019e00fd243908654e733a6b2016c>
- WBIDs - Withlacoochee River (WBID 1329E). WBID is currently listed for nutrient related impairments. WBIDs need to be independently verified by the consultant.
- May discharge to a closed basin.
- Document/justify SHWE's (and infiltration rates as applicable) at pond locations, wetlands, and OSWs.
- Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP Map Direct](#).
- Any wells on site should be identified and their future use/abandonment must be designated.
- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- For Individual ERP's - demonstrate projects will not cause adverse flooding on adjacent lands during the 2.33-year, 10-year, 25-year, and 100-year, 24-hour storm events. Any increases in flood stages on adjacent properties will require authorization from the property owner.
- For General ERP's pursuant to Rule 62-330.451, F.A.C. - demonstrate projects will reduce flooding on adjacent lands during the 2.33-year, 10-year, 25-year, and 100-year, 24-hour storm events.

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- Demonstrate no net reduction in existing treatment capacity provided.
- For water quality treatment credit to be obtained via BMP 2, the compensatory treatment credit needs to be established based on the presumptive treatment criteria and nutrient loading analysis.
- Credit can be given only for those areas which do not receive any formal water quality treatment.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- N/A.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to the entity that owns or controls the property.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc.

Application Type and Fee Required:

- SWERP General - Notice of Intent to Use an Environmental Resource General Permit - \$250.
- SWERP Individual - Sections A, C, and E of the ERP Application.
- Fees will depend upon the project size and amount of WL/SW impacts. Consult the fee schedule for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER] This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer. [Refer to Subsection 5.4.1(b), A.H.V.II]
- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.
- On December 17, 2020, the Environmental Protection Agency (EPA) formally transferred permitting authority under CWA Section 404 from the U.S. Army Corps of Engineers (Corps) to the State of Florida for a broad range of water resources within the State. The primary State 404 Program rules are adopted by the Florida Department of Environmental Protection (FDEP) as Chapter 62-331 of the Florida Administrative Code (F.A.C.). While the State 404 Program is a separate permitting program from the Environmental Resource Permitting program (ERP) under Chapter 62-330, F.A.C., and agency action for State 404 Program verifications, notices, or permits shall be taken independently from ERP agency action, the FDEP and the Southwest Florida Water Management District (SWFWMD) will be participating in a Joint application Process. Upon submittal of an ERP application that proposes dredge/fill activities in wetlands or surface waters within state assumed waters, the SWFWMD will forward a copy of your application to the FDEP for activities under State 404 jurisdiction. The applicant may choose to have the State 404 Program and ERP agency actions issued concurrently to help ensure consistency and reduce the need for project modifications that may occur when the agency actions are issued at different times. Additional information on the FDEP's

404 delegation can be found at: <https://floridadep.gov/water/submerged-lands-environmental-resources-coordination/content/state-404-program>

- Additionally, for those projects located in areas where the Corps retains jurisdiction, the applicant is advised that the District will not send a copy of an application that does not qualify for a State Programmatic General Permit (SPGP) to the U.S. Army Corps of Engineers. If a project does not qualify for a SPGP, you will need to apply separately to the Corps using the appropriate federal application form for activities under federal jurisdiction. Please see the Corps' Jacksonville District Regulatory Division Sourcebook for more information about federal permitting. Please call your local Corps office if you have questions about federal permitting. Link: <http://www.saj.usace.army.mil/Missions/Regulatory/Source-Book/>

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.