

Hernando County

20 North Main Street, Brooksville, FL 34601

Legislation Text

File #: 10949, Version: 1

TITLE

Rezoning Petition Submitted by Richard Rizzolo Agency on Behalf of Richard Rizzolo (H2234)

BRIEF OVERVIEW

Request:

Rezoning from PDP(OP)/Planned Development Project (Office Professional) to PDP(SF)/Planned Development Project (Single Family)

General Location:

South side of Maderia Street, approximately 142'west of Mariner Boulevard

P&Z Action:

On August 8, 2022, the Planning and Zoning Commission recommend the Board of County Commissioners adopt a resolution approving the petitioner's requested rezoning from PDP (OP)/Planned Development Project (Office Professional) to PDP(SF)/Planned Development Project (Single Family) with unmodified performance conditions.

Hearing Detail:

The following members were present at the August 8, 2022, Planning and Zoning Commission meeting: Chairman Mike Fulford; Vice Chairman Jerry Campbell; W. Steve Hickey; Mike Kierzynski; Jonathan McDonald; Mark Johnson (an alternate member present in a non-voting capacity) and John T. Carroll (an alternate member present in a non-voting capacity).

FINANCIAL IMPACT

A matter of policy. No financial impact.

LEGAL NOTE

The Board has the authority to make the requested rezoning decision pursuant to Chapters 125 and 163 Florida Statutes. The Applicable Criteria for a Zoning District Amendment are contained in Appendix A (Zoning Code), Article VI. The Applicable Criteria for a PDP are found in Appendix A (Zoning Code), Article VIII. The Zoning District Amendment must be consistent with the Comprehensive Plan.

RECOMMENDATION

It is recommended that the Board adopt a resolution approving the petitioner's requested rezoning from PDP(OP)/Planned Development Project (Office Professional) to PDP(SF)/Planned Development Project (Single Family) with unmodified performance conditions in accordance with the recommendation of the Planning and Zoning Commission. It is further recommended that the Board authorize the Chairman's signature on the attached associated resolution.